```
index. html
            (h+m1)
             < title > question one < /ittel
             < head >
              < / head >
               < body>
                  < form action= "POST">
               < label> User name < 1 label>
             <input type = "kxt" placeholder= "enkr your wername."</pre>
                  name= "login"/> < br />
             < label > Pass word < /label>
           cinput type= "pass word" place bolder= "enter password"
                  name = "password" /> <br/>
             Harm < button type= 1/submit 1/2 login < /buttor> < 67/)
                 < 1 yorm>
                   < 1 body >
                   <1hFm1>
         (onn.jara
             import java. sql. *
              public static booken check User (5 ming email, 5 ming pass)
            public . class conn &
               2 bodean st= Jalse;
                     Class . for Name ("com. mysgl. jbdc. Driver")
           Connection con = Driver Manger. get Connection ( "jdbc: orack: Main
OS TEEN Nort: 1500: xe", "system", " abod"),
```

(01)

Preparal Shakment ps= con. prepares ratement ("select * from 2" where username = ? and password = 1"); ps. sets my (1, email); ps. setsming (2, pass); Result Sct Ys = ps. execute Queryly st= &s.nextl); cakh (Exceptione) & e. printstack Trace (); Jehrn st) Login java importjana.io. *; import javax. servet. *; import, java x, servlef. http. *; import Java. sql. +; public class Login extends Attp Servlet & protected void do Post CHHp Servlet Request reguest, MHp Servlet Response response) Mrnus Servlet Exception, 10 Exception & desponse. set Content Type (" HXT/hml; charset = PrintWriter out = response getWriterli; Shing username = request get Parameter ("username") shing pass = request get Parameter ("password");

```
if (conn.checkliser Casername, pass)) {
    Request Disparker rs = request, get Reguest Disparkher ("Welcome")
        rs . forward (request, rupo we);
          out printly (" Vsername or Passwood incorrect")
       else
        Request Dispatcher Ys = request get Request Dis patcher
             Ys. include (request jresponse); Mindex. hmills
  Wellome . java
     import java. io. *;
     import javax servlet. *;
import javax servlet. http. *;
     Public class welcome extends HATP servlet &
    prokeled void do Post ( http servlet Request request,
        MAP Servlet Response response)
        moons Servlet Exception, 10 Exception &
       respone setlonkut Type ("kxt/hml; charset = UTF-8")
        PrintWriter out= reponse get Writen();
             ant. println (" Welcome Vsed")
```