Rohan Negi MCA-"A" 2001123 < Doctype html >
< html >
< head > Insert < / Lead > < body > < form action = "login isp" > ( table > ) Enter wer name < "text" hame=
"fy" placeholder = "Enter your hame") > Enter pswd < 1td> > < input type = "password" name = "t2" > < input type = "submit"
value = "Login" > < 1 table > < 1 forms < 1 body > < / html >

package com ma demo, import law Soll x; public class DB util & Static Connection con-hull; static Prepared Statement But: rull; static Result Set no = mill; public static Connect get Conn () E try 1 Class for Name (" oracle idba driver oracle Driver'); con: Driver Manager get Connection ( wil, usn, pswd); 11) catch (Exceptione) hame= your home"> 5.0.p (e); return con; public Static Result Set get Data() con = get Cohn (); pst = con prepareStatement ("
select x from users"); rs = bet execute Querry (); neturn rs; alexelege? Aug 07, 2021, 10:55

public static intadd Data C User Beach b) con= get Conn (); pst = con prepare Statement (insert into user values (????)") But set String (I, B. get Name ()) pst set Int (2, B. get Password()) bet set Int (3, B. get Age ()); pet set Int (4, b. get Phone ()); i = pst execute Update (); return i. Aug 07, 2021, 10:55