Nane-Saurar Bhandari Course- mcA section - B Roll No. 2001137 I inder. hour < ! DOCTYPE hand> &. J. Pars! -< hml> < head > Title > question one </title> < body > < form action = "logis" > < label > user name </ label > < input type = "tent" placeholder = "enter your usernane.." nano = "login"/> <br/>
<br/> < label 7 Parsword </ label > Kinput type = "text" placeholdes "enter pass word . " name = " password" /> < br/> <br/> L button type = "submit" > login < / button > < br /> 21 form > </ body > </hl>

11 Conn. jova. in to have sended to fine import jour . Sql . \*; public class conn à public static boolean check User (string email, string Pars) My & class. forMano ("Com. mysgl. jdbc. Driver"); Connection Con = Driver Manager get Connection ("jdbc: nach: thin: @ localhost: 1521: xe", "system", "abed"); Prepared Statement Ps = Con. Prepare Statement ("select & from login where user want of and password = ?!'); Ps. setshing (1, email);
Ps. setshing (2, pass); Resulted rs = Bs execute Query (); st = rs.next(); Catch (Exception e) { vol é printstack trace (5) / louper : le contra par la proposition de la contraction (clos flox, houges) stuber in rehern st;

11 welcome jour. 7 import java .io. \*; import javax. servict . \*; he sur, diegas import javax. Servet. http: x; public class Login entends HttpServlet & protected void de Post (HHIPServlet Request, request, HHPServlet Response response) throws Servlet Exception, 10 Exception {
response set Gontent Type ("text/whil; charget = UTF-8"); Printwhiter out = response get writer () String Wername - request get larameter (" username"). String Pars - request get Parameter ("Pous word"); if (Conn. check Veer (username, Pass))?
Request Dispatcher ("welcano"); of (Conv. check User (username, Pass)) { rs. forward (request, response). out. printh ("username or Pouxword incorrect"); Request Dispatcher 15 = request getRequest Dispatcher ("index.html") rs. include (request, response);

3 // Login. Java file impost javax servlet. \*; impost javax servel. http .\*; Import java . sql. \*; public class welcome extends Http Servet & protected void do Post Http Servet Request request, Httpsendethesparse response) throws servet-Exception, lo Exception ? response. Set Contenty pe (" text / whil; charset = UTF -8"); Printwriter out = response getwriter (); out. Printer ("welcome user"); 3 Compared ( 18 ) ( 18 Republication of the transport of the particular th

Schondan