

· import Java . sql . *; Public class conn & public static boolean Check User (string email String pass) boolean st = false; trys Class. for Name ("lom. mysgl. j dbc. Driver"); Connection con= Driver Mang Manager get Connection ("jobe: oracle: thin: @local has t: 1521: xe", "System", "abcd"); Prepared Statement ps con prepare Statement ("Selec t + from dogin where Username = ? and password = ?'); Ps. Set String (1, email); Ps. Sotstring (2, pass); Result Set 125 = ps. execute Query (); St= rs. next ();

(atch (Exception e) { e. print stack Trace (); result return St; import Java. io. 40 Inhost Savax Serylet. x ; impost swap. serveet httpseweet { Protected void do Post (http server Request Sequest, with nevert Rosponse nestons) throws Servett , To Exceptions gesponse. Set Great type ("foot Intime Print white Oct = 928 pour. get write 000 "Charled = UT-P) Stricting user hame - Irequest. get larantel "as". Stol & Pays - Sequest get baranety "Passenty 9+ (conn. Check Uses (csernany, pary)15 Reaused Disfach 35 squiret gether

98 . fosward (nequest grespons)" else out prittluser name or Pass was Encorantly, fequent Disparker Is = requiriget " feared PISPachs (I def. html ")", 88. inllude (Slacy A. Irsky).

Proposit Java. Po. x; import Javax Servlet x; Empert Swax. Servell. Lttp.x; Import Java Sql x? public class welcom extends HHP servelts protected volt do post (Itth Servert Request, http Servelpeponse Jesponse) throws servelet Expedien To Exception Islaponse. Alt Contenttype ("Yest Attme Doset Printwrites out = Jespony. get writer(), outbriedle ("welleny");