OUESTION 1:

CODE:


```
Index.html file
<!DOCTYPE html>
<html>
<head>
<title>question one</title>
</head>
<body>
       <form action="login">
              <label>User name</label> <input type="text" placeholder="enter your
username.."
              name="login"/> <br/><br/>>
              <label>Password</label> <input type="text" placeholder="enter password..."</pre>
              name="password"/> <br/>
              <button type="submit">login</button><br/>
       </form>
</body>
</html>
Conn.java
import java.sql.*;
public class conn {
  public static boolean checkUser(String email,String pass)
  {
    boolean st =false;
    try {
```

```
Class.forName("com.mysql.jdbc.Driver");
      Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","abcd");
      PreparedStatement ps = con.prepareStatement("select * from login where username=?
and password=?");
                     ps.setString(1, email);
                     ps.setString(2, pass);
      ResultSet rs =ps.executeQuery();
      st = rs.next();
    }
    catch(Exception e) {
      e.printStackTrace();
    }
    return st;
  }
}
Login.java file
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;
public class Login extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
      throws ServletException, IOException {
    response.setContentType("text/html;charset=UTF-8");
```

```
PrintWriter out = response.getWriter();
    String username = request.getParameter("username");
    String pass = request.getParameter("password");
    if(conn.checkUser(username, pass)){
      RequestDispatcher rs = request.getRequestDispatcher("Welcome");
      rs.forward(request, response);
    }
    else
    {
      out.println("Username or Password incorrect");
      RequestDispatcher rs = request.getRequestDispatcher("index.html");
      rs.include(request, response);
    }
 }
Welcome.java file
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;
public class welcome extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
      throws ServletException, IOException {
```

```
response.setContentType("text/html;charset=UTF-8");
    PrintWriter out = response.getWriter();
    out.println("Welcome user");
}
```

OUTPUT:



HANDWRITTEN CODE:

HANDWKI	I IEN CODE:
W. S. W.	
Happy	Date
10 N	
	Name ? > Ayushe Luncoall
	Course? MCA 2B
	Stee Dd 3-> 20+120++.
10	Code & J
16	- Coar of
2.1	Board P 1 11 1 Della marcal
	Deade inden himl (file name)
	(1- 2- 2- 11 11
	SIDOCTUPE html>
	(hilml>
-	<head></head>
	<ti><ti>Kitle > question one < 1 title>.</ti></ti>
0.00	<body></body>
2 Carrie	Sform action = "login")>
	< label > Usey mams < 1 lable > Seart
35 Francis	· 6 Juno - " fort" alanchaldan - " Parton
	(lable) (lable) (lab
5 17	mame = " logen " /> < but < but
1	Clabal S Days 1 Still 1803 Solly
	 < Proput
The state of the s	type = "fort" placeholder = "entey
	fusility of o
31 0	oname = "password" /> lbu> Tbu>
3000	Southon type = "submit"> 108/2
	<16 colford > < bes
200	
6	Abody >
1000	<1-hbm/s
	· nove
WARDING .	il more
E ALL SES	
	Signature

Signature

Vasswood Incorrect ") Request Dispatch vs - siegnest oft Request Dispatch ("Ponder him! os include (request, seeponse) g Welcome Java (fle name) Pompost favan. selvelet. *; Impost favan. selvelet. *; Impost favan. selvet. http.* public dass welcome extends HHpsenvlet & protect void do Post (Http Souvet Request. thuois Souvelet Enception, Potaception & cuesponse. set Content Type (" territ both for for chauset = UTF-8") & puint Wenter out = viesponse. get Writer. System.out. puintln("Welcome user");