```
Name: Akansha Bhandaus
Counse " mcA - 2A
 Pell No 8 2001016
(M=)
     index. html :
    Lhtml >
     Little Y End tim Practical 11 AKANSHA BHANDARI MCAZA
     (head)
                       2039 2089 (1+itle)
      4 head >
       (body)
       < form action = "login.jsp")
       <+d>> Osunames (+d) <+d>    input type = "text" name = t1" >
      Ltable >
       4+7
       (+r) (td) linbut type type="submit" value = "Login">
       21+87
                    Utd> (1tr)
        (table >
         4 Joum >
         (1 body)
          21html>
        Login.jsb &
      Lhtmly
       ( head)
        1 mead>
        L body>
        < 9. 1 Usubean v= null; ResultSet &s=null;1.>
      (%) string id = vegust. get Pawameter ("+1");
          String farmond = request get Parameter ("+2").
           TS = BOHill get Douta ();
          borolean status = false;
```

```
while (us.next())
  & if (i'd equal (ses get &tring (s)) && (possword : equals (
                                          rs, get string(2))
      & Status - bus;
     3 if (Status)
      rebs & out puinten ("ulekome"+id);
       ebe
       & out puintly (" Invalid passward on use");
      (1body)
       (1h+m17
DBUtil. java.
    Public class DBUHILIS
        Static connection con= null;
         Static con Purpared Statement pet = hull;
        static Result det vs = null;
        Public static connection getcomn()
          5. try & coor tou Name ( * sucale jbde. Luien,
                                  Clock Driver );
                 con = Driver Mangur get Convection (4)
jdbc: oucle: thin: @ localhost:
                             1501: XE", "end tem", abed");
             catch (Exceptione)
                   Syster. Out · per te ).
```

setteen con; bublic static est Result Cat get Data) throws Salexabtion & con=get(o'nnl) pst = con purpaire Stateut (" Select + from usudatan); us = pst. execute Queryes; outcein ves; OberBean java. public clas Usubean of perivate Steing rom; private, paroward, String public string get Name () 5 2 vetwer rand, bublic void rellane (string none) & this name = none; public string get Parsword () & & vutur password; bether set voild set password (Soring passed) & this password = passwed; Mandau