```
Name-Rahul Kasasi
Section-B
```

```
1> index. html
```

< I DOCTYPE html>

<html>

(head)

<title> Program 1 </title>

</head>

(body)

< form action = "login">

< label > User name </label>

cinput type = "text" placeholder = "Enter processed"
hame = "login"/>

<label> Parswood </label> Linput type = "text"
Place holder = "enter parswood" name = "parswood"/>

Submit"> Login </button>

</form>
</body>
</html>

Connect.java

Public class connect {

Public static boolean checkUses (Storng user, Storng Pass)

boalean ch = false;

class for Name (" com. mysql. jdbc. Driver");

Connection Com

Bower

(Pom

```
Connection con = Driver Manager. get Connection (" Jaba: oracle : thin:
                     @localhost: 1521: *e", "system", "1234");
    Prepared Statement : PS= con. prepare Statement ("Select * from Login
            when username = ? and password = ?");
         Ps: setstorng (1, user );
         Ps. set Stong (2, Pass);
          Results et 85 = PS. Execute Query ();
          ch = 85 · hext ();
       Catch (Exception e) {
               C. PontStack Trace ();
       return ch;
BARRIA A CARRANT
 login.java
Public class login extends HttpSexulet &
       protected void do Post (It to Sexulet Request request,
                  Httpseoulet Response sesponse)
       throws Servlet Exception, 10 Exception &
        sesponse. set Content Type ("text/html; charset = UTF-8");
        Pointwater out = response get water.
        Storng useoname = sequest. get Pasameter (" uses lame ");
        stong pass = sequest, get Pasatemeter (" passwerd");
```

Ru

```
Request Dispatcher & = sequest. get Ruquest Dispatcher

("Welcome");

& S. ferward (sequest, & ser response);

Cloe?

Out. println (" Username, Passwood is wrong");

Request-Dispatcher & = request. get Request Dispatcher

& S. include (request, & exponse);

}
```

Bus .