Name-Saurar Bhandari what I rething hero, may a Course - mcA (1) tollow, or sinch his Section - B rall number - 2001137. (Carried, 1) pristed 2.121 (mor, 5) gant 212 deg &.2. Ans: - # import java. Sql. *; ((for 8) doll 52, 124 import java. util .*; (10) id. (1) fride); del public class & 2 { public Static void main (string[] args)?

TODO Auto-generated method stub. class. for Name ("Com. mysgl. cj. jdbe. Driver"); Connection Conn = DriverMarager, getConnection("jdbc: mysql://localhelt:3206/ mydb", "roat", "1234"); System out printy ("Connected"); 1/1/200/ 1/100 Prepared Statement pst 7 Comm. prepare Statement ("insert into book details Values (?,?,?,?)"); Scanner schenew Scanner (System in); System out println ("Enter book name"); String brance = Sc. nextline (); system out frintler ("Enter author name"); String name = sc. neutline (); System. out. println ("Enter number of pages"); int nop = Sc. newlint();

```
System. out. printly ("Enter price");
  int price = sc. nent Int ();
   bst. Set String (1, bname);
   pst. ststring (2, name); * 1/2 my loops 1
   sst. Setint (3, nop); ( K. lilu. Dung tayon
   bet. settlet (4, brice);
   int x = bet. execute Update ();
  if (x!=0) {
     system. out. println ("sata interted");
se ?
    System out printly ("Enter ogain");
  Ist = conn. Prepare statement ("Select * from bookdetails");
While (rs. nent ()) &
   system. out. printly ("book name: " + 15. getstring (2));
 System. out. printly ("Author vano: "+rs. get string (2));
 system. out. println ("No. of pages : " + 15. getlut (2));
 System. out. printly ("Price:"+rs.getill(4));
11 create Procedure
                sylver out firstly ( site vinder
 11 rs. Arst ();
                    : Odderdown so down die
 Conn. Close ();
```

Catch (Exception e) {
e. PrintStact Trace ();
} 3 Bahand Torce Marie Miller a belieble along the Balans and the state of t