Name - Himanshy Sanwar Class -> MCA "B" Student I 120711120 01 <! Doctype Litrell (Houl) Zmeta charset="150-8859-1"> Ztitle > Insert title here < Ititle> Whead> Lbody> Xformaction="login ysp"> (tr> (td) (input type = "text" name = "t1" pleaceholder = "Enteryourn (td) Enterusername (Itd) (tr> L'ty> (td) < Enput type = " Password" name = " +2"> < (td)> (t) Enter pasword(1t) (to) < input type="submit" value="login" > (1E1> LIE) < (1 > (to) < (2) \ (1 + ob) < (1 (Itable) (Iform) (1body) (1html)

classifor Name ("oracle jobc driver Oraclebriuer);
over = mine Manager, act Connection ("idbe 'oracle they &
con = Driver Manager. get Connection ("jdbc 'oracle 'thing & local host '1521: K E", "System", "Kattu27");
total host 13 21. 1 C, system, rapidzi)
\
Catch (Exception e) { System. out. printly (e);
2 in (Cocephon e){
System out pruty (e);
2 return conj
J
public static Result Set
public static Result Set get Sata () throws Exception {
con= getConn();
pst = con prepare Statement ("Select * from wers");
rs = pst. execute Query (1')
zehun zi
public static int int add Data (Usu Bean 6) throws
Exception {
int i=0;

pst: com. prepare Statement ("insert into users values (3, 9, 9 st= setString (1, 6. getName ()); pst. set Smy (2, 5. get Password (1)'s pst set Int (8, 6 get Age (1)); pst set Port (4, b. get Phone (11) i = pst executeUpdate (13 package coom meg dame; public class Usu Bean { private String name, private String password, private intages private int phone's public String get Nove () { publik word set Name (String name) {

this name = name;

public int get Phone () { rehumbhone; public void SetPhone (int phone) { this phone = phone ; < 10(a) page Longuege = "java" content Type = "text/html"; Charset = ISO - 8859 - 2" page Encoding = "ISO - 8859-1"/. > { DOCTYPE Whill (hhml) (head)

(% a page Language = Java content TYPE = "text phone" charset = "150 - 8889 - 1" page Encoding : " +50-8859-1"/.> (1. a page import = " coom ma. domo. UserBean" 1.) < % a page import & "coom. mea. domo. "Mutil" 1/25 (1@ page import = "Jang. Sgl. ""/.) (1 DOCTYPE WHIL) (hbml) < meta charset = "150-8859-1"> (title Inset title here (Hitle) (body) (). ! User bean u= mill; kesultdet ys = null gol, (1. Request Dispatcher nd - request get by wet Eispacher ("Success. Jsp"); Storing id= regrest get Parameter ("+2"): 78 = DButil get Data (); boolean Shaky = false ; while (rs. mpt()) { (psw. equal (rs. get string (1))) & &

(psw. equal (rs. get string (2)))) & Status = true's (body) (While !