Create a new GitHub repository.

- Clone the repository to your local machine using SSH (generate an SSH key if needed, add the public key to your GitHub account).

```
PS D:\Assignments\flask-mongodb-app> ssh-keygen -t rsa -b 4096 -f "$env:USERPROFILE\.ssh\id_rsa" -P
""'
Generating public/private rsa key pair.
Your identification has been saved in C:\Users\navee\.ssh\id_rsa
Your public key has been saved in C:\Users\navee\.ssh\id_rsa.pub
The key fingerprint is:
SHA256:MONQHKf7IF0sswGg9vCVxsL+a9WkJnl1I58kitNfRTo navee@Naveen_Gowda
The key's randomart image is:
+---[RSA 4096]----+
|  ....o..        |
| .. .oo+     .   |
|.o o.=O o    o   |
|. = ++ @ = E .   |
|   +. X S * =    |
|    .* X . +     |
|     .* o .      |
|     ..  .       |
|    ..           |
+----[SHA256]-----+
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> Get-Content $env:USERPROFILE\.ssh\id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAACAQCU/JG0eGYPnloDb4HZJQDjrUo006KNzNv0rDVZ349+dA+lyEraLk11i0gVxpSVw
C5u5Bb5+bSIt8EBMXPC8Uwk4F7zPQuoG/bjgZbY75UEVA9UprdxSrdNb1KDAM/+2dbqlkeZzp8rLshLw6u0A2aYSc7FG2YYMaQktR
wCmSVwEEi3AWiF4rAtj8JLroqRuql4p52rGhO7FOfGKkznJzUhtrBc4SwXTCsmqwjvivYByfNbKCH8jU7gswPvqVzN9zFt4gywWxe
7lAnsS1LaP1Fete+oK3GyEPOXNPbELXbdJ7WIlpnR1JCKWCGjbbdxn1W0uCCEkS4pg/Xztw5pLrtU3LcAdXJQ79DhcF5SnuP0M/Hu
R3mA/cMBI1MmeZ0aQUEzhT98y+RLq3WiVLZu7aAyg1g3ZH1GQ/RBNlB3AEJZFHWOham0yumavHE3wT4yjCtglzhq2hp5LOJdfAl89
TclFoGV7UBjmvOw103Xa0lqCm6AgqFWOgVpg6cZrUMLCD+Ym21XR7y75uTt3AvIF47YzKXeJfO5EWXeCxSmeWzhTR6mePC3MTQtag
Dbhz940P+M8wpe9zDxIUTSvqOe4P7pzlWDmVQrYgG/Ty66ZbqmKWY7e0fxseayRTfzWxRpkQuPAHXdSNz67n1qZ4QnIE3Owwbh+IF
cAvGeQnsBEFqnyw== navee@Naveen_Gowda
PS D:\Assignments\flask-mongodb-app>
```




```
PS D:\Assignments\flask-mongodb-app> git config --global user.name "Naveen" ; git config --global use
r.email "naveen@example.com" ; git remote -v
origin  https://github.com/NaveenKumarRB/Test-Tute.git (fetch)
origin  https://github.com/NaveenKumarRB/Test-Tute.git (push)
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git remote set-url origin git@github.com:NaveenKumarRB/Test-Tute
.git ; git remote -v
origin  git@github.com:NaveenKumarRB/Test-Tute.git (fetch)
origin  git@github.com:NaveenKumarRB/Test-Tute.git (push)
PS D:\Assignments\flask-mongodb-app>
```

- Create a new branch named after your username (e.g., Tutedude).

```
PS D:\Assignments\flask-mongodb-app> git checkout -b Naveen ; git log --oneline -5
Switched to a new branch 'Naveen'
c473d0c (HEAD -> Naveen, origin/main, main) updated file
a208c29 Flask + MongoDB Atlas app
PS D:\Assignments\flask-mongodb-app>
```

- Add your Flask project files to this branch.

```
PS D:\Assignments\flask-mongodb-app> git add README.md ; git commit -m "Add comprehensive README docu
mentation" ; git log --oneline -3
[Naveen e813993] Add comprehensive README documentation
 1 file changed, 75 insertions(+)
 create mode 100644 README.md
e813993 (HEAD -> Naveen) Add comprehensive README documentation
c473d0c (origin/main, main) updated file
a208c29 Flask + MongoDB Atlas app
PS D:\Assignments\flask-mongodb-app>
```

Commit the changes and merge the branch into the main branch.

```
PS D:\Assignments\flask-mongodb-app> git checkout -b Naveen_new ; git branch -v
Switched to a new branch 'Naveen_new'
  Naveen     e813993 Add comprehensive README documentation
* Naveen_new e813993 Add comprehensive README documentation
  main       e813993 [ahead 1] Add comprehensive README documentation
PS D:\Assignments\flask-mongodb-app>
```

2. Create a new branch named <your_name>_new (e.g., Tutedude_new).

- Update the content of the JSON file used for the /api route in this branch.
- Merge the <your_name>_new branch into the main branch.
- If there are conflicts during the merge, resolve them by accepting the changes from the <your_name>_new branch.
- Add the resolved changes to the staging area, commit them, and push the updates to the remote repository.

```
PS D:\Assignments\flask-mongodb-app> git add data.json ; git commit -m "Update data.json with new emp
loyee records" ; git diff main data.json
[Naveen_new 9092bfa] Update data.json with new employee records
 1 file changed, 21 insertions(+)
diff --git a/data.json b/data.json
index 4b2935a..84b0f6d 100644
--- a/data.json
+++ b/data.json
@@ -26,5 +26,26 @@
     "role": "Data Scientist",
     "department": "Analytics",
     "email": "arjun@example.com"
+  },
+  {
+    "id": 5,
+    "name": "Naveen Kumar",
+    "role": "DevOps Engineer",
+    "department": "Infrastructure",
+    "email": "naveen@example.com"
+  },
+  {
+    "id": 6,
+    "name": "Sophia Chen",
+    "role": "Backend Developer",
+    "department": "Engineering",
+    "email": "sophia@example.com"
+  },
+  {
+    "id": 7,
+    "name": "Amit Singh",
+    "role": "Frontend Developer",
+    "department": "Engineering",
+    "email": "amit@example.com"
   }
 ]
\ No newline at end of file
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git checkout main ; git merge Naveen_new ; git log --oneline -5
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
Updating e813993..9092bfa
Fast-forward
 data.json | 21 +++++++++++++++++++++
 1 file changed, 21 insertions(+)
9092bfa (HEAD -> main, Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
a208c29 Flask + MongoDB Atlas app
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git checkout -b master_1 ; git checkout main ; git checkout -b m
aster_2 ; git branch -v
Switched to a new branch 'master_1'
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)
Switched to a new branch 'master_2'
  Naveen     e813993 Add comprehensive README documentation
  Naveen_new 9092bfa Update data.json with new employee records
  main       9092bfa [ahead 2] Update data.json with new employee records
  master_1   9092bfa Update data.json with new employee records
* master_2   9092bfa Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app>
```

3. **Branch Creation**:

- Create two branches: master_1 and master_2 from the main branch.
- **Feature Development in** master_1:
- In the master_1 branch, create a **To-Do Page** in the frontend.
    - The page should contain a form with the following fields:
        - **Item Name**
        - **Item Description**
- **Backend API in** master_2:
- In the master_2 branch, create a backend route named /submittodoitem.
- This route will:
    - Accept itemName and itemDescription via a POST request.
    - Store these details in a MongoDB database.
- **Merging Changes**:

Merge the changes from both master_1 and master_2 into the main branch.

```
PS D:\Assignments\flask-mongodb-app> git add data.json ; git commit -m "Update data.json with new emp
loyee records" ; git diff main data.json
[Naveen_new 9092bfa] Update data.json with new employee records
 1 file changed, 21 insertions(+)
diff --git a/data.json b/data.json
index 4b2935a..84b0f6d 100644
--- a/data.json
+++ b/data.json
@@ -26,5 +26,26 @@
     "role": "Data Scientist",
     "department": "Analytics",
     "email": "arjun@example.com"
+  },
+  {
+    "id": 5,
+    "name": "Naveen Kumar",
+    "role": "DevOps Engineer",
+    "department": "Infrastructure",
+    "email": "naveen@example.com"
+  },
+  {
+    "id": 6,
+    "name": "Sophia Chen",
+    "role": "Backend Developer",
+    "department": "Engineering",
+    "email": "sophia@example.com"
+  },
+  {
+    "id": 7,
+    "name": "Amit Singh",
+    "role": "Frontend Developer",
+    "department": "Engineering",
+    "email": "amit@example.com"
   }
 ]
\ No newline at end of file
PS D:\Assignments\flask-mongodb-app>
```

4. **Enhancing the To-Do Form in** master_1:

- In the master_1 branch, add the following fields to the To-Do form:
  - **Item ID**
  - **Item UUID**
  - **Item Hash**
- **Committing in Sequence**:
- Add and commit each field separately in the following order:
  - **First commit**: Add **Item ID** field.
  - **Second commit**: Add **Item UUID** field.
  - **Third commit**: Add **Item Hash** field.

- **Merging to** main:
- Merge the master_1 branch into the main branch.
- **Git Reset and Commit Deletion**:
- In the main branch, use **Git Reset** to roll back to the commit where only the **Item ID** field was added.
- Use git reset --soft to ensure changes remain staged.
- Re-commit this state to the main branch.
- Merge this updated state to the main branch.
- **Rebasing Changes**:
- Rebase the updated changes in the main branch to the master_1 branch. **Clarification**:
    - During rebasing, **preserve individual commits** to maintain the commit history for each change (i.e., do not squash commits).

Use git rebase main master_1 to integrate changes from the main branch back into the master_1 branch.

```
PS D:\Assignments\flask-mongodb-app> git checkout main ; git merge Naveen_new ; git log --oneline -5
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
Updating e813993..9092bfa
Fast-forward
 data.json | 21 +++++++++++++++++++++
 1 file changed, 21 insertions(+)
9092bfa (HEAD -> main, Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
a208c29 Flask + MongoDB Atlas app
PS D:\Assignments\flask-mongodb-app> git checkout -b master_1 ; git checkout main ; git checkout -b m
aster_2 ; git branch -v
Switched to a new branch 'master_1'
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)
Switched to a new branch 'master_2'
  Naveen     e813993 Add comprehensive README documentation
  Naveen_new 9092bfa Update data.json with new employee records
  main       9092bfa [ahead 2] Update data.json with new employee records
  master_1   9092bfa Update data.json with new employee records
* master_2   9092bfa Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app> git checkout master_1
Switched to branch 'master_1'
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git commit -m "Add To-Do form temp
late with Item Name and Item Description fields" ; git log --oneline -2
[master_1 f74f8ab] Add To-Do form template with Item Name and Item Description fields
 1 file changed, 156 insertions(+)
 create mode 100644 templates/todo.html
f74f8ab (HEAD -> master_1) Add To-Do form template with Item Name and Item Description fields
9092bfa (master_2, main, Naveen_new) Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git checkout master_1
Switched to branch 'master_1'
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git commit -m "Add To-Do form temp
late with Item Name and Item Description fields" ; git log --oneline -2
[master_1 f74f8ab] Add To-Do form template with Item Name and Item Description fields
 1 file changed, 156 insertions(+)
 create mode 100644 templates/todo.html
f74f8ab (HEAD -> master_1) Add To-Do form template with Item Name and Item Description fields
9092bfa (master_2, main, Naveen_new) Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app> git checkout master_2
Switched to branch 'master_2'
PS D:\Assignments\flask-mongodb-app> git add app.py ; git commit -m "Add /submittodoitem route to acc
ept and store To-Do items in MongoDB" ; git log --oneline -2
[master_2 d427f2c] Add /submittodoitem route to accept and store To-Do items in MongoDB
 1 file changed, 53 insertions(+)
d427f2c (HEAD -> master_2) Add /submittodoitem route to accept and store To-Do items in MongoDB
9092bfa (main, Naveen_new) Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app> git checkout main ; git merge master_1 ; git log --oneline -4
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)
Updating 9092bfa..f74f8ab
Fast-forward
 templates/todo.html | 156 ++++++++++++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 156 insertions(+)
 create mode 100644 templates/todo.html
f74f8ab (HEAD -> main, master_1) Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git merge master_2
Merge made by the 'ort' strategy.
 app.py | 53 ++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 53 insertions(+)
PS D:\Assignments\flask-mongodb-app> git checkout master_1 ; git log --oneline -3
Switched to branch 'master_1'
f74f8ab (HEAD -> master_1) Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git commit -m "Add Item ID field t
o To-Do form" ; git log --oneline -2
[master_1 6f48315] Add Item ID field to To-Do form
 1 file changed, 5 insertions(+)
6f48315 (HEAD -> master_1) Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git commit -m "Add Item UUID field
 to To-Do form" ; git log --oneline -3
[master_1 b6c88d1] Add Item UUID field to To-Do form
 1 file changed, 5 insertions(+)
b6c88d1 (HEAD -> master_1) Add Item UUID field to To-Do form
6f48315 Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git commit -m "Add Item Hash field
 to To-Do form" ; git log --oneline -4
[master_1 1a59589] Add Item Hash field to To-Do form
 1 file changed, 5 insertions(+)
1a59589 (HEAD -> master_1) Add Item Hash field to To-Do form
b6c88d1 Add Item UUID field to To-Do form
6f48315 Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git checkout main ; git merge master_1 ; git log --oneline -6
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 5 commits.
  (use "git push" to publish your local commits)
Merge made by the 'ort' strategy.
 templates/todo.html | 15 +++++++++++++++
 1 file changed, 15 insertions(+)
9b64a19 (HEAD -> main) Merge branch 'master_1'
1a59589 (master_1) Add Item Hash field to To-Do form
b6c88d1 Add Item UUID field to To-Do form
6f48315 Add Item ID field to To-Do form
b46808d Merge branch 'master_2'
d427f2c (master_2) Add /submittodoitem route to accept and store To-Do items in MongoDB
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git log --oneline -10
9b64a19 (HEAD -> main) Merge branch 'master_1'
1a59589 (master_1) Add Item Hash field to To-Do form
b6c88d1 Add Item UUID field to To-Do form
6f48315 Add Item ID field to To-Do form
b46808d Merge branch 'master_2'
d427f2c (master_2) Add /submittodoitem route to accept and store To-Do items in MongoDB
f74f8ab Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
PS D:\Assignments\flask-mongodb-app> git reset --soft 6f48315 ; git status
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   app.py
        modified:   templates/todo.html

PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git log --oneline -3
6f48315 (HEAD -> main) Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app> git reset ; git status
Unstaged changes after reset:
M       app.py
M       templates/todo.html
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   app.py
        modified:   templates/todo.html

no changes added to commit (use "git add" and/or "git commit -a")
PS D:\Assignments\flask-mongodb-app>
```

```
no changes added to commit (use "git add" and/or "git commit -a")
PS D:\Assignments\flask-mongodb-app> git add -A ; git commit -m "Restate form with Item ID, UUID, and
 Hash fields updated" ; git log --oneline -4
[main 2e74d63] Restate form with Item ID, UUID, and Hash fields updated
 2 files changed, 63 insertions(+)
2e74d63 (HEAD -> main) Restate form with Item ID, UUID, and Hash fields updated
6f48315 Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git rebase main master_1 ; git log --oneline master_1 -8
Auto-merging templates/todo.html
CONFLICT (content): Merge conflict in templates/todo.html
error: could not apply b6c88d1... Add Item UUID field to To-Do form
hint: Resolve all conflicts manually, mark them as resolved with
hint: "git add/rm <conflicted_files>", then run "git rebase --continue".
hint: You can instead skip this commit: run "git rebase --skip".
hint: To abort and get back to the state before "git rebase", run "git rebase --abort".
hint: Disable this message with "git config set advice.mergeConflict false"
Could not apply b6c88d1... # Add Item UUID field to To-Do form
1a59589 (master_1) Add Item Hash field to To-Do form
b6c88d1 Add Item UUID field to To-Do form
6f48315 Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
a208c29 Flask + MongoDB Atlas app
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git add templates/todo.html ; git rebase --continue ; git log --
oneline master_1 -6
dropping 1a59589e805e1ee822394201ba51717828e00626 Add Item Hash field to To-Do form -- patch contents
 already upstream
Successfully rebased and updated refs/heads/master_1.
2e74d63 (HEAD -> master_1, main) Restate form with Item ID, UUID, and Hash fields updated
6f48315 Add Item ID field to To-Do form
f74f8ab Add To-Do form template with Item Name and Item Description fields
9092bfa (Naveen_new) Update data.json with new employee records
e813993 (Naveen) Add comprehensive README documentation
c473d0c (origin/main) updated file
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> ^C
PS D:\Assignments\flask-mongodb-app> git remote set-url origin https://github.com/NaveenKumarRB/Test-
Tute.git ; git push origin main master_1 master_2 Naveen Naveen_new
Enumerating objects: 25, done.
Counting objects: 100% (25/25), done.
Delta compression using up to 16 threads
Compressing objects: 100% (21/21), done.
Writing objects: 100% (21/21), 4.58 KiB | 2.29 MiB/s, done.
Total 21 (delta 13), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (13/13), completed with 4 local objects.
To https://github.com/NaveenKumarRB/Test-Tute.git
   c473d0c..2e74d63  main -> main
 * [new branch]      master_1 -> master_1
 * [new branch]      master_2 -> master_2
 * [new branch]      Naveen -> Naveen
 * [new branch]      Naveen_new -> Naveen_new
PS D:\Assignments\flask-mongodb-app>
```

Naveen Kumar (15 minutes

```
PS D:\Assignments\flask-mongodb-app> git add GIT_WORKFLOW_DOCUMENTATION.md ; git commit -m "Add compr
ehensive Git workflow documentation" ; git push origin main
[master_1 25b7cd5] Add comprehensive Git workflow documentation
 1 file changed, 334 insertions(+)
 create mode 100644 GIT_WORKFLOW_DOCUMENTATION.md
```

```
PS D:\Assignments\flask-mongodb-app> git add GIT_WORKFLOW_DOCUMENTATION.md ; git commit -m "Add compr
ehensive Git workflow documentation" ; git push origin main
[master_1 25b7cd5] Add comprehensive Git workflow documentation
 1 file changed, 334 insertions(+)
 create mode 100644 GIT_WORKFLOW_DOCUMENTATION.md
Everything up-to-date
PS D:\Assignments\flask-mongodb-app> git checkout main ; git merge master_1 ; git push origin main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Updating 2e74d63..25b7cd5
Fast-forward
 GIT_WORKFLOW_DOCUMENTATION.md | 334 ++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 334 insertions(+)
 create mode 100644 GIT_WORKFLOW_DOCUMENTATION.md
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.80 KiB | 2.80 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/NaveenKumarRB/Test-Tute.git
   2e74d63..25b7cd5  main -> main
PS D:\Assignments\flask-mongodb-app>
```

```
PS D:\Assignments\flask-mongodb-app> git add COMPLETE_GIT_WORKFLOW_REPORT.md ; git commit -m "Add com
plete Git workflow implementation report" ; git push origin main
[main 906bed2] Add complete Git workflow implementation report
 1 file changed, 487 insertions(+)
 create mode 100644 COMPLETE_GIT_WORKFLOW_REPORT.md
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 4.22 KiB | 4.22 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/NaveenKumarRB/Test-Tute.git
   25b7cd5..906bed2  main -> main
PS D:\Assignments\flask-mongodb-app>
```

```
flask-mongodb-app/
├── app.py                          # Flask app with /submittodoitem route
├── data.json                       # Updated employee data
├── requirements.txt                # Dependencies
├── README.md                       # Project documentation
├── templates/
│   ├── form.html                   # Form submission template
│   ├── success.html                # Success page
│   └── todo.html                   # To-Do form with all fields
├── GIT_WORKFLOW_DOCUMENTATION.md   # Detailed Git workflow
└── COMPLETE_GIT_WORKFLOW_REPORT.md # Full implementation report
```


Add /submittodoitem route to accept and store To-Do items in MongoDB #1
Open
NaveenKumarRB wants to merge 1 commit into main from master_2
Conversation 0
Commits 1
Checks 0
Files changed 1
NaveenKumarRB commented 1 minute ago
Owner
updated here
Add /submittodoitem route to accept and store To-Do items in MongoDB
d427f2c
Checking for the ability to merge automatically...
Hang in there while we check the branch's status.
Merge pull request
You can also merge this with the command line. View command line instructions.
Still in progress? Convert to draft


NaveenKumarRB / Test-Tute
Type /
Code
Issues
Pull requests 1
Actions
Projects
Wiki
Security and quality
Insights
Settings
Test-Tute Public
Pin
Watch 0
main
5 Branches
0 Tags
Go to file
Add file
Code
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
Naveen_new
Naveen
master_1
master_2
View all branches
NaveenKumarRB/master_2
15e06ed · 1 minute ago
11 Commits
Flask + MongoDB Atlas app
33 minutes ago
Restate form with Item ID, UUID, and Hash fields updated
8 minutes ago
Flask + MongoDB Atlas app
33 minutes ago
Flask + MongoDB Atlas app
33 minutes ago
Add complete Git workflow implementation report
2 minutes ago
Flask + MongoDB Atlas app
33 minutes ago
updated file
31 minutes ago
GIT_WORKFLOW_DOCUMENTATION.md
Add comprehensive Git workflow documentation
4 minutes ago
README.md
Add comprehensive README documentation
19 minutes ago
app.py
Restate form with Item ID, UUID, and Hash fields updated
8 minutes ago
data.json
Update data.json with new employee records
18 minutes ago