

## Git Commands:

[https://www.youtube.com/watch?v=R1bFl\\_3MljE](https://www.youtube.com/watch?v=R1bFl_3MljE)

## Topics here:

The screenshot shows a Microsoft PowerPoint slide titled "Demo". The slide contains a bulleted list of instructions for working with Git and GitHub:

- > Create a new Project and Add your fresh project into [Github](#) (into existing repository)
- Add all project files
- Update the code and push the code
- > How to pull the code when someone make the changes
- > how to checkout the particular version
- > How to work with existing repository- Clone a existing repository

The slide is part of a presentation titled "Selenium WebDriver Part70 - Git and GitHub - Microsoft PowerPoint". The URL <https://www.automationtestinginsider.com/> is visible at the bottom of the slide.

YouTube (777) | Selenium WebDriver | Part7 (777) | NaveenAthithan/selenium at master | +

[youtube.com/watch?v=R1bFl\\_3MijE](https://youtube.com/watch?v=R1bFl_3MijE)

Search

YouTube IN

Organize Incl. in library Share with Burn New folder

Name	Date modified	Type	Size
.git	6/8/2020 10:57 AM	File folder	
settings	6/8/2020 10:57 AM	File folder	
src	6/8/2020 10:57 AM	File folder	
target	6/8/2020 10:57 AM	File folder	
.classpath	6/8/2020 10:57 AM	CLASPATH File	2 KB
.project	6/8/2020 10:57 AM	PROJECT File	1 KB
Github	6/8/2020 10:57 AM	Text Document	1 KB
newtest	6/8/2020 10:57 AM	Text Document	1 KB
pom	6/8/2020 10:57 AM	XML Document	1 KB

9 items 53:58 / 54:50

All

eclipse ST

Selenium Integrating

Selenium Introduction to Selenium WebDriver

Selenium Se +Maven Selenium + II

PS all

Selenium WebDriver | Part70 | Selenium Integration with Git and GitHub | Push | Pull | Commit| PartA

3,807 views • 8 Jun 2020

62 DISLIKE SHARE CLIP SAVE ...

ATI Automation Testing Insider

JOIN SUBSCRIBED

+++++

github.com/NaveenAthithan/selenium

NaveenAthithan / selenium Public forked from SeleniumHQ/selenium

Code Pull requests Actions Projects Wiki Security Insights Settings

trunk 19 branches 138 tags

This branch is 173 commits behind SeleniumHQ/selenium:trunk.

katrina95 switch ByClassName locator from "class name" (SeleniumHQ#10355)

- .github Removing dispatch-workflows.yml
- .idea Move java sources and tests into a
- .tours [tours] Add initial tours to get start
- common [cdp] add support for Chrome 99 &
- cpp Updating IE driver resources and prebuilt for 4.0.0 release 6 months ago
- deploys Move java sources and tests into a single tree (SeleniumHQ#9710) 9 months ago
- dotnet [dotnet][cdp] add support Chrome 99 and remove for Chrome 96 2 months ago
- java switch ByClassName locator from to "class name" (SeleniumHQ#10355) 2 months ago

Clone HTTPS SSH GitHub CLI

<https://github.com/NaveenAthithan/selenium>

Use Git or checkout with SVN using the web URL.

Open with GitHub Desktop Download ZIP

About A browser automation framework and ecosystem.

selenium.dev

Readme Apache-2.0 License 0 stars 0 watching 6.9k forks

Releases 138 tags Create a new release

LoginPage

Command Prompt

```
pid 10 C:\Users\navee>git
git: command not found
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
           [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
           [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
           [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
           [--super-prefix=<path>] [--config-env=<name>=<envvar>]
           <command> [<args>]


These are common Git commands used in various situations:


start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
  add        Add file contents to the index
  mv         Move or rename a file, a directory, or a symlink
  restore    Restore working tree files
  rm         Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)
  bisect     Use binary search to find the commit that introduced a bug
  diff       Show changes between commits, commit and working tree, etc
  grep       Print lines matching a pattern
  log        Show commit logs
  show      Show various types of objects
  status     Show the working tree status

grow, mark and tweak your common history
  branch    List, create, or delete branches
```





Selenium WebDriver | Part70 | Selenium Integration with Git and GitHub

3,807 views • 8 Jun 2020

62 SHARE CLIP SAVE ...

Insider

```
C:\ Command Prompt
Microsoft Windows [Version 10.0.22000.613]
(c) Microsoft Corporation. All rights reserved.

C:\Users\navee>d:
D:>d:
D:>cd D:\Song\TESTNG WORKSPACE\MavenTestNGDemo
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git init
Initialized empty Git repository in D:/Song/TESTNG WORKSPACE/MavenTestNGDemo/.git/
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

A red arrow points from the text "empty file created" in a pink-bordered box at the bottom right of the Command Prompt window to the ".git/" folder in the Command Prompt's directory path.

File Explorer View:

	Name	Date modified	Type	Size
Desktop	.git	01-05-2022 19:03	File folder	
Downloads	.settings	03-04-2022 11:18	File folder	
Documents	src	03-04-2022 11:18	File folder	
Pictures	target	03-04-2022 11:18	File folder	
ALL IN ONE	test-output	01-05-2022 14:36	File folder	
git study	.classpath	01-05-2022 14:27	CLASSPATH File	2 KB
GREENS	.project	03-04-2022 11:18	PROJECT File	1 KB
Interview Questions	DemoFailtestng	26-04-2022 11:17	XML Document	1 KB
OneDrive - Personal	pom	26-04-2022 10:36	XML Document	2 KB
This PC	testng	01-05-2022 14:37	XML Document	1 KB
Music	testngUnknownFailed	26-04-2022 10:34	XML Document	1 KB

Command Prompt View:

```
C:\Users\navee>d:
x | +D: >d:
D:\>cd D:\Song\TESTNG WORKSPACE\MavenTestNGDemo
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git init
Initialized empty Git repository in D:/Song/TESTNG WORKSPACE/MavenTestNGDemo/.git/
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git remote origin https://github.com/NaveenAthithan/selenium.git
error: Unknown subcommand: origin
usage: git remote [-v | --verbose]
  or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>
  or: git remote rename [-[no-]progress] <old> <new>
  or: git remote remove <name>
  or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
  or: git remote [-v | --verbose] show [-n] <name>
  or: git remote prune [-n | --dry-run] <name>
  or: git remote [-v | --verbose] update [-p | --prune] [<group> | <remote>...]
  or: git remote set-branches [--add] <name> <branch>...
  or: git remote get-url [--push] <name>
  or: git remote set-url [--push] <name> <newurl> [<oldurl>]
  or: git remote set-url --add <name> <newurl>
  or: git remote set-url --delete <name> <url>
-v, --verbose      be verbose; must be placed before a subcommand
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

**to link the github url**

Below the Command Prompt window, there is a YouTube video player showing a video titled "PS am,Gangli Janta ka Superhero". The video has 39.28 million views and was uploaded 5 years ago by PS Entertainment.

Below the video player, there are several video thumbnails:

- t and GitHub | Push | Pull | Commit| PartA**
- Selenium WebDriver Part 70**
- Mix – Automation Testing Insider**

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git remote add origin https://github.com/NaveenAthithan/selenium.git
```

to link our github repository

```
Command Prompt
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .classpath
    .project
    .settings/
    DemoFailtestng.xml
    pom.xml
    src/
    target/
    test-output/
    testng.xml
    testngUnknownFailed.xml
nothing added to commit but untracked files present (use "git add" to track)
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

our project files

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git add -A
warning: LF will be replaced by CRLF in test-output/Default suite/Default test.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Default suite/Default test.xml
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Failed suite [Default suite]/Default test(failed).html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Failed suite [Default suite]/Default test(failed).xml.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Suite/test.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Suite/test.xml.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/emailable-report.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/index.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/junit-reports/JEST-AutomaticallyRerun_Demo.xml.
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:  .classpath
    new file:  .project
    new file:  .settings/org.eclipse.jdt.core.prefs
    new file:  .settings/org.eclipse.m2e.core.prefs
    new file:  DemoAlltesting.xml
    new file:  pom.xml
    new file:  src/test/java/AutomaticallyRerun/Demo.java
    new file:  src/test/java/AutomaticallyRerun/knownfailure.java
    new file:  src/test/java/AutomaticallyRerun/UnknownFailure.java
    new file:  src/test/java/TestNGSimple/Simple.java
    new file:  src/test/java/TestNGSimple/Simple1.java
    new file:  src/test/java/TestNGGmailPractice/failure.java
    new file:  src/test/java/TestNGGmailPractice/Manual.java
    new file:  src/test/java/TestNGGmailPractice/ManualFail.java
    new file:  src/test/java/TestNGGmailPractice/Practice.java
    new file:  src/test/java/TestNGGmailPractice/Practice1.java
    new file:  src/test/java/TestNGGmailPractice/TestNGCrossBrowser.java
    new file:  src/test/java/TestNGPractice/Group.java
    new file:  src/test/java/org/practice/Demo.java
    new file:  src/test/java/org/practice/knownfailure.java
    new file:  src/test/java/org/practice/UnknownFailure.java
    new file:  target/classes/META-INF/MANIFEST.MF
    new file:  target/classes/META-INF/maven/org.com/MavenTestNGDemo/pom.properties
```

project details



```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git commit -m "First commit"
Author identity unknown

*** Please tell me who you are.

Run

git config --global user.email "you@example.com"
git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'naveen@DESKTOP-NAVEEN.(none)')

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git commit -m "first commit"
Author identity unknown
```

```
*** Please tell me who you are.
```

Run

```
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
```



```
to set your account's default identity.
Omit --global to set the identity only in this repository.
```

```
fatal: unable to auto-detect email address (got 'navee@DESKTOP-NAVEEN.(none)')
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git config user.name "A.NAVEEN"
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git config user.email "navee@DESKTOP-NAVEEN"
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```



Command Prompt

```
create mode 100644 test-output/testng-results.xml
create mode 100644 test-output/testng.css
create mode 100644 testng.xml
create mode 100644 testngUnknownFailed.xml

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
nothing to commit, working tree clean

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

git committed

Command Prompt

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
nothing to commit, working tree clean

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git push origin master --force
Enumerating objects: 131, done.
Counting objects: 100% (131/131), done.
Delta compression using up to 4 threads
Compressing objects: 100% (117/117), done.
Writing objects: 100% (131/131), 68.04 KiB | 2.96 MiB/s, done.
Total 131 (delta 37), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (37/37), done.
To https://github.com/NaveenAthithan/selenium.git
 + f2987c0...f8146ba master -> master (forced update)

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

all files are committed to  
github account

Screenshot of a GitHub repository page for the Selenium WebDriver project. The repository has 19 branches and 138 tags. The master branch is selected. A commit by A.NAVEEN and A.NAVEEN is shown, dated 10 minutes ago, with 1 commit. The commit message is "first commit". The commit details show changes to .settings, src/test/java, target, test-output, .classpath, .project, DemoFailTesting.xml, pom.xml, testng.xml, and testngUnknownFailed.xml. The commit was made at f8146ba.

**About**  
A browser automation framework and ecosystem.  
selenium.dev  
Apache-2.0 License  
0 stars  
0 watching  
6.9k forks

**Releases**  
138 tags  
Create a new release

**Packages**  
No packages published  
Publish your first package

**Languages**  
Java 34.9% C# 16.8%

Screenshot of an IDE (Eclipse) showing a Java project named MavenTestNGDemo. The Project Explorer shows several Java files and resources. The Group.java file is open in the editor, showing code for a TestNG test class. A red arrow points from the "first changes" box in the bottom left to the tc1() method in the code. Another red arrow points from the "second changes" box in the bottom right to the tc2() method in the code.

The code in Group.java:

```

1 package TestNGPractice;
2
3 import org.testng.annotations.Test;
4
5 public class Group {
6     @Test
7     public void tc1() {
8         System.out.println(1);
9         System.out.println(2);
10        System.out.println(3);
11    }
12    @Test
13    private void tc2() {
14        SoftAssert a = new SoftAssert();
15        System.out.println(1);
16        System.out.println(2);
17        System.out.println(3);
18        System.out.println("github Account");
19    }
20 }
21
22

```

The New File dialog is open, showing the parent folder as MavenTestNGDemo and the file name as File.txt. The "Finish" button is visible at the bottom right of the dialog.

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   src/test/java/TestNGPractice/Group.java
    modified:   target/classes/META-INF/maven/org.com/MavenTestNGDemo/pom.properties
    modified:   target/test-classes/TestNGPractice/Group.class

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    File.text

no changes added to commit (use "git add" and/or "git commit -a")

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

changes done eclipse project here shown



```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git add .
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   File.text
    modified:   src/test/java/TestNGPractice/Group.java
    modified:   target/classes/META-INF/maven/org.com/MavenTestNGDemo/pom.properties
    modified:   target/test-classes/TestNGPractice/Group.class

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

changes done in github so green line showing

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git commit -m "second commit"
[master 8ebe3ff] second commit
 4 files changed, 4 insertions(+), 1 deletion(-)
 create mode 100644 File.text
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

```
Command Prompt
4 files changed, 4 insertions(+), 1 deletion(-)
create mode 100644 File.text

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git push origin master
Enumerating objects: 33, done.
Counting objects: 100% (33/33), done.
Delta compression using up to 4 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (18/18), 1.34 KiB | 342.00 KiB/s, done.
Total 18 (delta 6), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To https://github.com/NaveenAthithan/selenium.git
  f8146ba..8ebe3ff  master -> master

D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

all the commit sent to central repository ---github account

Screenshot of a GitHub repository page for a forked project. The repository has 19 branches and 138 tags. The master branch is 2 commits ahead of SeleniumHQ/selenium:trunk. A recent commit by A.NAVEEN is highlighted.

**Code & pull request**

**Compare & pull request**

**About**  
A browser automation framework and ecosystem.  
**selenium.dev**  
Apache-2.0 License  
0 stars  
0 watching  
6.9k forks

**Releases**  
138 tags  
Create a new release

**Packages**  
No packages published  
Publish your first package

**Languages**  
Java 34.9%  
C# 16.8%  
JavaScript 13.8%  
C++ 12.3%  
HTML 8.3%  
Ruby 5.4%  
Other 8.5%

Help people interested in this repository understand your project by adding a README.  
Add a README

Screenshot of the same GitHub repository page after a file was uploaded. The "Create new file" button is highlighted.


**Code & pull request**

**Compare & pull request**

**About**  
A browser automation framework and ecosystem.  
**selenium.dev**  
Apache-2.0 License  
0 stars  
0 watching  
6.9k forks

**Releases**  
138 tags  
Create a new release

**Packages**  
No packages published  
Publish your first package



The screenshot shows a GitHub repository page for 'NaveenAthithan/Create GitHub.text'. The repository has 3 commits, 138 tags, and 6.9k forks. The commit history lists several files: '.settings', 'src/test/java', 'target', 'test-output', '.classpath', '.project', 'DemoFailtesting.xml', 'File.text', and 'GitHub.text'. The 'GitHub.text' commit is highlighted with a green background and the message 'Create GitHub.text'. Below the commit list is a note: 'Help people interested in this repository understand your project by adding a README.' To the right of the commit list is a pink-outlined box containing the text 'new file created'. At the bottom right of the page is a green 'Add a README' button.



The screenshot shows a terminal window with the following command and output:

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git pull https://github.com/NaveenAthithan/selenium.git
remote: Enumerating objects: 412220, done.
remote: Counting objects: 100% (23/23), done.
remote: Compressing objects: 100% (4/4), done.
Receiving objects: 11% (46749/412220), 110.34 MiB | 597.00 KiB/s
```

```
C:\Users\navee>d:  
D:>cd  
D:\  
D:>cd D:\Song\TESTNG WORKSPACE\MavenTestNGDemo  
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git log  
commit 8ebe3ff92e087482838919683ba4e2a4f0d783ac (HEAD -> master, origin/master)  
Author: A.NAVEEN <navee@DESKTOP-NAVEEN>  
Date: Sun May 1 19:44:08 2022 +0530  
  
second commit  
  
commit f8146ba5418a873f2bc4b675996e8fbc357be8b7  
Author: A.NAVEEN <navee@DESKTOP-NAVEEN>  
Date: Sun May 1 19:22:35 2022 +0530  
  
first commit  
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

to see details


```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git log --oneline  
8ebe3ff (HEAD -> master, origin/master) second commit  
f8146ba first commit  
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```



```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   File.text
    modified:   test-output/Default suite/Default test.html
    modified:   test-output/Default suite/Default test.xml
    modified:   test-output/emailable-report.html
    modified:   test-output/index.html
    modified:   test-output/junitreports/TEST-TestNGPractice.Group.xml
    modified:   test-output/old/Default suite/classes.html
    modified:   test-output/old/Default suite/methods-alphabetical.html
    modified:   test-output/old/Default suite/methods.html
    modified:   test-output/old/Default suite/testng.xml.html
    modified:   test-output/old/Default suite/toc.html
    modified:   test-output/old/index.html
    modified:   test-output/testng-results.xml

no changes added to commit (use "git add" and/or "git commit -a")
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

```
no changes added to commit (use "git add" and/or "git commit -a")
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git add 
warning: LF will be replaced by CRLF in test-output/Default suite/Default test.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/Default suite/Default test.xml.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/index.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/junitreports/TEST-TestNGPractice.Group.xml.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/old/Default suite/classes.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/old/Default suite/methods-alphabetical.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/old/Default suite/methods.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/old/Default suite/toc.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in test-output/old/index.html.
The file will have its original line endings in your working directory
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git commit -m "new changes file commit"
[master 025f221] new changes file commit
 13 files changed, 196 insertions(+), 283 deletions(-)
 rewrite test-output/Default suite/Default test.html (72%)
 rewrite test-output/emailable-report.html (70%)
 rewrite test-output/testng-results.xml (91%)
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git commit -m "new changes file commit"
[master 025f221] new changes file commit
 13 files changed, 196 insertions(+), 283 deletions(-)
 rewrite test-output/Default suite/Default test.html (72%)
 rewrite test-output/emailable-report.html (70%)
 rewrite test-output/testng-results.xml (91%)
```

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>git log
commit 025f2214c8009214a6ca80ee41e887bfd6dfdee7 (HEAD -> master)
Author: A.NAVEEN <navee@DESKTOP-NAVEEN>
Date:   Sun May 1 20:10:46 2022 +0530
```

new changes file commit

```
commit 8ebe3ff92e087482838919683ba4e2a4f0d783ac (origin/master)
Author: A.NAVEEN <navee@DESKTOP-NAVEEN>
Date:   Sun May 1 19:44:08 2022 +0530
```

second commit

```
commit f8146ba5418a873f2bc4b675996e8fb357be8b7
Author: A.NAVEEN <navee@DESKTOP-NAVEEN>
Date:   Sun May 1 19:22:35 2022 +0530
```

first commit

```
D:\Song\TESTNG WORKSPACE\MavenTestNGDemo>
```

The screenshot shows a Microsoft PowerPoint presentation titled "Selenium WebDriver Part70 - Git and GitHub - Microsoft PowerPoint". The active slide is titled "Demo" and contains the following bullet points:

- Create a new Project and Add your fresh project into GitHub (into existing repository)
- Add all project files
- Update the code and push the code
- How to pull the code when someone make the changes
- how to checkout the particular version
- How to work with existing repository- Clone a existing repository

The slide has a URL at the bottom: <https://www.automationtestinginsider.com/>. The status bar shows the video is at 54:13 / 54:50.

Selenium WebDriver | Part70 | Selenium Integration with Git and GitHub | Push | Pull | Commit| PartA

3.807 views • 8 Jun 2020

62 DISLIKE SHARE CLIP SAVE ...

```
E:\>E: →  
E:\>cd/ →  
E:\>cd E:\Git\New Project →  
E:\Git\New Project>git clone https://github.com/NaveenAthithan/selenium.git →  
Cloning into 'selenium'...  
remote: Enumerating objects: 447533, done.  
remote: Counting objects: 100% (171/171), done.  
remote: Compressing objects: 100% (87/87), done.  
Receiving objects: 4% (20154/447533), 4.45 MiB | 570.00 KiB/s
```

clone the project from github to local pc

