Rajalakshmi Engineering College

Name: Manisha S
Email: 240801191@rajalakshmi.edu.in
Roll no: 240801191
Phone: 8667375390
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_MCQ

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : MCQ

1. In a singly linked list, what is the role of the "tail" node?

Answer

It stores the last element of the list

Status : Correct ***Marks : 1/1***

2. Consider the singly linked list: 13 -> 4 -> 16 -> 9 -> 22 -> 45 -> 5 -> 16 -> 6, and an integer K = 10, you need to delete all nodes from the list that are less than the given integer K.

What will be the final linked list after the deletion?

Answer

13 -> 16 -> 22 -> 45 -> 16

Status : Correct **Marks : 1/1**

3. Consider the singly linked list: 15 -> 16 -> 6 -> 7 -> 17. You need to delete all nodes from the list which are prime.

What will be the final linked list after the deletion?

Answer

15 -> 16 -> 6

Status : Correct **Marks : 1/1**

4. Consider an implementation of an unsorted singly linked list. Suppose it has its representation with a head pointer only. Given the representation, which of the following operations can be implemented in O(1) time?

i) Insertion at the front of the linked list

ii) Insertion at the end of the linked list

iii) Deletion of the front node of the linked list

iv) Deletion of the last node of the linked list

Answer

I and III

Status : Correct **Marks : 1/1**

5. The following function reverse() is supposed to reverse a singly linked list. There is one line missing at the end of the function.

What should be added in place of "/*ADD A STATEMENT HERE*/", so that the function correctly reverses a linked list?

```
struct node {
  int data;
  struct node* next;
};
```

```
static void reverse(struct node** head_ref) {
   struct node* prev   = NULL;
   struct node* current = *head_ref;
   struct node* next;
   while (current != NULL) {
      next  = current->next;
      current->next = prev;
      prev = current;
      current = next;
   }
   /*ADD A STATEMENT HERE*/
}
```

Answer

*head_ref = prev;

Status : Correct ***Marks : 1/1***

6. Given a pointer to a node X in a singly linked list. If only one point is given and a pointer to the head node is not given, can we delete node X from the given linked list?

Answer

Possible if X is not last node.

Status : Correct ***Marks : 1/1***

7. Linked lists are not suitable for the implementation of?

Answer

Binary search

Status : Correct ***Marks : 1/1***

8. Given the linked list: 5 -> 10 -> 15 -> 20 -> 25 -> NULL. What will be the output of traversing the list and printing each node's data?

Answer

5 10 15 20 25

Status : Correct **Marks : 1/1**

9. The following function takes a singly linked list of integers as a parameter and rearranges the elements of the lists.

The function is called with the list containing the integers 1, 2, 3, 4, 5, 6, 7 in the given order. What will be the contents of the list after the function completes execution?

```
struct node {
   int value;
   struct node* next;
};

void rearrange (struct node* list) {
   struct node *p,q;
   int temp;
   if (! List || ! list->next) return;
   p=list; q=list->next;
   while(q) {
      temp=p->value; p->value=q->value;
      q->value=temp;p=q->next;
      q=p?p->next:0;
   }
}
```

Answer

2, 1, 4, 3, 6, 5, 7

Status : Correct **Marks : 1/1**

10. Which of the following statements is used to create a new node in a singly linked list?

```
struct node {
   int data;
   struct node * next;
```

}
typedef struct node NODE;
NODE *ptr;

Answer

ptr = (NODE*)malloc(sizeof(NODE));

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 18

Section 1 : MCQ

1. Where Fwd and Bwd represent forward and backward links to the adjacent elements of the list. Which of the following segments of code deletes the node pointed to by X from the doubly linked list, if it is assumed that X points to neither the first nor the last node of the list?

A doubly linked list is declared as

```
struct Node {
    int Value;
    struct Node *Fwd;
    struct Node *Bwd;
);
```

Answer

X->Bwd->Fwd = X->Bwd ; X->Fwd->Bwd = X->Fwd;

Status : Wrong ***Marks : 0/1***

2. Which code snippet correctly deletes a node with a given value from a doubly linked list?

```
void deleteNode(Node** head_ref, Node* del_node) {
   if (*head_ref == NULL || del_node == NULL) {
      return;
   }
   if (*head_ref == del_node) {
      *head_ref = del_node->next;
   }
   if (del_node->next != NULL) {
      del_node->next->prev = del_node->prev;
   }
   if (del_node->prev != NULL) {
      del_node->prev->next = del_node->next;
   }
   free(del_node);
}
```

Answer

Deletes the first occurrence of a given data value in a doubly linked list.

Status : Correct ***Marks : 1/1***

3. Which pointer helps in traversing a doubly linked list in reverse order?

Answer

prev

Status : Correct ***Marks : 1/1***

4. What is the main advantage of a two-way linked list over a one-way linked list?

Answer

Two-way linked lists allow for traversal in both directions.

Status : Correct ***Marks : 1/1***

5. Consider the following function that refers to the head of a Doubly Linked List as the parameter. Assume that a node of a doubly linked list has the previous pointer as prev and the next pointer as next.

Assume that the reference of the head of the following doubly linked list is passed to the below function 1 <--> 2 <--> 3 <--> 4 <--> 5 <-->6. What should be the modified linked list after the function call?

```
Procedure fun(head_ref: Pointer to Pointer of node)
   temp = NULL
   current = *head_ref

   While current is not NULL
      temp = current->prev
      current->prev = current->next
      current->next = temp
      current = current->prev
   End While

   If temp is not NULL
      *head_ref = temp->prev
   End If
End Procedure
```

Answer

6 <--> 5 <--> 4 <--> 3 <--> 2 <--> 1.

Status : Correct ***Marks : 1/1***

6. Which of the following statements correctly creates a new node for a doubly linked list?

Answer

```
struct Node* newNode = (struct Node*) malloc(sizeof(struct Node));
```

Status : Correct ***Marks : 1/1***

7. What is a memory-efficient double-linked list?

Answer

Each node has only one pointer to traverse the list back and forth

Status : Wrong ***Marks : 0/1***

8. How do you reverse a doubly linked list?

Answer

By swapping the next and previous pointers of each node

Status : Correct ***Marks : 1/1***

9. Which of the following is false about a doubly linked list?

Answer

Implementing a doubly linked list is easier than singly linked list

Status : Correct ***Marks : 1/1***

10. What will be the effect of setting the prev pointer of a node to NULL in a doubly linked list?

Answer

The node will become the new head

Status : Correct ***Marks : 1/1***

11. What happens if we insert a node at the beginning of a doubly linked list?

Answer

The previous pointer of the new node is NULL

Status : Correct ***Marks : 1/1***

12. What is the correct way to add a node at the beginning of a doubly

linked list?

Answer

void addFirst(int data){ Node* newNode = new Node(data); newNode->next = head; if (head != NULL) { head->prev = newNode; } head = newNode; }

Status : Correct **Marks : 1/1**

13. What will be the output of the following code?

```
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
};

int main() {
    struct Node* head = NULL;
    struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
    temp->data = 2;
    temp->next = NULL;
    temp->prev = NULL;
    head = temp;
    printf("%d\n", head->data);
    free(temp);
    return 0;
}
```

Answer

2

Status : Correct **Marks : 1/1**

14. Which of the following is true about the last node in a doubly linked

list?

Answer

Its next pointer is NULL

Status : Correct ***Marks : 1/1***

15. Which of the following information is stored in a doubly-linked list's nodes?

Answer

All of the mentioned options

Status : Correct ***Marks : 1/1***

16. What does the following code snippet do?

```
struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
newNode->data = value;
newNode->next = NULL;
newNode->prev = NULL;
```

Answer

Creates a new node and initializes its data to 'value'

Status : Correct ***Marks : 1/1***

17. Consider the provided pseudo code. How can you initialize an empty two-way linked list?

```
Define Structure Node
   data: Integer
   prev: Pointer to Node
   next: Pointer to Node
End Define

Define Structure TwoWayLinkedList
   head: Pointer to Node
```

tail: Pointer to Node
End Define

Answer

struct TwoWayLinkedList* list = malloc(sizeof(struct TwoWayLinkedList)); list->head = NULL; list->tail = NULL;

Status : Correct ***Marks : 1/1***

18. How do you delete a node from the middle of a doubly linked list?

Answer

All of the mentioned options

Status : Correct ***Marks : 1/1***

19. How many pointers does a node in a doubly linked list have?

Answer

2

Status : Correct ***Marks : 1/1***

20. What will be the output of the following program?

```
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
};

int main() {
    struct Node* head = NULL;
    struct Node* tail = NULL;
    for (int i = 0; i < 5; i++) {
```

```
        struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
        temp->data = i + 1;
        temp->prev = tail;
        temp->next = NULL;
        if (tail != NULL) {
            tail->next = temp;
        } else {
            head = temp;
        }
        tail = temp;
    }
    struct Node* current = head;
    while (current != NULL) {
        printf("%d ", current->data);
        current = current->next;
    }
    return 0;
}
```

Answer

1 2 3 4 5

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 15

Section 1 : MCQ

1. Which of the following Applications may use a Stack?

Answer

All of the mentioned options

Status : Correct ***Marks : 1/1***

2. Here is an Infix Expression: 4+3*(6*3-12). Convert the expression from Infix to Postfix notation. The maximum number of symbols that will appear on the stack AT ONE TIME during the conversion of this expression?

Answer

4

Status : Correct ***Marks : 1/1***

3. Which of the following operations allows you to examine the top element of a stack without removing it?

Answer

Peek

Status : Correct ***Marks : 1/1***

4. The user performs the following operations on the stack of size 5 then at the end of the last operation, the total number of elements present in the stack is

```
push(1);
pop();
push(2);
push(3);
pop();
push(4);
pop();
pop();
push(5);
```

Answer

1

Status : Correct ***Marks : 1/1***

5. Elements are Added on _____ of the Stack.

Answer

Top

Status : Correct ***Marks : 1/1***

6. A user performs the following operations on stack of size 5 then which of the following is correct statement for Stack?

```
push(1);
```

pop();
push(2);
push(3);
pop();
push(2);
pop();
pop();
push(4);
pop();
pop();
push(5);

Answer

Stack operations will be performed smoothly

Status : Wrong ***Marks : 0/1***

7. What is the advantage of using a linked list over an array for implementing a stack?

Answer

Linked lists can dynamically resize

Status : Correct ***Marks : 1/1***

8. Pushing an element into the stack already has five elements. The stack size is 5, then the stack becomes

Answer

Overflow

Status : Correct ***Marks : 1/1***

9. In an array-based stack, which of the following operations can result in a Stack underflow?

Answer

Popping an element from an empty stack

Status : Correct ***Marks : 1/1***

10. Consider a linked list implementation of stack data structure with three operations:

push(value): Pushes an element value onto the stack.pop(): Pops the top element from the stack.top(): Returns the item stored at the top of the stack.

Given the following sequence of operations:

push(10);pop();push(5);top();

What will be the result of the stack after performing these operations?

Answer

The top element in the stack is 5

Status : Correct ***Marks : 1/1***

11. In the linked list implementation of the stack, which of the following operations removes an element from the top?

Answer

Pop

Status : Correct ***Marks : 1/1***

12. What is the value of the postfix expression 6 3 2 4 + - *?

Answer

-18

Status : Correct ***Marks : 1/1***

13. In a stack data structure, what is the fundamental rule that is followed for performing operations?

Answer

Last In First Out

Status : Correct ***Marks : 1/1***

14. The result after evaluating the postfix expression 10 5 + 60 6 / * 8 - is

Answer

142

Status : Correct ***Marks : 1/1***

15. What will be the output of the following code?

```
#include <stdio.h>
#define MAX_SIZE 5
void push(int* stack, int* top, int item) {
    if (*top == MAX_SIZE - 1) {
        printf("Stack Overflow\n");
        return;
    }
    stack[++(*top)] = item;
}
int pop(int* stack, int* top) {
    if (*top == -1) {
        printf("Stack Underflow\n");
        return -1;
    }
    return stack[(*top)--];
}

int main() {
    int stack[MAX_SIZE];
    int top = -1;
    push(stack, &top, 10);
    push(stack, &top, 20);
    push(stack, &top, 30);
```

```
    printf("%d\n", pop(stack, &top));
    printf("%d\n", pop(stack, &top));
    printf("%d\n", pop(stack, &top));
    printf("%d\n", pop(stack, &top));
    return 0;
}
```

Answer

302010Stack Underflow

Status : Wrong ***Marks : 0/1***

16. When you push an element onto a linked list-based stack, where does the new element get added?

Answer

At the beginning of the list

Status : Correct ***Marks : 1/1***

17. What is the primary advantage of using an array-based stack with a fixed size?

Answer

None of the mentioned options

Status : Wrong ***Marks : 0/1***

18. Consider the linked list implementation of a stack.

Which of the following nodes is considered as Top of the stack?

Answer

Last node

Status : Wrong ***Marks : 0/1***

19. What will be the output of the following code?

```
#include <stdio.h>
#define MAX_SIZE 5
int stack[MAX_SIZE];
int top = -1;
int isEmpty() {
   return (top == -1);
}
int isFull() {
   return (top == MAX_SIZE - 1);
}
void push(int item) {
   if (isFull())
      printf("Stack Overflow\n");
   else
      stack[++top] = item;
}
int main() {
   printf("%d\n", isEmpty());
   push(10);
   push(20);
   push(30);
   printf("%d\n", isFull());
   return 0;
}
```

Answer

01

Status : Wrong ***Marks : 0/1***

20. What will be the output of the following code?

```
#include <stdio.h>
#define MAX_SIZE 5
int stack[MAX_SIZE];
int top = -1;
void display() {
   if (top == -1) {
```

```
        printf("Stack is empty\n");
    } else {
        printf("Stack elements: ");
        for (int i = top; i >= 0; i--) {
            printf("%d ", stack[i]);
        }
        printf("\n");
    }
}
void push(int value) {
    if (top == MAX_SIZE - 1) {
        printf("Stack Overflow\n");
    } else {
        stack[++top] = value;
    }
}
int main() {
    display();
    push(10);
    push(20);
    push(30);
    display();
    push(40);
    push(50);
    push(60);
    display();
    return 0;
}
```

Answer

Stack is emptyStack elements: 30 20 10Stack OverflowStack elements: 50 40 30 20 10

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 4_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 18

Section 1 : MCQ

1. When new data has to be inserted into a stack or queue, but there is no available space. This is known as

Answer

overflow

Status : Correct ***Marks : 1/1***

2. In what order will they be removed If the elements “A”, “B”, “C” and “D” are placed in a queue and are deleted one at a time

Answer

ABCD

Status : Correct ***Marks : 1/1***

3. Which of the following can be used to delete an element from the front end of the queue?

Answer

None of these

Status : Wrong ***Marks : 0/1***

4. What are the applications of dequeue?

Answer

All the mentioned options

Status : Correct ***Marks : 1/1***

5. Which one of the following is an application of Queue Data Structure?

Answer

All of the mentioned options

Status : Correct ***Marks : 1/1***

6. A normal queue, if implemented using an array of size MAX_SIZE, gets full when

Answer

Rear = MAX_SIZE – 1

Status : Correct ***Marks : 1/1***

7. Which operations are performed when deleting an element from an array-based queue?

Answer

Dequeue

Status : Correct ***Marks : 1/1***

8. Front and rear pointers are tracked in the linked list implementation of a queue. Which of these pointers will change during an insertion into the EMPTY queue?

Answer

Both front and rear pointer

Status : Correct ***Marks : 1/1***

9. What will be the output of the following code?

```
#include <stdio.h>
#include <stdlib.h>
#define MAX_SIZE 5
typedef struct {
    int* arr;
    int front;
    int rear;
    int size;
} Queue;
Queue* createQueue() {
    Queue* queue = (Queue*)malloc(sizeof(Queue));
    queue->arr = (int*)malloc(MAX_SIZE * sizeof(int));
    queue->front = -1;
    queue->rear = -1;
    queue->size = 0;
    return queue;
}
int isEmpty(Queue* queue) {
    return (queue->size == 0);
}
int main() {
    Queue* queue = createQueue();
    printf("Is the queue empty? %d", isEmpty(queue));
    return 0;
}
```

Answer

Runtime Error

Status : Wrong ***Marks : 0/1***

10. The essential condition that is checked before insertion in a queue is?

Answer

Overflow

Status : Correct ***Marks : 1/1***

11. Which of the following properties is associated with a queue?

Answer

First In First Out

Status : Correct ***Marks : 1/1***

12. What is the functionality of the following piece of code?

```
public void function(Object item)
{
   Node temp=new Node(item,trail);
   if(isEmpty())
   {
      head.setNext(temp);
      temp.setNext(trail);
   }
   else
   {
      Node cur=head.getNext();
      while(cur.getNext()!=trail)
      {
         cur=cur.getNext();
      }
      cur.setNext(temp);
   }
   size++;
}
```

Answer

Insert at the rear end of the dequeue

Status : Correct ***Marks : 1/1***

13. The process of accessing data stored in a serial access memory is similar to manipulating data on a

Answer

Queue

Status : Correct ***Marks : 1/1***

14. What will the output of the following code?

```
#include <stdio.h>
#include <stdlib.h>
typedef struct {
    int* arr;
    int front;
    int rear;
    int size;
} Queue;
Queue* createQueue() {
    Queue* queue = (Queue*)malloc(sizeof(Queue));
    queue->arr = (int*)malloc(5 * sizeof(int));
    queue->front = 0;
    queue->rear = -1;
    queue->size = 0;
    return queue;
}
int main() {
    Queue* queue = createQueue();
    printf("%d", queue->size);
    return 0;
}
```

Answer

0

Status : Correct *Marks : 1/1*

15. What does the front pointer in a linked list implementation of a queue contain?

Answer

The address of the first element

Status : Correct *Marks : 1/1*

16. What will be the output of the following code?

```
#include <stdio.h>
#define MAX_SIZE 5
typedef struct {
    int arr[MAX_SIZE];
    int front;
    int rear;
    int size;
} Queue;

void enqueue(Queue* queue, int data) {
    if (queue->size == MAX_SIZE) {
        return;
    }
    queue->rear = (queue->rear + 1) % MAX_SIZE;
    queue->arr[queue->rear] = data;
    queue->size++;
}
int dequeue(Queue* queue) {
    if (queue->size == 0) {
        return -1;
    }
    int data = queue->arr[queue->front];
    queue->front = (queue->front + 1) % MAX_SIZE;
    queue->size--;
```

```
    return data;
}
int main() {
    Queue queue;
    queue.front = 0;
    queue.rear = -1;
    queue.size = 0;
    enqueue(&queue, 1);
    enqueue(&queue, 2);
    enqueue(&queue, 3);
    printf("%d ", dequeue(&queue));
    printf("%d ", dequeue(&queue));
    enqueue(&queue, 4);
    enqueue(&queue, 5);
    printf("%d ", dequeue(&queue));
    printf("%d ", dequeue(&queue));
    return 0;
}
```

Answer

1 2 3 4

Status : Correct ***Marks : 1/1***

17. In linked list implementation of a queue, the important condition for a queue to be empty is?

Answer

FRONT is null

Status : Correct ***Marks : 1/1***

18. In a linked list implementation of a queue, front and rear pointers are tracked. Which of these pointers will change during an insertion into a non-empty queue?

Answer

Only rear pointer

Status : Correct ***Marks : 1/1***

19. Insertion and deletion operation in the queue is known as

Answer

Enqueue and Dequeue

Status : Correct ***Marks : 1/1***

20. After performing this set of operations, what does the final list look to contain?

```
InsertFront(10);
InsertFront(20);
InsertRear(30);
DeleteFront();
InsertRear(40);
InsertRear(10);
DeleteRear();
InsertRear(15);
display();
```

Answer

10 30 40 15

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 5_MCQ

Attempt : 1
Total Mark : 15
Marks Obtained : 14

Section 1 : MCQ

1. Find the in-order traversal of the given binary search tree.

Answer

1, 2, 4, 13, 14, 18

Status : Correct ***Marks : 1/1***

2. Which of the following is a valid preorder traversal of the binary search tree with nodes: 18, 28, 12, 11, 16, 14, 17?

Answer

18, 12, 11, 16, 14, 17, 28

Status : Correct ***Marks : 1/1***

3. Which of the following is the correct post-order traversal of a binary search tree with nodes: 50, 30, 20, 55, 32, 52, 57?

Answer

20, 30, 32, 52, 57, 55, 50

Status : Wrong ***Marks : 0/1***

4. Which of the following operations can be used to traverse a Binary Search Tree (BST) in ascending order?

Answer

Inorder traversal

Status : Correct ***Marks : 1/1***

5. Find the postorder traversal of the given binary search tree.

Answer

1, 4, 2, 18, 14, 13

Status : Correct ***Marks : 1/1***

6. Find the pre-order traversal of the given binary search tree.

Answer

13, 2, 1, 4, 14, 18

Status : Correct ***Marks : 1/1***

7. The preorder traversal of a binary search tree is 15, 10, 12, 11, 20, 18, 16, 19. Which one of the following is the postorder traversal of the tree?

Answer

11, 12, 10, 16, 19, 18, 20, 15

Status : Correct ***Marks : 1/1***

8. While inserting the elements 5, 4, 2, 8, 7, 10, 12 in a binary search tree, the element at the lowest level is _____.

Answer

12

Status : Correct ***Marks : 1/1***

9. Find the post-order traversal of the given binary search tree.

Answer

10, 17, 20, 18, 15, 32, 21

Status : Correct ***Marks : 1/1***

10. Which of the following is the correct pre-order traversal of a binary search tree with nodes: 50, 30, 20, 55, 32, 52, 57?

Answer

50, 30, 20, 32, 55, 52, 57

Status : Correct ***Marks : 1/1***

11. Find the preorder traversal of the given binary search tree.

Answer

9, 2, 1, 6, 4, 7, 10, 14

Status : Correct ***Marks : 1/1***

12. How many distinct binary search trees can be created out of 4 distinct keys?

Answer

14

Status : Correct ***Marks : 1/1***

13. In a binary search tree with nodes 18, 28, 12, 11, 16, 14, 17, what is the value of the left child of the node 16?

Answer

14

Status : Correct ***Marks : 1/1***

14. While inserting the elements 71, 65, 84, 69, 67, 83 in an empty binary search tree (BST) in the sequence shown, the element in the lowest level is _____.

Answer

67

Status : Correct ***Marks : 1/1***

15. Which of the following is the correct in-order traversal of a binary search tree with nodes: 9, 3, 5, 11, 8, 4, 2?

Answer

2, 3, 4, 5, 8, 9, 11

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 6_MCQ_Updated_1

Attempt : 1
Total Mark : 20
Marks Obtained : 20

Section 1 : MCQ

1. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?

Answer

t1 > t2

Status : Correct ***Marks : 1/1***

2. Which of the following modifications can help Quicksort perform better on small subarrays?

Answer

Switching to Insertion Sort for small subarrays

Status : Correct ***Marks : 1/1***

3. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
   if (low < high) {
      int pivot = partition(arr, low, high);
      quickSort(arr, low, pivot - 1);
      quickSort(arr, pivot + 1, high);
   }
}
```

Answer

The range of elements to sort within the array

Status : Correct ***Marks : 1/1***

4. What happens during the merge step in Merge Sort?

Answer

Two sorted subarrays are combined into one sorted array

Status : Correct ***Marks : 1/1***

5. Which of the following is true about Quicksort?

Answer

It is an in-place sorting algorithm

Status : Correct ***Marks : 1/1***

6. In a quick sort algorithm, where are smaller elements placed to the pivot during the partition process, assuming we are sorting in increasing order?

Answer

To the left of the pivot

Status : Correct **Marks : 1/1**

7. Merge sort is _____.

Answer

Comparison-based sorting algorithm

Status : Correct **Marks : 1/1**

8. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

Answer

Choosing the pivot randomly or using the median-of-three method

Status : Correct **Marks : 1/1**

9. Which of the following statements is true about the merge sort algorithm?

Answer

It requires additional memory for merging

Status : Correct **Marks : 1/1**

10. What happens when Merge Sort is applied to a single-element array?

Answer

The array remains unchanged and no merging is required

Status : Correct **Marks : 1/1**

11. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this

algorithm is applied to it?

Answer

22 25 56 67 89

Status : Correct ***Marks : 1/1***

12. Why is Merge Sort preferred for sorting large datasets compared to Quick Sort?

Answer

Merge Sort has better worst-case time complexity

Status : Correct ***Marks : 1/1***

13. Which of the following is not true about QuickSort?

Answer

It can be implemented as a stable sort

Status : Correct ***Marks : 1/1***

14. Is Merge Sort a stable sorting algorithm?

Answer

Yes, always stable.

Status : Correct ***Marks : 1/1***

15. Which of the following methods is used for sorting in merge sort?

Answer

merging

Status : Correct ***Marks : 1/1***

16. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general?

Answer

Quick sort.

Status : Correct ***Marks : 1/1***

17. Which of the following sorting algorithms is based on the divide and conquer method?

Answer

Merge Sort

Status : Correct ***Marks : 1/1***

18. Which of the following scenarios is Merge Sort preferred over Quick Sort?

Answer

When sorting linked lists

Status : Correct ***Marks : 1/1***

19. What is the main advantage of Quicksort over Merge Sort?

Answer

Quicksort requires less auxiliary space

Status : Correct ***Marks : 1/1***

20. In a quick sort algorithm, what role does the pivot element play?

Answer

It is used to partition the array

Status : Correct ***Marks : 1/1***

Rajalakshmi Engineering College

Name: Nirmal Naveena
Email: 240801223@rajalakshmi.edu.in
Roll no: 240801223
Phone: 8072267415
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 7_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 17

Section 1 : MCQ

1. Which data structure is primarily used in linear probing?

Answer

Array

Status : Correct ***Marks : 1/1***

2. What is the initial position for a key k in a linear probing hash table?

Answer

k % table_size

Status : Correct ***Marks : 1/1***

3. Which of the following statements is TRUE regarding the folding method?

Answer

It divides the key into parts and adds them.

Status : Correct ***Marks : 1/1***

4. In the division method of hashing, the hash function is typically written as:

Answer

h(k) = k % m

Status : Correct ***Marks : 1/1***

5. Which of these hashing methods may result in more uniform distribution with small keys?

Answer

Division

Status : Wrong ***Marks : 0/1***

6. What is the worst-case time complexity for inserting an element in a hash table with linear probing?

Answer

O(n)

Status : Correct ***Marks : 1/1***

7. Which of the following best describes linear probing in hashing?

Answer

Resolving collisions by linearly searching for the next free slot

Status : Correct ***Marks : 1/1***

8. What happens if we do not use modular arithmetic in linear probing?

Answer

Index goes out of bounds

Status : Correct ***Marks : 1/1***

9. Which of the following values of 'm' is recommended for the division method in hashing?

Answer

A prime number

Status : Correct ***Marks : 1/1***

10. What is the output of the mid-square method for a key k = 123 if the hash table size is 10 and you extract the middle two digits of k * k?

Answer

1

Status : Correct ***Marks : 1/1***

11. In division method, if key = 125 and m = 13, what is the hash index?

Answer

8

Status : Correct ***Marks : 1/1***

12. What would be the result of folding 123456 into three parts and summing: (12 + 34 + 56)?

Answer

102

Status : Correct **Marks : 1/1**

13. Which situation causes clustering in linear probing?

Answer

Poor hash function

Status : Wrong **Marks : 0/1**

14. Which C statement is correct for finding the next index in linear probing?

Answer

index = (index + 1) % size;

Status : Correct **Marks : 1/1**

15. In linear probing, if a collision occurs at index i, what is the next index checked?

Answer

(i + 1) % table_size

Status : Correct **Marks : 1/1**

16. What does a deleted slot in linear probing typically contain?

Answer

A special "deleted" marker

Status : Correct **Marks : 1/1**

17. In C, how do you calculate the mid-square hash index for a key k, assuming we extract two middle digits and the table size is 100?

Answer

(k * k) % 100

Status : Wrong ***Marks : 0/1***

18. What is the primary disadvantage of linear probing?

Answer

Clustering

Status : Correct ***Marks : 1/1***

19. In the folding method, what is the primary reason for reversing alternate parts before addition?

Answer

To reduce the chance of collisions caused by similar digit patterns

Status : Correct ***Marks : 1/1***

20. Which folding method divides the key into equal parts, reverses some of them, and then adds all parts?

Answer

Folding reversal method

Status : Correct ***Marks : 1/1***