Import Data using Transform Maps

Spreadsheet Employee Data Import in ServiceNow

FSD Project Documentation

Team Members

1. N P Vijay Venkatraman
2. R Manjunadhan
3. R Naveena
4. S Meenaloshini
5. Shawan Darshan S

Prepared from the supplied Import Data using Transform Maps documentation. The report uses the project screenshots from that document. Individual team roles were not supplied.

Date: 1 October 2026 | Team ID: SWTID-2026-9374

1. Introduction

Project Title

Import Data using Transform Maps (Spreadsheet)

Team Members

N P Vijay Venkatraman
R Manjunadhan
R Naveena
S Meenaloshini
Shawan Darshan S

Individual member roles were not provided.

Documentation Scope

This document follows the supplied FSD Documentation Format section order. The format refers to MERN, but the supplied implementation is a ServiceNow configuration project. The frontend, backend, database, setup and runtime sections below describe the actual platform workflow.

2. Project Overview

Purpose

Import bulk employee Excel data into ServiceNow accurately and maintain clean records across initial and repeated uploads. Provide reports and a central dashboard for employee information.

Features

Five employee fields; Excel loading through an Import Set; reusable source-to-target mapping; transformation execution; Employee ID coalesce; import-history checks; department and location charts; employee list reporting; and dashboard sharing.




Figure 1. Source employee spreadsheet.

3. Architecture

Frontend

ServiceNow web forms, lists and report pages provide the user interface. Administrators use the Application Navigator, Load Data, table forms, Mapping Assist and report designer. A separate React frontend is not part of the supplied project.

Backend

ServiceNow Import Sets stage spreadsheet rows. Sample Spreadsheet Import transforms those rows into Employee Test. The Employee ID field map uses coalesce to match existing records. The workflow does not include a standalone Node.js or Express server.

Database

Table	Purpose	Fields
Employee Import / u_employee_import	Stage uploaded spreadsheet data.	Columns loaded from the source file.
Employee Test / u_employee_test	Store the imported employee records.	Employee ID, Employee Name, Email, Department and Location; String fields.

Data flow: Excel -> Load Data -> Employee Import -> Transform Map -> Employee Test -> Reports -> Employee Analytics Dashboards. Import history is reviewed to verify each transformation.




Figure 2. Field mappings between staging and target tables.

4. Setup Instructions

Prerequisites

Use an authorised ServiceNow instance and account, a browser, an internet connection and an employee Excel file. Google Sheets can prepare and export the file. Node.js, React, Express and MongoDB are not required by this implementation.

Installation

1. Prepare a Google spreadsheet with Employee ID, Employee Name, Email, Department and Location. Download it as Sample Spreadsheet.xlsx.
2. Create Employee Test with the name u_employee_test.
3. Open Show Form, then Configure and Form Layout. Create the five fields as String fields and save the layout.
4. Open Load Data. Create Employee Import, with the table name u_employee_import, and upload the spreadsheet.
5. Submit the load and confirm the success message. Choose Create Transform Map.




Figure 3. Creating and saving the Employee Test table.




Figure 4. Load Data configuration for the Employee Import staging table.

4. Setup Instructions

Transform and Verify

6. Name the Transform Map Sample Spreadsheet Import. Select Employee Import as its source and Employee Test as its target.
7. Use Auto Map Matching Fields and Mapping Assist. Check the source and target for all five employee columns, then save.
8. Run Transform and review the result. Open Employee Test to verify that rows and values were imported.
9. Use personalised list columns to display the employee fields in a clear order.
10. Enable coalesce on the Employee ID field map before repeat-import tests.
11. Upload changed and new Excel rows to the existing Employee Import table, using sheet 1 and header row 1. Run the same Transform Map and inspect the history.




Figure 5. Mapping Assist in the source documentation.




Figure 6. Employee ID coalesce setting.

5. Folder Structure

Client

No separate React client folder is provided. Client interactions take place in the ServiceNow instance through its forms, lists, report designer and dashboard pages.

Server

No standalone Node.js server folder is provided. Server-side project components are the Employee Import table, Employee Test table, Sample Spreadsheet Import Transform Map and saved reports. The source does not supply a repository or local environment-variable file.

6. Running the Application

Sign in to the authorised ServiceNow instance. Open Load Data and upload the employee Excel file into Employee Import. Select the saved Transform Map and run Transform. Review import history and Employee Test. Open the three reports or Employee Analytics Dashboards for reporting. No npm start commands are used.

7. API Documentation

No custom API endpoints, HTTP request methods, request parameters or example API responses are included in the supplied project. Imports are run through the ServiceNow interface. A future API integration would require a separate design and authorised configuration.

8. Authentication

Users sign in to the ServiceNow instance using authorised accounts. Table and dashboard actions depend on their permissions. The source describes dashboard creation permissions and restricted sharing by users, groups and roles. It does not define custom authentication tokens or session code. The instance URL and credentials are not supplied here.

9. User Interface

The interface includes Load Data, Transform Map configuration, Mapping Assist, Employee Test lists, report design and dashboard sharing. The original screenshots below show the project configuration and outputs.




Figure 7. Employee Test form with the configured fields.




Figure 8. Employee Test list showing imported employee records.




Figure 9. Adding a saved report to the dashboard.

10. Testing

Testing Strategy and Tools

Use the ServiceNow interface and import history to compare source rows with Employee Test. The supplied document shows initial import validation, changed/new employee imports, identical-file reimports, saved reports and the dashboard. No automated test framework or signed UAT execution log is provided.

Scenario	Expected or source-documented outcome
Map five employee fields	All five source values reach their correct target fields.
Four changed/new rows	Source reports two updates and two inserts.
Identical-file reimport	Source reports zero inserts, zero updates and four ignored rows.
Department and location reports	Pie and Bar charts use Count and the corresponding Group By field.
Employee List Report	All five employee fields are shown.
Dashboard	The three reports appear together.
Performance and access tests	Record actual timings and verify authorised/excluded users; formal results are not supplied.




Figure 10. Transform history for changed and new employee data.




Figure 11. Identical-file reimport history.

11. Screenshots or Demo

These outputs are taken from the source documentation. No public demo link is provided.




Figure 12. Employees by Department.




Figure 13. Employees by Location.




Figure 14. Employee List Report.

11. Screenshots or Demo




Figure 15. Completed Employee Analytics Dashboards.

12. Known Issues

The source does not provide a formal bug log, so the absence of listed defects is not proof that the project is defect-free. Incorrect source columns, incomplete maps or inconsistent employee IDs can affect data quality. Dashboard creation and sharing depend on authorised permissions. Import duration, maximum row capacity and concurrent load have not been benchmarked.

13. Future Enhancements

Possible enhancements include required-field validation, email checks, scheduled imports, clearer rejected-row reporting, measured import performance, more employee analytics and formal access testing. These are recommendations for future work, rather than implemented functionality.

Source reference: Import Data using Transform Maps(3).docx. Screenshots are reproduced from that document; no external or generated images are used.