

Cucumber Report

Sep 17, 2022, 9:45:32 PM

Start : Sep 17, 9:43:36.252 PM

End : Sep 17, 9:45:28.644 PM

Duration : 1 m 52.392 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 0
SKIPPED - 0


PASSED - 12
FAILED - 0
SKIPPED - 0

PASSED - 42
FAILED - 0
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|--|--------------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login page feature for the e-commerce website</u> | 27.393 s | 2 | 2 | 0 | 0 | 9 | 9 | 0 | 0 |
| <u>Title of your feature</u> | 1 m 24.955 s | 8 | 8 | 0 | 0 | 24 | 24 | 0 | 0 |
| <u>Account Page Feature</u> | 27.602 s | 2 | 2 | 0 | 0 | 9 | 9 | 0 | 0 |


| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @tag | 8 | 8 | 0 | 0 | 1 | 1 | 0 | 0 |
| @tag1 | 4 | 4 | 0 | 0 | 1 | 1 | 0 | 0 |
| @tag2 | 4 | 4 | 0 | 0 | 1 | 1 | 0 | 0 |
| @accounts | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>Login page feature for the e-commerce website</u> | 2 | 2 | 0 | 0 | 27.393 s |
| 2 | <u>Title of your feature</u> | 8 | 8 | 0 | 0 | 1 m 24.955 s |
| 3 | <u>Account Page Feature</u> | 2 | 2 | 0 | 0 | 27.602 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 1 | <u>Login page feature for the e-commerce website</u> | <u>Verify login page title</u> | 3 | 3 | 0 | 0 | 12.178 s |
| 2 | <u>Login page feature for the e-commerce website</u> | <u>Successful login with right credentials (registered user) & Verify</u> | 6 | 6 | 0 | 0 | 15.183 s |
| 3 | <u>Title of your feature</u> | <u>Title of your scenario</u> | 3 | 3 | 0 | 0 | 7.431 s |
| 4 | <u>Title of your feature</u> | <u>Title of your scenario2</u> | 3 | 3 | 0 | 0 | 7.212 s |
| 5 | <u>Title of your feature</u> | <u>Title of your scenario outline</u> | 3 | 3 | 0 | 0 | 8.023 s |
| 6 | <u>Title of your feature</u> | <u>Title of your scenario outline</u> | 3 | 3 | 0 | 0 | 7.109 s |
| 7 | <u>Title of your feature</u> | <u>Title of your scenario outline</u> | 3 | 3 | 0 | 0 | 7.317 s |
| 8 | <u>Title of your feature</u> | <u>Title of your scenario outline</u> | 3 | 3 | 0 | 0 | 6.721 s |
| 9 | <u>Title of your feature</u> | <u>Title of your scenario</u> | 3 | 3 | 0 | 0 | 6.963 s |
| 10 | <u>Title of your feature</u> | <u>Title of your scenario2</u> | 3 | 3 | 0 | 0 | 6.455 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|-------------------------------|---|---|---|---|----------|
| 11 | <u>Account Page Feature</u> | <u>Accounts page title</u> | 4 | 4 | 0 | 0 | 12.740 s |
| 12 | <u>Account Page Feature</u> | <u>Accounts section count</u> | 5 | 5 | 0 | 0 | 14.847 s |

Login page feature for the e-commerce website



| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| PASSED | DURATION - 27.393 s | Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0 |  | Steps Total - 9 Pass - 9 Fail - 0 Skip - 0 |  |
| / 9:43:36.252 PM // 9:44:03.645 PM / | | | | | |
| | | | | | |


Verify login page title

| | | | | |
|--|--------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 12.178 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:43:36.259 PM // 9:43:48.437 PM /</div> | | | | |
| <div>Login page feature for the e-commerce website</div> | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on the login page | PASSED | 3.406 s |
| 2 | When user gets the title of the page | PASSED | 0.008 s |
| 3 | Then page title should be "Login - My Store" | PASSED | 0.006 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.130 s |
| | Scenario_Screenshot | | |
| |  | | |

Successful login with right credentials (registered user) & Verify



| | | | |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 15.183 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:43:48.462 PM // 9:44:03.645 PM /</div> | | | |
| <div>Login page feature for the e-commerce website</div> | | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on the login page | PASSED | 5.233 s |
| 2 | When user enters username "qalearningspace@gmail.com" | PASSED | 0.130 s |
| 3 | And user enters password "Testing@123" | PASSED | 0.105 s |
| 4 | And user clicks on Login button | PASSED | 3.361 s |
| 5 | Then user gets the title of useraccount page | PASSED | 0.010 s |
| 6 | And useraccount page title should be "My account - My Store" | PASSED | 0.000 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.116 s |
| | Scenario_Screenshot | | |
| |  | | |

Title of your feature



| | | | | | |
|---|------------------------------------|---|------------------------------------|---|-------------------------------------|
| <div>PASSED</div> | <div>DURATION - 1 m 24.955 s</div> | <div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>8</div></div> | <div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>24</div></div> |
| <div>/ 9:44:03.689 PM // 9:45:28.644 PM /</div> | | | | | |
| | | | | | |

Title of your scenario

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 7.431 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 9:44:03.689 PM // 9:44:11.120 PM /</div> | | | |
| <div>Title of your feature</div> | | | |
| <div>@tag @tag1</div> | | | |

| # | Step / Hook Details | Status | Duration | | | | | | |
|-------|--|--------|----------|-------|---------|---------|-------|---|------|
| 1 | Given I want to write a step with precondition | PASSED | 0.009 s | | | | | | |
| | <table><tr><td>name1</td><td>5</td><td>success</td></tr><tr><td>name2</td><td>7</td><td>Fail</td></tr></table> | | | name1 | 5 | success | name2 | 7 | Fail |
| | name1 | | | 5 | success | | | | |
| name2 | 7 | Fail | | | | | | | |
| | | | | | | | | | |
| 2 | When I complete action | PASSED | 0.000 s | | | | | | |
| 3 | Then I validate the outcomes | PASSED | 0.000 s | | | | | | |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.072 s | | | | | | |
| | Scenario_Screenshot | | | | | | | | |
| | | | | | | | | | |

Title of your scenario2

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 7.212 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 9:44:11.135 PM // 9:44:18.347 PM /</div> | | | |
| <div>Title of your feature</div> | | | |
| <div>@tag @tag1</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with precondition2 | PASSED | 0.001 s |
| 2 | When I complete action2 | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then I validate the outcomes2 | PASSED | 0.001 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.084 s |
| | Scenario_Screenshot | | |
| | | | |

Title of your scenario outline


PASSED

DURATION - 8.023 s

/ 9:44:18.366 PM // 9:44:26.389 PM /

Title of your feature

@tag @tag2




Steps

Total - 3

Pass - 3



Fail - 0

Skip - 0





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with 'name1' | PASSED | 0.001 s |
| 2 | When I check for the 5 in step | PASSED | 0.002 s |
| 3 | Then I verify the 'success' in step | PASSED | 0.000 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.084 s |
| | Scenario_Screenshot | | |
| | | | |

Title of your scenario outline

| | | | | |
|---|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 7.109 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 9:44:26.403 PM // 9:44:33.512 PM /</div> | | | | |
| <div>Title of your feature</div> | | | | |
| <div>@tag @tag2</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with 'name2' | PASSED | 0.000 s |
| 2 | When I check for the 7 in step | PASSED | 0.000 s |
| 3 | Then I verify the 'Fail' in step | PASSED | 0.000 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.085 s |
| | Scenario_Screenshot | | |
| | | | |



Title of your scenario outline

| | | | | |
|---|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 7.317 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 9:45:14.594 PM // 9:45:21.911 PM /</div> | | | | |
| <div>Title of your feature</div> | | | | |
| <div>@tag @tag2</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with 'name1' | PASSED | 0.001 s |
| 2 | When I check for the 5 in step | PASSED | 0.000 s |
| 3 | Then I verify the 'success' in step | PASSED | 0.000 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.099 s |



| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | Scenario_Screenshot | | |
| | | | |

Title of your scenario outline

| | | | |
|--------------------------------------|--------------------|--|---|
| PASSED | DURATION - 6.721 s |  | <div>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</div>  |
| / 9:45:21.923 PM // 9:45:28.644 PM / | | | |
| Title of your feature | | | |
| @tag @tag2 | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with 'name2' | PASSED | 0.001 s |
| 2 | When I check for the 7 in step | PASSED | 0.000 s |
| 3 | Then I verify the 'Fail' in step | PASSED | 0.001 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.104 s |
| | Scenario_Screenshot | | |
| | | | |

Title of your scenario

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| PASSED | DURATION - 6.963 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:45:01.152 PM // 9:45:08.115 PM / | | | | |
| Title of your feature | | | | |
| @tag @tag1 | | | | |

| # | Step / Hook Details | Status | Duration | | | | | | |
|-------|--|--------|----------|-------|---------|---------|-------|---|------|
| 1 | Given I want to write a step with precondition | PASSED | 0.001 s | | | | | | |
| | <table><tr><td>name1</td><td>5</td><td>success</td></tr><tr><td>name2</td><td>7</td><td>Fail</td></tr></table> | | | name1 | 5 | success | name2 | 7 | Fail |
| | name1 | | | 5 | success | | | | |
| name2 | 7 | Fail | | | | | | | |
| | | | | | | | | | |
| 2 | When I complete action | PASSED | 0.000 s | | | | | | |
| 3 | Then I validate the outcomes | PASSED | 0.001 s | | | | | | |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.085 s | | | | | | |
| | Scenario_Screenshot | | | | | | | | |
| | | | | | | | | | |



Title of your scenario2

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| PASSED | DURATION - 6.455 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:45:08.127 PM // 9:45:14.582 PM / | | | | |
| Title of your feature | | | | |
| @tag @tag1 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to write a step with precondition2 | PASSED | 0.000 s |
| 2 | When I complete action2 | PASSED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then I validate the outcomes2 | PASSED | 0.001 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.082 s |
| | Scenario_Screenshot | | |
| | | | |


Account Page Feature

| | | | | | |
|--------------------------------------|---------------------|-----------|---|-----------|---|
| PASSED | DURATION - 27.602 s | Scenarios | | Steps | |
| / 9:44:33.530 PM // 9:45:01.132 PM / | | Total - 2 |  | Total - 9 |  |
| | | Pass - 2 | | Pass - 9 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |



Accounts page title

| | | | | |
|--------------------------------------|---------------------|---|-----------|--|
| PASSED | DURATION - 12.740 s |  | Steps |  |
| / 9:44:33.530 PM // 9:44:46.270 PM / | | | Total - 4 | |
| Account Page Feature | | | Pass - 4 | |
| @accounts | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | | Status | Duration |
|---|---|-------------|--------|----------|
| 1 | Given user has already logged in to application | | PASSED | 6.319 s |
| | username | password | | |
| | qalearningspace@gmail.com | Testing@123 | | |
| 2 | Given user is on Accounts page | | PASSED | 0.001 s |
| 3 | When user gets the title of account page | | PASSED | 0.010 s |
| 4 | Then account page title should be "My account - My Store" | | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | PASSED | 0.121 s |
| | Scenario_Screenshot | | |
| |  | | |

Accounts section count

| | | | | |
|--------------------------------------|---------------------|--|--|---|
| PASSED | DURATION - 14.847 s |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 9:44:46.285 PM // 9:45:01.132 PM / | | | | |
| Account Page Feature | | | | |
| @accounts | | | | |

| # | Step / Hook Details | | Status | Duration |
|---|---|-------------|--------|----------|
| 1 | Given user has already logged in to application | | PASSED | 5.479 s |
| | username | password | | |
| | qalearningspace@gmail.com | Testing@123 | | |
| 2 | Given user is on Accounts page | | PASSED | 0.001 s |
| 3 | Then user gets accounts section | | PASSED | 0.133 s |
| | ORDER HISTORY AND DETAILS | | | |
| | MY CREDIT SLIPS | | | |
| | MY ADDRESSES | | | |
| | MY PERSONAL INFORMATION | | | |
| | MY WISHLISTS | | | |
| | Home | | | |
| 4 | And accounts section count should be 6 | | PASSED | 0.013 s |
| 5 | And log out of the application | | PASSED | 2.548 s |
| | AFTER - hooks.CucumberApplicationHook.tearDown(io.cucumber.java.Scenario) | | PASSED | 0.157 s |
| | Scenario_Screenshot | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |