```
Create a project to Consume a RESTful web service
MainController.java:
package com.ecommerce.controllers;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.ResponseBody;
import org.springframework.web.client.RestTemplate;
import com.ecommerce.beans.Quote;
@Controller
public class MainController {
@RequestMapping("/")
@ResponseBody
public String index() {
RestTemplate restTemplate = new RestTemplate();
Quote quote = restTemplate.getForObject(
"https://gistcdn.githack.com/ayanb/ff0441b5a8d6c489b58659ffb849aff4/raw/e1c5ca10f7bea5
7edd
793c4189ea8339de534b4
5/response.json",
Quote.class);
return quote.toString();
}}
Quote.java:
package com.ecommerce.beans;
import com.fasterxml.jackson.annotation.JsonIgnoreProperties;
@JsonIgnoreProperties(ignoreUnknown = true)
public class Quote {
private String type;
private Value value;
public Quote() {
}
```

```
public String getType() {
return type;
public void setType(String type) {
this.type = type;
}
public Value getValue() {
return value;
public void setValue(Value value) {
this.value = value;
}
@Override
public String toString() {
return "Quote{" + "type="" + type + '\" + ", value=" + value + '}';
}}
Value.java:
package com.ecommerce.beans;
import com.fasterxml.jackson.annotation.JsonIgnoreProperties;
@JsonIgnoreProperties(ignoreUnknown = true)
public class Value {
private Long id;
private String quote;
public Value() {
}
public Long getId() {
return this.id;
}
public String getQuote() {
return this.quote;
```

```
}
public void setId(Long id) {
this.id = id;
}
public void setQuote(String quote) {
this.quote = quote;
}
@Override
public String toString() {
return "Value {" + "id=" + id + ", quote="" + quote + '\" + '}';
}}
pom.xml:
<?xml version="1.0" encoding="UTF-8"?>
project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<parent>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-starter-parent</artifactId>
<version>3.1.0</version>
<relativePath/> <!-- lookup parent from repository -->
</parent>
<groupId>com.ecommerce</groupId>
<artifactId>SpringRESTClient</artifactId>
<version>0.0.1-SNAPSHOT
<name>SpringRESTClient</name>
<description>Demo project for Spring Boot</description>
properties>
```

```
<java.version>17/java.version>
<dependencies>
<dependency>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-starter-web</artifactId>
</dependency>
<dependency>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-starter-test</artifactId>
<scope>test</scope>
</dependency>
</dependencies>
<build>
<plugins>
<plugin>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-maven-plugin</artifactId>
</plugin>
</plugins>
</build>
</project>
     C @ localhost:8080
```

Quote {type='success', value=Value{id=10, quote='Really loving Spring Boot, makes stand alone Spring apps easy.'}}