```
Spring Boot Exception Handling.
EProduct:
package com.ecommerce.entity;
import java.math.BigDecimal;
import java.util.Collection;
import java.util.Date;
import java.util.List;
import java.util.Set;
import java.util.Map;
@SuppressWarnings("unused")
public class EProduct {
private long ID;
private String name;
private BigDecimal price;
private Date dateAdded;
public EProduct() {
public long getID() {return this.ID; }
public String getName() { return this.name;}
public BigDecimal getPrice() { return this.price;}
public Date getDateAdded() { return this.dateAdded;}
public void setID(long id) { this.ID = id;}
public void setName(String name) { this.name = name;}
public void setPrice(BigDecimal price) { this.price = price;}
public void setDateAdded(Date date) { this.dateAdded = date;}
}
Eproductnotfound:
package com.ecommerce.exception;
public class ProductNotFoundException extends RuntimeException {
private static final long serialVersionUID = 1L;
```

```
}
Eproductexcrptioncontroller:
package com.ecommerce.controllers;
import org.springframework.http.HttpStatus;
import org.springframework.http.ResponseEntity;
import org.springframework.web.bind.annotation.ControllerAdvice;
import org.springframework.web.bind.annotation.ExceptionHandler;
import com.ecommerce.exception.ProductNotFoundException;
@ControllerAdvice
public class EProductExceptionController {
@ExceptionHandler(value = ProductNotFoundException.class)
public ResponseEntity<Object> exception(ProductNotFoundException
exception) {
return new ResponseEntity <> ("Product not found",
HttpStatus.NOT FOUND);
}}
MainController:
package com.ecommerce.controllers;
import org.springframework.http.HttpStatus;
import org.springframework.http.ResponseEntity;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestBody;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;
import org.springframework.web.bind.annotation.ResponseBody;
import com.ecommerce.entity.EProduct;
import com.ecommerce.exception.ProductNotFoundException;
@SuppressWarnings("unused")
@Controller
```

```
public class MainController {
@RequestMapping(value = "/product/{id}", method =
RequestMethod.GET)
@ResponseBody
public String getProduct(@PathVariable("id") String id) {
if (id.contentEquals("0"))
throw new ProductNotFoundException();
return "Product was found";
}}
 0
           localhost:8080/product/0
             (i) localhost:8080/product/0
 Unified Access G Gmail  YouTube  Maps
Product not found
       localhost:8080/product/1
              (i) localhost:8080/product/1
 Product was found
```