# How can we increase revenue from
Catch the Pink Flamingo?

Taha Hussein

Problem Statement

- In order to increase the revenue generated by the game "Catch The Pink Flamingo", we need three subjects of datasets.
- In the first one, "flamingo-*data"*, it contains 8 CSV files containing simulated game data and log data for the Catch the Pink Flamingo Simulated Game Data. These data will be used for data exploration in Splunk.
- The *"combined-data"* contains a single CSV file created by aggregating data from several game data files. It is intended to be used for identifying big spenders with KNIME.
- *"chat-data"* contains 6 CSV files representing simulated chat data related to the Catch the Pink Flamingo game to be used in Graph Analytics withneo4j.
- Combining all datasets together, analyzing different technologies will contribute to our decision in increasing revenue from game players.

Data Exploration Overview

- Before analyzing, let's make some graphs to understand the data. Importing datasets of *"flamingo-data"* into **Splunk**, using aggregation functions to make histograms as follows

- •The first histogram is made by the data in *"buy-clicks"*, which shows how many times each item is purchased. Among six items, the item "2" is the most purchased, the item "1" is the least purchased.

- The second one is made by the same dataset. According to this graph, we get different amount of money that made from each item. Among them, the item "5" made the most money, and the item "1" made the least money, which is also the least purchased, it means the item "1" is not preferred by most people. In this case, providers should think about strategies to change this situation or to solve this problem.

What have we learned from classification?

first method, we used *"combined-data"*, and classified users with Decision Tree in **KNIME** to identify big spenders in the game. The objective is to predict which user is likely to purchase big-ticket items while playing game.

Using this file *"combined_data"*, we defined two categories for price: HighRollers, who spend more than $5.00 to buy the items, and PennyPinchers, who spend $5.00 or less to buy the items. In this graph, red stands for the PennyPinchers, blue stands for the HighRollers.

PennyPinchers (501/846)

Table:		
Category	%	n
PennyPinchers	59.2	501
HighRollers	40.8	345
Total	100.0	846

Chart:
Color column: user_category

platformType = android

PennyPinchers (257/297)

Table:		
Category	%	n
PennyPinchers	86.5	257
HighRollers	13.5	40
Total	35.1	297

Chart:
Color column: user_category

platformType = iphone

HighRollers (279/336)

Table:		
Category	%	n
PennyPinchers	17.0	57
HighRollers	83.0	279
Total	39.7	336

Chart:
Color column: user_category

platformType = linux

PennyPinchers (65/67)

Table:		
Category	%	n
PennyPinchers	97.0	65
HighRollers	3.0	2
Total	7.9	67

Chart:
Color column: user_category

platformType = windows

PennyPinchers (105/119)

Table:		
Category	%	n
PennyPinchers	88.2	105
HighRollers	11.8	14
Total	14.1	119

Chart:
Color column: user_category

platformType = mac

PennyPinchers (17/27)

Table:		
Category	%	n
PennyPinchers	63.0	17
HighRollers	37.0	10
Total	3.2	27

Chart:
Color column: user_category

- According to the resulting decision tree, it obviously shows that the predicted user_categoryis different in various platforms, the users on the platform android, Linux, windows and mac are almost PennyPincher, however, most users which on the platform iPhone are HighRoller.
- Furthermore, thanks to the confusion matrix, our model has a**88.5%**accuracy rate.

What have we learned from clustering?

- In this part, the Clustering method is applied, which is completed in **iPython Notebook** with **Spark MLlib**.
- Before beginning, I chose 3 attributes: amount *of ad-clicking per user, amount of game-clicking per user* and *total price spent by each user*. Then training data set is created by combining the 3 attributes in a table. Finally, training to create cluster centers and getting the following results.

Cluster	Total ad clicking	Total game clicking	Revenue
1	25.12	362.50	35.36
2	32.05	2393.95	41.20
3	36.47	953.82	46.16

- Cluster 1 is different from the others in that the users' ad-clicks, game-clicks and cost are all less than others, this kind of users can be called "low level spending user".
- Cluster 3 is different from the others in that the users' ad-clicks, game-clicks and cost are all more than others, this kind of users can be called "high level spending user".
- Cluster 2 is different from the others in that the ad-clicks is not the least, game-clicks is the most but their cost is not the most, this kind of users can be called "neutral user".
- The results reflect that the ad clicking amount of "high level spending user" is *1.45 times more* than "low level spending user" and *1.14 times more* than "neutral user"; the game clicking amount of "high level spending user" is *2.63 times more* than "low level spending user" ; finally, the revenue from "high level spending user" is *1.31 times higher* than "low level spending user" and *1.12 times higher* than "neutral user".

From our chat graph analysis, what further exploration should we undertake?

- In the last part, the Chat Graph Analysis is achieved by **Neo4J**.
- The CSV data files of *"chat-data "* are loaded into Neo4J. Then we firstly find the **top 10 chattiest users** by matching all users with a Create Chat edge, return the users' ID and the count of the users.

Users	Number of Chats
394	115
2067	111
209	109
1087	109
554	107
516	105
1627	105
999	105
668	104
461	104

- Secondly, we find the **top 10 chattiest teams** by matching all Chat Items with a part of edge connecting them with a TeamChatSession node and the TeamChatSession nodes must have an Owned By edge connecting them with any other node, and return the count of teams as well.

Teams	Number of Chats
82	1324
185	1306
112	957
18	844
194	836
129	814
52	788
136	783
146	746
81	736

- According to the first two tables, we get the third table which identifies among the top 10 chattiest users, one of them belongs to chattiest teams, i.e. the user "999" belongs to the team "52", but other 9 users are not part of the top 10 chattiest teams. This states that most of the chattiest users are not in the chattiest teams.

Users	Teams	Number of Chats
394	63	115
2067	7	111
209	7	109
1087	77	109
554	181	107
516	7	105
1627	7	105
999	52	105
461	104	104
668	89	104

Recommendation

- Following previous results, here are some recommendations to be considered:
- *Offer more products to iPhone users.* According to the decision tree classification, it reflects that most users which on the platform iPhone are HighRollers, so offering more products to them can increase our revenue.
- *Provide more products to "high level spending user", which* is similar as the first one, but the users are not totally identical. Thanks to Clustering results, we know that the "high level spending user" clicked less but buy more than others, we can provide more products to them for increasing the revenue.
- *Provide some fixed pay packages or promotion to users, especially to "low level spending user". This* action can stimulate consumption of users, and since the paying probability of "low level spending user" is low, the promotion can encourage them to purchase.