Navid Baghaei

Lab 7

TASK 1

1. 

Launched my Linux VM and launched the terminal.

2. 

Redirecting the computer name and linux kernel version to the my.log file in the home directory.



Print current directory.

```
navid@ubuntu:~$ ls -la
total 120
drwxr-x--- 16 navid navid 4096 Mar 15 21:58 .
drwxr-xr-x  3 root  root  4096 Jan 28 02:28 ..
-rw-------  1 navid navid    3 Feb 16 22:20 .bash_history
-rw-r--r--  1 navid navid  220 Jan 28 02:28 .bash_logout
-rw-r--r--  1 navid navid 3771 Jan 28 02:28 .bashrc
drwx------ 11 navid navid 4096 Feb  2 10:31 .cache
drwx------ 10 navid navid 4096 Jan 28 02:46 .config
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Desktop
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Documents
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Downloads
drwx------  2 navid navid 4096 Mar 15 21:52 .gnupg
drwx------  3 navid navid 4096 Jan 28 02:34 .local
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Music
-rw-rw-r--  1 navid navid  126 Mar 15 21:58 my.log
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Pictures
-rw-r--r--  1 navid navid  807 Jan 28 02:28 .profile
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Public
drwx------  4 navid navid 4096 Feb  2 10:31 snap
drwx------  2 navid navid 4096 Mar 15 21:52 .ssh
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Templates
-rw-r-----  1 navid navid    5 Mar 15 21:47 .vboxclient-clipboard-tty2-control.p
```

List current directory files and folder contents.

```
navid@ubuntu:~$ echo "" >> ~/my.log
navid@ubuntu:~$ echo "Full listing:" >> ~/my.log
navid@ubuntu:~$ ls -la >> ~/my.log
```

Appended a blank line to the end of the my.log file.

Added a section name to the my.log file.

Appended the current directory's file listing to the my.log file.

```
navid@ubuntu:~$ cat ~/my.log
Linux ubuntu 6.5.0-15-generic #15~22.04.1-Ubuntu SMP PREEMPT_DYNAMIC Fri Jan 12
18:54:30 UTC 2 x86_64 x86_64 x86_64 GNU/Linux

Full listing:
total 120
drwxr-x--- 16 navid navid 4096 Mar 15 21:58 .
drwxr-xr-x  3 root  root  4096 Jan 28 02:28 ..
-rw-------  1 navid navid    3 Feb 16 22:20 .bash_history
-rw-r--r--  1 navid navid  220 Jan 28 02:28 .bash_logout
-rw-r--r--  1 navid navid 3771 Jan 28 02:28 .bashrc
drwx------ 11 navid navid 4096 Feb  2 10:31 .cache
drwx------ 10 navid navid 4096 Jan 28 02:46 .config
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Desktop
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Documents
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Downloads
drwx------  2 navid navid 4096 Mar 15 21:52 .gnupg
drwx------  3 navid navid 4096 Jan 28 02:34 .local
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Music
-rw-rw-r--  1 navid navid  141 Mar 15 22:10 my.log
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Pictures
-rw-r--r--  1 navid navid  807 Jan 28 02:28 .profile
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Public
drwx------  4 navid navid 4096 Feb  2 10:31 snap
```

Ran cat to display the file contents of my.log.

```
navid@ubuntu:~$ ip address
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group defaul
t qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP gr
oup default qlen 1000
    link/ether 08:00:27:70:2b:f1 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute enp0s3
       valid_lft 84398sec preferred_lft 84398sec
    inet6 fe80::5e84:feed:114b:51ff/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
navid@ubuntu:~$ ip address >> ~/my.log
```

Displayed the network interface information and appended it to the end of the my.log file.

```
navid@ubuntu:~$ cd /
navid@ubuntu:/$ whoami
navid
```

Switched to the root directory and identified the current logon user (me).

```
navid@ubuntu:/$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologi
```

Listed all users on the machine from the passwd file.

```
navid@ubuntu:/$ cat /etc/passwd | grep navid
navid:x:1000:1000:Navid,,,:/home/navid:/bin/bash
```

Displayed my account information from the passwd file.

```
navid@ubuntu:/$ cat /etc/passwd >> ~/my.log
navid@ubuntu:/$
```

Appended the password file contents to the my.log file.

```
navid@ubuntu:/$ ls -l /etc/shadow
-rw-r----- 1 root shadow 1558 Jan 28 02:33 /etc/shadow
```

Displayed file listing of the shadow file.

```
navid@ubuntu:/$ su -
Password:
root@ubuntu:~#
```

Switched user to the root user by running su -, then typing my password.

```
root@ubuntu:~# cat /etc/shadow
root:$y$j9T$78z0Fqb7VYxnUSYxXKy/S0$VYbwv.gzz6VXmNUmFaYfnYSeL41WgoN82co8jK2Ccp1:1
9750:0:99999:7:::
daemon:*:19576:0:99999:7:::
bin:*:19576:0:99999:7:::
sys:*:19576:0:99999:7:::
sync:*:19576:0:99999:7:::
games:*:19576:0:99999:7:::
man:*:19576:0:99999:7:::
lp:*:19576:0:99999:7:::
mail:*:19576:0:99999:7:::
news:*:19576:0:99999:7:::
uucp:*:19576:0:99999:7:::
proxy:*:19576:0:99999:7:::
www-data:*:19576:0:99999:7:::
backup:*:19576:0:99999:7:::
list:*:19576:0:99999:7:::
irc:*:19576:0:99999:7:::
gnats:*:19576:0:99999:7:::
nobody:*:19576:0:99999:7:::
```

Displayed the shadow file contents again while logged in as the root user.

```
root@ubuntu:~# cat /etc/shadow | grep navid >> /home/navid/my.log
root@ubuntu:~#
```

Appended the shadow file contents just listed to the my.log file.

```
root@ubuntu:~# exit
logout
navid@ubuntu:/$
```

Ran exit to log out of the root session and return to the user terminal.

```
navid@ubuntu:/$ cat ~/my.log
Linux ubuntu 6.5.0-15-generic #15~22.04.1-Ubuntu SMP PREEMPT_DYNAMIC Fri Jan 12
18:54:30 UTC 2 x86_64 x86_64 x86_64 GNU/Linux

Full listing:
total 120
drwxr-x--- 16 navid navid 4096 Mar 15 21:58 .
drwxr-xr-x  3 root  root  4096 Jan 28 02:28 ..
-rw-------  1 navid navid    3 Feb 16 22:20 .bash_history
-rw-r--r--  1 navid navid  220 Jan 28 02:28 .bash_logout
-rw-r--r--  1 navid navid 3771 Jan 28 02:28 .bashrc
drwx------ 11 navid navid 4096 Feb  2 10:31 .cache
drwx------ 10 navid navid 4096 Jan 28 02:46 .config
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Desktop
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Documents
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Downloads
drwx------  2 navid navid 4096 Mar 15 21:52 .gnupg
drwx------  3 navid navid 4096 Jan 28 02:34 .local
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Music
-rw-rw-r--  1 navid navid  141 Mar 15 22:10 my.log
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Pictures
-rw-r--r--  1 navid navid  807 Jan 28 02:28 .profile
drwxr-xr-x  2 navid navid 4096 Jan 28 02:34 Public
drwx------  4 navid navid 4096 Feb  2 10:31 snap
```

```
navid:$y$j9T$QEhE00H3RFMo3JSUJQCUy0$uwWJv9zeclkY8u51FDcILXMfOFdV6ALYf15bjKl9yO9:
19750:0:99999:7:::
navid@ubuntu:/$
```

Displayed the contents of the my.log file. The shadow content for my user account was appended to the end of the file.

TASK 2

1.
```
navid@ubuntu:~$ ls -l
total 44
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Desktop
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Documents
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Downloads
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Music
-rw-rw-r-- 1 navid navid 5735 Mar 15 22:33 my.log
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Pictures
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Public
drwx------ 4 navid navid 4096 Feb  2 10:31 snap
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Templates
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Videos
navid@ubuntu:~$
```

Listed the contents of the current directory. The hard link count for all of the directories is at least 2.

```
navid@ubuntu:~$ cd Music
navid@ubuntu:~/Music$ mkdir PopTunes
navid@ubuntu:~/Music$
```

Changed directories to the music folder and created a subdirectory named PopTunes.

```
navid@ubuntu:~/Music$ cd ..
navid@ubuntu:~$ ls -l
total 44
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Desktop
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Documents
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Downloads
drwxr-xr-x 3 navid navid 4096 Mar 15 23:03 Music
-rw-rw-r-- 1 navid navid 5735 Mar 15 22:33 my.log
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Pictures
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Public
drwx------ 4 navid navid 4096 Feb  2 10:31 snap
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Templates
drwxr-xr-x 2 navid navid 4096 Jan 28 02:34 Videos
```

Returning to the home directory and running ls -l again, we can see the hard link count for Music went from 2 to 3.

2.
```
navid@ubuntu:~$ touch originalfile
navid@ubuntu:~$ mkdir /tmp/chap07
```

Created a new file named originalfile, then created a subdirectory in the /tmp folder.

```
navid@ubuntu:~$ ln originalfile /tmp/chap07/newfile
navid@ubuntu:~$
```

Created a hardlink to the originalfile in the /tmp/chap07 directory.

```
navid@ubuntu:~$ ls -i originalfile
787385 originalfile
navid@ubuntu:~$ ls -i /tmp/chap07/newfile
787385 /tmp/chap07/newfile
```

Listed the inode number for both the originalfile and the newfile hard link. The numbers are the same.

3.
```
navid@ubuntu:~$ cd /tmp
navid@ubuntu:/tmp$ mkdir testsym
navid@ubuntu:/tmp$ cd testsym
navid@ubuntu:/tmp/testsym$
```

Changed directories to the tmp folder, created a new directory “testsym”, and changed to that directory.

```
navid@ubuntu:/tmp/testsym$ touch test1 test2
navid@ubuntu:/tmp/testsym$ cd ..
```

Created two files named test1 and test2 in the testsym folder, changed directories to the /tmp folder.

```
navid@ubuntu:/tmp$ ln -s /tmp/testsym mysym
navid@ubuntu:/tmp$
```

Created a symbolic link “mysym” to the /tmp/testsym directory.

```
navid@ubuntu:/tmp$ ls -l mysym
lrwxrwxrwx 1 navid navid 12 Mar 15 23:35 mysym -> /tmp/testsym
navid@ubuntu:/tmp$ ls mysym
test1  test2
```

Listed the mysym symlink in the /tmp directory, then listed the contents of the mysym directory.

TASK 3

1.
```
navid@ubuntu:~$ su -
Password:
root@ubuntu:~# usermod -aG sudo navid
```

Switched user to root and the regular user to the sudo group, then rebooted the VM.

```
navid@ubuntu:~$ sudo apt update -y
[sudo] password for navid:
Hit:1 http://us.archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Get:3 http://us.archive.ubuntu.com/ubuntu jammy-updates InRelease [119 kB]
Get:4 http://us.archive.ubuntu.com/ubuntu jammy-backports InRelease [109 kB]
Get:5 http://security.ubuntu.com/ubuntu jammy-security/main i386 Packages [421 k
```

Updated the system.

```
navid@ubuntu:~$ sudo apt install sleuthkit autopsy -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libafflib0v5 libbfio1 libdate-manip-perl libewf2 libtsk19 libvhdi1 libvmdk1
Suggested packages:
  mac-robber
The following NEW packages will be installed:
  autopsy libafflib0v5 libbfio1 libdate-manip-perl libewf2 libtsk19 libvhdi1
  libvmdk1 sleuthkit
0 upgraded, 9 newly installed, 0 to remove and 124 not upgraded.
Need to get 4,117 kB of archives.
```

Installed Sleuth Kit and Autopsy.

2. 

Downloaded and unzipped the chapter07.zip file.







A long time ago

GCFI-LX	3/11/2007 10:52 PM	WinRAR archive	665,600 KB
GCFI-LX.002	3/11/2007 10:53 PM	002 File	665,600 KB
GCFI-LX.003	3/11/2007 10:54 PM	003 File	665,600 KB
GCFI-LX.004	3/11/2007 10:55 PM	004 File	665,600 KB
GCFI-LX.005	3/11/2007 10:55 PM	005 File	502,372 KB

Ran the GCFI-LX.xxx file and let winrar extract the 5 files from 2007 lol.



Back on the VM, in files, I created a new folder named chapter07.



Got the extracted files in there. Had to upload and download from google drive since nothing else was working.

3.

```
navid@ubuntu:~$ sudo autopsy
[sudo] password for navid:

===============================================================================

                      Autopsy Forensic Browser
                 http://www.sleuthkit.org/autopsy/
                            ver 2.24

===============================================================================
Evidence Locker: /var/lib/autopsy
Start Time: Sat Mar 16 00:54:05 2024
Remote Host: localhost
Local Port: 9999

Open an HTML browser on the remote host and paste this URL in it:

    http://localhost:9999/autopsy

Keep this process running and use <ctrl-c> to exit
```

Started autopsy from the terminal.

Headed to http://localhost:9999/autopsy in Firefox which opened the program being hosted from the terminal.

4. 

Pressed Open Case -> New Case, then entered “InChap7” as the case name, and assigned myself to field 3.a and pressed New Case.



Pressed Add Host



Inputted “TestUbuntu12-03” as the Host Name and pressed Add Host.



Selected Add Image



Pressed Add Image, and put the path to the image files in the Location field. Changed the Type to Partition, and the Import Method to Move.



The files are listed which means the path was correct. Pressed next.



Selected the “Calculate the hash value for this image” option and pressed add.

It calculated the MD5 hash on the 1GB image file and loaded the results.

5. 

Pressed Analyze to start the analysis.



Pressed Keyword Search on the top bar



Entered “martha” into the search field and pressed search.

The summary of the search results is shown on the left.

FILE ANALYSIS | KEYWORD SEARCH | FILE TYPE

77 occurrences of `martha` were found
Search Options:
ASCII
Case Sensitive

Fragment 236019 (Hex - Ascii)
1: 396 (`biz, martha.dax@`)
2: 855 (`biz, martha.dax@`)
3: 1321 (`biz, martha.dax@`)
4: 1854 (`biz, martha.dax@`)
5: 2718 (`biz, martha.dax@`)

Fragment 236020 (Hex - Ascii)
6: 143 (`Dax <martha.dax@`)
7: 3924 (`martha.dax@`)

Fragment 236021 (Hex - Ascii)
8: 1228 (`Dax <martha.dax@`)
9: 1572 (`Dax <martha.dax@`)
10: 2581 (`Dax <martha.dax@`)

Fragment 236875 (Hex - Ascii)
11: 396 (`biz, martha.dax@`)
12: 855 (`biz, martha.dax@`)
13: 1321 (`biz, martha.dax@`)
14: 1854 (`biz, martha.dax@`)
15: 2718 (`biz, martha.dax@`)

Fragment 236876 (Hex - Ascii)
16: 143 (`Dax <martha.dax@`)
17: 3908 (`martha.dax@`)

Fragment 236908 (Hex - Ascii)
18: 1212 (`Dax <martha.dax@`)

Fragment 236933 (Hex - Ascii)
19: 739 (`martha.dax@`)
20: 827 (`Dax <martha.dax@`)
21: 1340 (`-To: martha.dax@`)
22: 1803 (`ath: martha.dax@`)

Pressed “link to results” on the top left and viewed some of the Ascii links.

14: 1854 (biz, martha.dax@)
15: 2718 (biz, martha.dax@)

Fragment 236876 (Hex - Ascii)
16: 143 (Dax <martha.dax@)
17: 3908 (martha.dax@)

Fragment 236908 (Hex - Ascii)
18: 1212 (Dax <martha.dax@)

Fragment 236933 (Hex - Ascii)
19: 739 (martha.dax@)
20: 827 (Dax <martha.dax@)
21: 1340 (-To: martha.dax@)
22: 1803 (ath: martha.dax@)

Fragment 236955 (Hex - Ascii)
23: 435 (martha.dax@)
24: 523 (Dax <martha.dax@)
25: 1036 (-To: martha.dax@)
26: 1499 (ath: martha.dax@)

Fragment 236966 (Hex - Ascii)
27: 3444 (iz, martha.dax@)

Fragment 240974 (Hex - Ascii)
28: 356 (biz, martha.dax@)
29: 2722 (biz, martha.dax@)

Fragment 240978 (Hex - Ascii)
30: 1641 (biz, martha.dax@)

Fragment 240979 (Hex - Ascii)
31: 213 (biz, martha.dax@)

Fragment 240981 (Hex - Ascii)
32: 308 (biz, martha.dax@)

Fragment 241498 (Hex - Ascii)
33: 643 (from martha.dax@)
34: 1439 (martha.dax@)
35: 1527 (Dax <martha.dax@)
36: 2040 (-To: martha.dax@)
37: 2503 (ath: martha.dax@)

Fragment 241556 (Hex - Ascii)
38: 2582 (To: martha.dax@)

Fragment 241566 (Hex - Ascii)
39: 1278 (From martha.dax@)
40: 2078 (martha.dax@)
41: 2166 (Dax <martha.dax@)
42: 2944 (ath: martha.dax@)

Fragment 241567 (Hex - Ascii)
43: 340 (From martha.dax@)
44: 1140 (martha.dax@)
45: 1228 (Dax <martha.dax@)
46: 2111 (ath: martha.dax@)

Fragment 241669 (Hex - Ascii)
47: 3732 (THER:martha.dax@)

PREVIOUS | NEXT
EXPORT CONTENTS | ADD NOTE

ASCII (display - report) * Hex (display - report) * ASCII Strings (display - report)
File Type: ASCII text, with very long lines (450)

Fragment: 236933
Status: Allocated
Group: 7
Find Meta Data Address

```
ASCII Contents of Fragment 236933 in GCFI-LX.001-0-0


Received: from smtp-sjt-01.vividround.com ([199.249.224.252]) by
        mail.vividround.com with Microsoft SMTPSVC(6.0.3790.1830); Sun, 7 Jan 2007
        17:01:20 -0600
Received: from localhost.localdomain (c-24-10-24-250.hsd1.mn.comcast.net
        [24.10.24.250]) by smtp-sjt-01.vividround.com (8.12.11/8.12.11) with ESMTP
        id l07KUXJA003163; Sun, 7 Jan 2007 17:01:33 -0600 (CST)
Received: from localhost.localdomain (localhost.localdomain [127.0.0.1]) by
        localhost.localdomain (8.13.8/8.13.8) with ESMTP id l07N0tvV028364; Sun, 7
        Jan 2007 15:00:56 -0800
Received: (from bill@localhost) by localhost.localdomain
        (8.13.8/8.13.8/Submit) id l07N0s11028363; Sun, 7 Jan 2007 15:00:54 -0800
X-Authentication-Warning: localhost.localdomain: bill set sender to
        martha.dax@superiorbicycles.biz using -f
Subject: Vacation Schedules
From: Martha Dax <martha.dax@superiorbicycles.biz>
To: Chris Murphy <chris.murphy@superiorbicycles.biz>, Bob Swartz <robert.swartz@superiorbicycles.biz>, Ralph Benson <ralph.benson@superiorbicycles.biz>, Ileen Johnson <ileen.johnson@superiorbicycles.biz>, Bart Jones
<bart.jones@superiorbicycles.biz>, Sam Clemens <sam.clemens@superiorbicycles.biz>, Jim Shu <jim.shu@superiorbicycles.biz>, Sebastian Mwangonde <sebastian.mwangonde@superiorbicycles.biz>, Nmu Tjeriko
<nmu.tjeriko@superiorbicycles.biz>
Disposition-Notification-To: martha.dax@superiorbicycles.biz
X-Priority: 1
Content-Type: multipart/alternative; boundary="=_bJ+/VyAnM38R7IOk565D"
Date: Sun, 07 Jan 2007 15:00:54 -0800
Message-Id: <1168210054.28247.3.camel@localhost.localdomain>
Mime-Version: 1.0
X-Mailer: Evolution 2.8.0 (2.8.0-7.fc6)
X-mPrism-Trap: Default Trap
X-mGuard-Score: 1| 0.2
        FORGED_RCVD_HELO,HTML_50_60,HTML_MESSAGE,X_PRIORITY_HIGH
X-Scanned-By: mPrism email filtering appliance on 199.249.224.252
Return-Path: martha.dax@superiorbicycles.biz
X-OriginalArrivalTime: 07 Jan 2007 23:01:20.0609 (UTC)
        FILETIME=[BEDBCD10:01C752AF]


--=_bJ+/VyAnM38R7IOk565D
Content-Type: text/plain
Content-Transfer-Encoding: 7bit

This is a friendly reminder to you all to post your vacation schedules
at least two weeks in advance of your planned vacation dates. Please
notify the COO (Sam) for all your requested time off.

Martha Dax
CEO
Superior Bicycles, LLC

--=_bJ+/VyAnM38R7IOk565D
Content-Type: text/html; charset=utf-8

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 TRANSITIONAL//EN">
<HTML>
<HEAD>
  <META HTTP-EQUIV="Content-Type" CONTENT="text/html; CHARSET=UTF-8">
  <META NAME="GENERATOR" CONTENT="GtkHTML/3.12.0">
```

It seems a lot of the results found are emails.