


Boot Starter JPA

- # Using entity manager (implementing native hibernate)
- # Using entity manager (standard JPA methods) : no vendor locking
- # Spring Boot Starter Data JPA (concrete implementation of CRUD functionalities)



@Autowired : General DI from Spring

@RepositoryContext : Exclusive to inject only Repository dependencies

TO add custom query requirements

1. add / declare new method in interface having correct names

Sql

HQL

JPQL

interface : <RepositoryName>Custom

StudentDaoCustom

Autowired

PersistentContext

PersistentContext : Exception arising by EM will be represented by exception classes of JPA exception classes

Student (DAO->Service->Controller) [CRUD Functionality]

Employee (DAO->Service->Controller) [CRUD Functionality]

Book (DAO->Service->Controller) [CRUD Functionality]

Spring boot starter data rest

addition of data-jpa project + rest project

DaoRepository (interface inherits JPA Repository)

DAO impl

Service

Controller

Rule

Entity : Student ~ plural

/students GET


/students/{studentId} GET

/student POST

/student PUT

/student/{studentId} DELETE

Spring Data REST : HATEOS Compliant




PHP


JAVA

Python

1. Not bounded to technology
2. Easy Debugging
3. Distributed running
4. Single module will not effect complete app
5. Spin up new instance when required

Agile Methodology





Collection

Don't return a collection

- 1. Type specification on receiving end is complex
- 2. Large data while streaming back can be a problem
- 3. Future updation is not possible

