


| Feature | | | Scenario | | | | Step | | | |
|---|--------------|---|----------|---|---|----|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Testing the Product purchasing in Nykaa | 1 m 59.051 s | 4 | 3 | 1 | 0 | 19 | 18 | 1 | 0 | |


| Tag | | Scei | nario | | | Fea | ture | |
|-----------------|---|------|-------|---|---|-----|------|---|
| Name | T | P | F | S | T | P | F | S |
| @RegressionTest | 4 | 3 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | Testing the Product purchasing in Nykaa | 4 | 3 | 1 | 0 | 1 m 59.051 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--------------------------------------|---|---|---|---|-------------|
| 1 | Testing the Product purchasing in Nykaa | <u>User login into the website</u> | 6 | 6 | 0 | 0 | 1 m 7.831 s |
| 2 | Testing the Product purchasing in Nykaa | User search for baby powder | 2 | 2 | 0 | 0 | 5.606 s |
| 3 | Testing the Product purchasing in Nykaa | User select the himalaya baby powder | 6 | 6 | 0 | 0 | 7.184 s |
| 4 | Testing the Product purchasing in Nykaa | User Pay using the Credit card | 5 | 4 | 1 | 0 | 38.387 s |

DETAILED SECTION -- 6 --

Testing the Product purchasing in Nykaa

| FAILED | DURATION - 1 m 59.051 s | Scenarios | | Steps | |
|-----------------------|-------------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 19 | |
| / 9:59:18.004 AM // 1 | 10:01:17.055 AM / | Pass - 3 | 4 | Pass - 18 | 19 |
| | | Fail - 1 | | Fail - 1 | 10 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |


User login into the website



| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| 1 | Given User launch the application | PASSED | 3.543 s |
| 2 | When User click the signIn option | PASSED | 0.545 s |
| 3 | And User enter "9345845131" as mobile number | PASSED | 3.352 s |
| 4 | And User click the proceed button | PASSED | 0.147 s |
| 5 | And User enter the otp and verify | PASSED | 1 m 0.206 s |
| 6 | Then User navigate to User Home Page | PASSED | 0.007 s |


User search for baby powder

DETAILED SECTION -- 7



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user able to view baby powder | PASSED | 5.472 s |
| 2 | Then user able to view list of baby powder | PASSED | 0.134 s |


User select the himalaya baby powder



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When user able to select the himalaya powder | PASSED | 0.788 s |
| 2 | And user able to change the size using dropdown | PASSED | 0.865 s |
| 3 | And user able to add the product into bag | PASSED | 0.271 s |
| 4 | And user able to open the bag | PASSED | 0.213 s |
| 5 | And user able to change the required quantity | PASSED | 1.458 s |
| 6 | And user able to proceed with the required quantity | PASSED | 3.582 s |

User Pay using the Credit card

DETAILED SECTION -- 8 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When user able to enter credit card number | PASSED | 1.784 s |
| 2 | And user able to enter expiry date | PASSED | 0.247 s |
| 3 | And user able to enter cvv number | PASSED | 0.560 s |
| 4 | And user able to pay using credit card | PASSED | 0.166 s |
| 5 | And user take the screenshot if payment failed | FAILED | 35.618 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //button[text()='Close]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.java:272) at com.NykaaCucumber_IPT.base.BaseClass.clickOnElement(BaseClass.java:70) at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_take_the_screenshot_if_payment_failed(StepDefinition.java:122) at ?.user take the screenshot if payment failed(file:///D./Avadi/workspace1/NykaaCucumber_IPT/./src/test/resources/com/feature/Nykaa. feature:31) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"//button[text()='Close']") (Session info: chrome=115.0.5790.171) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.51) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html 2018-11-11-12-12-12-12-12-12-12-12-12-12-12- | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) | | |
| | at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) | | |
| | $at\ or g. open qa. selenium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 69)$ | | |
| | $at\ or g. open qa. selen ium. support. page factory. internal. Locating Element Handler. invoke (Locating Element Handler. java: 38)$ | | |
| | at com.sun.proxy.\$Proxy20.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) | | |
| | at com.NykaaCucumber_IPT.base.BaseClass.clickOnElement(BaseClass.java:70) | | |
| | $at\ com. Nykaa Cucumber_IPT. stepDef. StepDefinition. user_take_the_screen shot_if_payment_failed (StepDefinition. java: 122)$ | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.junit.runner.JUnitCore.run(JUnitCore.java:137) | | |
| | at org.junit.runner.JUnitCore.run(JUnitCore.java:115) | | |
| | at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) | | |
| | at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) | | |
| | at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:55) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102) | | |
| | at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54) | | |
| | at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) | | |
| | at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) | | |
| | at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) | | |
| | at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) | | |
| | at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |