Cucumber Report

| Start : Nov 17, 3:30:35.970 pm	End : Nov 17, 3:33:28.646 pm	Duration : 2 m 52.676 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 4 FAILED - 4 SKIPPED - 11

Features: 1

Scenarios: 4

Steps: 19

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 21 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Testing the Product purchasing in Nykaa	2 m 52.676 s	4	0	4	0	19	4	4	11

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@RegressionTest	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Testing the Product purchasing in Nykaa*	4	0	4	0	2 m 52.676 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the Product purchasing in Nykaa	User login into the website	6	4	1	1	1 m 46.628 s
2	Testing the Product purchasing in Nykaa	Validate whether the User able to search for baby powder	2	0	1	1	5.114 s
3	Testing the Product purchasing in Nykaa	User select the himalaya baby powder	6	0	1	5	30.431 s
4	Testing the Product purchasing in Nykaa	User Pay using the Credit card	5	0	1	4	30.380 s

Testing the Product purchasing in Nykaa

FAILED	DURATION - 2 m 52.676 s	Scenarios		Steps	
		Total - 4		Total - 19	
/ 3:30:35.970 pm // 3:33:28.646 pm /		Pass - 0	4	Pass - 4	19
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 11	

User login into the website

FAILED	DURATION - 1 m 46.628 s		Steps	
/ 3:30:35.982 pm // 3:32:22.610 pm /			Total - 6	
Testing the Product purchasing in Nykaa			Pass - 4	6
			Fail - 1	
@RegressionTest			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User launch the application	PASSED	7.924 s
2	When User click the signIn option	PASSED	1.016 s
3	And User enter "9345845131" as mobile number	PASSED	6.657 s
4	And User click the proceed button	PASSED	0.451 s
5	And User enter the otp and verify	FAILED	1 m 30.494 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.159) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.159, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65370}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d665715d7805c0447815eda4ec9f7715 *** Element info: {Using=xpath, value=//button[text()='verify']}
	    at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at com.NykaaCucumber_IPT.base.BaseClass.clickOnElement(BaseClass.java:65) at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_enter_the_otp_and_verify(StepDefinition.java:38) at ?.User enter the otp and verify(file:///D:/Avadi/workspace1/NykaaCucumber_Navin/src/test/resources/com/feature/NykaaSearch.feature:11) * Not displayable characters are replaced by '?'.		
6	Then User navigate to User Home Page	SKIPPED	0.002 s

Validate whether the User able to search for baby powder

FAILED	DURATION - 5.114 s		Steps
/ 3:32:22.648 pm // 3:32:27.762 pm /			Total - 2
Testing the Product purchasing in Nykaa			Pass - 0
@RegressionTest			Fail - 1 Skip - 1

| #	Step / Hook Details	Status	Duration
1	When user choosing the baby powder option	FAILED	5.074 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332)		
	at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)		
	at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:647)		
	at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)		
	at com.NykaaCucumber_IPT.base.BaseClass.mouseHover(BaseClass.java:90)		
	at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_able_to_view_baby_powder(StepDefinition.java:49)		
	at ?.user choosing the baby powder option(file:///D:/Avadi/workspace1/NykaaCucumber_Navin/src/test/resources/com/feature/NykaaSearch.feature:15)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639) at com.NykaaCucumber_IPT.base.BaseClass.mouseHover(BaseClass.java:90) at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_able_to_view_baby_powder(StepDefinition.java:49) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration

	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io. cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner. ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io. cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io. cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner. runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners. ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit. runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner. java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine. VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. execute(EngineExecutionOrchestrator.java:147) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. execute(EngineExecutionOrchestrator.java:127) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. execute(EngineExecutionOrchestrator.java:90) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. lambda$execute$0(EngineExecutionOrchestrator.java:55) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. withInterceptedStreams(EngineExecutionOrchestrator.java:102) at org.junit.platform.launcher.core.EngineExecutionOrchestrator. execute(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core. DefaultLauncherSession$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core. SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference. run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt. internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect. InvocationTargetException
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)
	    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)
	    at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:647)
	    at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)		
	at com.NykaaCucumber_IPT.base.BaseClass.mouseHover(BaseClass.java:90)		
	at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_able_to_view_baby_powder(StepDefinition.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:55)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95)		
	at org.junit.platform.launcher.core.DefaultLauncherSession$DelegatingLauncher.execute(DefaultLauncherSession.java:91)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.159) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.159, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65370}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d665715d7805c0447815eda4ec9f7715 *** Element info: {Using=xpath, value=//a[text()='mom & baby']}		

| #	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy28.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:204)		
	at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:155)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)		
	* Not displayable characters are replaced by '?'.		
2	Then user able to view list of baby powder	SKIPPED	0.002 s

User select the himalaya baby powder

FAILED	DURATION - 30.431 s	Steps	
/ 3:32:27.822 pm // 3:32:58.253 pm /		Total - 6	
Testing the Product purchasing in Nykaa		Pass - 0	
		Fail - 1	6
@RegressionTest		Skip - 5	

#	Step / Hook Details	Status	Duration
1	When user able to select the himalaya powder	FAILED	30.411 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.159) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host:		

#	Step / Hook Details	Status	Duration

	'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.159, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65370}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d665715d7805c0447815eda4ec9f7715 *** Element info: {Using=xpath, value=//img[@alt='Himalaya Baby Powder']}
	  at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy28.toString(Unknown Source)
	  at java.base/java.lang.String.valueOf(String.java:4218)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683)
	  at java.base/java.lang.String.valueOf(String.java:4218)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268)
	  at com.NykaaCucumber_IPT.base.BaseClass.clickOnElement(BaseClass.java:65)
	  at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_able_to_select_the_himalaya_powder(StepDefinition.java:61)
	  at ?.user able to select the himalaya powder(file:///D:/Avadi/workspace1/NykaaCucumber_Navin/src/test/resources/com/feature/NykaaSearch.feature:19)
	* Not displayable characters are replaced by '?'.		

2	And user able to change the size using dropdown	SKIPPED	0.001 s
3	And user able to add the product into bag	SKIPPED	0.001 s
4	And user able to open the bag	SKIPPED	0.000 s
5	And user able to change the required quantity	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And user able to proceed with the required quantity	SKIPPED	0.000 s

User Pay using the Credit card

FAILED	DURATION - 30.380 s	
/ 3:32:58.266 pm // 3:33:28.646 pm /		
Testing the Product purchasing in Nykaa		
@RegressionTest		

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When user able to enter credit card number	FAILED	30.346 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.159) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NAVIN', ip: '192.168.0.107', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.159, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65370}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d665715d7805c0447815eda4ec9f7715 *** Element info: {Using=xpath, value=//input[@placeholder='Card Number']}
	    at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at com.NykaaCucumber_IPT.base.BaseClass.clickOnElement(BaseClass.java:65) at com.NykaaCucumber_IPT.stepDef.StepDefinition.user_able_to_enter_credit_card_number(StepDefinition.java:96) at ?.user able to enter credit card number(file:///D:/Avadi/workspace1/NykaaCucumber_Navin/src/test/resources/com/feature/NykaaSearch.feature:27) * Not displayable characters are replaced by '?'.		
2	And user able to enter expiry date	SKIPPED	0.000 s
3	And user able to enter cvv number	SKIPPED	0.000 s
4	And user able to pay using credit card	SKIPPED	0.000 s
5	And user take the screenshot if payment failed	SKIPPED	0.006 s