Resolve.

DOCUMENTATION LIBRARY / 04

API reference

Operations and component schemas

A complete readable companion to the generated contract, including routes, parameters, request/response models and field constraints.

COMPILATION DATE

12 November 2026

Source chapters retain their recorded dates and validation scope. Local, simulated and account-backed evidence are distinguished. This volume does not report a new production acceptance run.

Contract scope

This reference is generated from the existing FastAPI OpenAPI snapshot: 178 operations and 251 component schemas. It does not call the API. Older test ledgers cover 175 operations; their historical results do not establish fresh coverage of this contract.

Authentication and interpretation

Full merchant keys, browser sessions, source-bound integration grants and private buyer capabilities have different permissions. Read operation security and implementation context before use. Recording an event or receiving HTTP 200 does not independently prove a PayPal refund. Amounts, nullable verification and outcome status must be read together.

Security schemes

MerchantBearer: {"type": "http", "description": "Resolve merchant access key or an authenticated merchant browser session.", "scheme": "bearer"}

Endpoint catalog

Method	Route	Summary
GET	/health	Health
POST	/health	Health
GET	/ready	Readiness
POST	/cases	Create Case
GET	/cases	List Cases
GET	/cases/{case_id}	Get Case
PUT	/cases/{case_id}/commitment	Update Commitment
GET	/cases/{case_id}/timeline	Get Timeline
POST	/cases/{case_id}/refunds	Record Refund
GET	/cases/{case_id}/refunds	List Refunds
PATCH	/cases/{case_id}/refunds/{refund_id}	Update Refund Status
POST	/cases/{case_id}/condition-checks	Record Condition Check
GET	/cases/{case_id}/condition-checks	List Condition Checks
GET	/cases/{case_id}/reconciliation	Get Reconciliation
GET	/auth/me	Get Identity
POST	/cases/{case_id}/paypal-capture-verifications	Verify Paypal Capture
GET	/cases/{case_id}/paypal-capture-verifications	List Paypal Capture Verifications
POST	/cases/{case_id}/refund-approvals	Create Refund Approval
GET	/cases/{case_id}/refund-approvals	List Refund Approvals
GET	/cases/{case_id}/refund-approvals/{approval_id}	Get Refund Approval
POST	/cases/{case_id}/refund-approvals/{approval_id}/revoke	Revoke Refund Approval
GET	/cases/{case_id}/refund-approvals/{approval_id}/events	Get Refund Approval Events
POST	/cases/{case_id}/refund-executions	Execute Refund
GET	/cases/{case_id}/refund-executions	List Refund Executions
GET	/cases/{case_id}/refund-executions/{execution_id}	Get Refund Execution
POST	/cases/{case_id}/refund-executions/{execution_id}/retry	Retry Refund Execution
POST	/cases/{case_id}/refund-executions/{execution_id}/refresh	Refresh Refund Execution
GET	/cases/{case_id}/refund-executions/{execution_id}/events	Get Execution Events
POST	/cases/{case_id}/paypal-refund-verifications	Verify Paypal Refund
GET	/cases/{case_id}/paypal-refund-verifications	List Paypal Refund Verifications
POST	/webhooks/paypal/sandbox	Receive Paypal Webhook

Method	Route	Summary
POST	/cases/{case_id}/paypal-refund-history/refresh	Refresh Paypal History
POST	/cases/{case_id}/close	Close Case
POST	/cases/{case_id}/reopen	Reopen Case
POST	/cases/{case_id}/attachments	Upload Attachment
GET	/cases/{case_id}/attachments	List Attachments
GET	/cases/{case_id}/attachments/{attachment_id}	Download Attachment
GET	/review-queue	Get Review Queue
POST	/review-queue/{exception_id}/resolve	Resolve Exception
GET	/resolution-cases/inbox	Merchant Inbox
GET	/resolution-cases/{case_id}/customer-link	Customer Link Status
POST	/resolution-cases/{case_id}/customer-link	Issue Customer Link
DELETE	/resolution-cases/{case_id}/customer-link	Revoke Customer Link
GET	/resolution-cases/{case_id}/helpdesk	Read Helpdesk
PUT	/resolution-cases/{case_id}/helpdesk	Link Helpdesk
GET	/resolution-cases/{case_id}/customer-messages	Merchant Read Messages
POST	/resolution-cases/{case_id}/customer-messages	Merchant Send Message
POST	/customer-portal/view	Customer View
POST	/customer-portal/messages	Customer Send Message
POST	/resolution-cases/intake-invites	Create Intake Invite
GET	/customer-account/capabilities	Customer Account Capabilities
POST	/customer-account/google/start	Start Google Sign In
POST	/customer-account/google/finish	Finish Google Sign In
POST	/customer-account/request-sign-in	Request Customer Sign In
POST	/customer-account/redeem	Redeem Customer Sign In
GET	/customer-account/cases	List Customer Account Cases
POST	/customer-account/cases/{case_id}/open	Open Customer Account Case
POST	/customer-account/sign-out	Customer Sign Out
POST	/customer-portal/intake-view	Intake View
POST	/customer-portal/intake	Submit Intake
POST	/customer-portal/evidence	Customer Upload Evidence
POST	/customer-portal/evidence/{file_id}	Buyer Download Evidence
GET	/resolution-cases/{case_id}/customer-evidence	Merchant Customer Evidence
GET	/resolution-cases/{case_id}/customer-evidence/{file_id}	Merchant Download Evidence

Method	Route	Summary
GET	/resolution-cases/{case_id}/operations	Case Operations
PUT	/resolution-cases/{case_id}/operations	Update Case Operations
POST	/resolution-cases/{case_id}/operations/read	Mark Customer Messages Read
GET	/merchant-auth/capabilities	Capabilities
POST	/merchant-auth/session/key	Key Login
GET	/merchant-auth/session	Merchant Session
DELETE	/merchant-auth/session	Logout
POST	/merchant-auth/paypal/start	Start Paypal
POST	/merchant-auth/paypal/finish	Finish Paypal
DELETE	/merchant-auth/paypal/link	Unlink Paypal
GET	/merchant-auth/commerce-keys	List Commerce Keys
POST	/merchant-auth/commerce-keys	Issue Commerce Key
DELETE	/merchant-auth/commerce-keys/{key_id}	Revoke Commerce Key
GET	/resolution-cases/promise-health	Promises Needing Attention
GET	/resolution-cases/{case_id}/promise-health	Case Promise Health
GET	/resolution-cases/{case_id}/next-action	Case Next Action
GET	/resolution-cases/{case_id}/remedies	Suggested Remedies
POST	/resolution-cases/{case_id}/remedies/promises	Create Remedy Promises
POST	/resolution-cases	Create Resolution
GET	/resolution-cases	List Resolutions
POST	/resolution-cases/upsert	Upsert Evidence Case
GET	/resolution-cases/{case_id}	Get Resolution
POST	/resolution-cases/{case_id}/evidence/records	Link Evidence Record
POST	/resolution-cases/{case_id}/evidence/events	Submit Merchant Evidence
POST	/resolution-cases/{case_id}/evidence/refresh	Refresh Case Evidence
PUT	/resolution-cases/{case_id}/payment-link	Link Resolution Payment
POST	/resolution-cases/{case_id}/promises	Record Promise
PUT	/resolution-cases/{case_id}/promises/{promise_id}	Revise Promise
POST	/resolution-cases/{case_id}/promises/{promise_id}/evidence	Record Promise Evidence
POST	/resolution-cases/{case_id}/promises/{promise_id}/refresh	Refresh Promise
GET	/resolution-cases/{case_id}/timeline	Resolution Timeline
GET	/resolution-cases/{case_id}/evidence-bundle	Evidence Bundle
POST	/commerce/orders/sync	Sync Commerce Order

Method	Route	Summary
POST	/commerce/orders/register	Register Commerce Order
GET	/commerce/orders	List Commerce Orders
GET	/commerce/orders/{order_id}	Get Registered Order
POST	/commerce/orders/{order_id}/case	Open Commerce Case
GET	/resolution-cases/{case_id}/commerce	Get Commerce Order
POST	/resolution-cases/{case_id}/commerce/refresh	Refresh Commerce Order
GET	/resolution-cases/{case_id}/commerce/contact	Get Commerce Contact
GET	/resolution-cases/{case_id}/investigations	Investigations
POST	/resolution-cases/{case_id}/investigations/{investigation_id}/review	Review Investigation
POST	/resolution-cases/{case_id}/ai/extract-promises	Extract Promise Proposals
GET	/ai/usage	Extraction Usage
POST	/resolution-cases/{case_id}/ai/explain-next-action	Explain Next Action
POST	/resolution-cases/{case_id}/ai/rank-remedies	Rank Remedies
POST	/platform/account/signup	Signup
POST	/platform/account/login	Login
POST	/platform/account/claim	Claim Owner
POST	/platform/account/accept-invite	Accept Invite
GET	/platform/me	Me
GET	/platform/team	Team
POST	/platform/team/invites	Invite
PUT	/platform/team/{staff_id}	Update Staff
GET	/platform/audit	Audit History
GET	/platform/sdk-keys	Sdk Keys
POST	/platform/sdk-keys	Issue Sdk Key
POST	/platform/support-keys	Issue Support Key
DELETE	/platform/sdk-keys/{key_id}	Revoke Sdk Key
GET	/platform/connections	Connections
PUT	/platform/connections/{provider}	Save Connection
POST	/platform/connections/{provider}/check	Check Connection
GET	/platform/imports	Imports
POST	/platform/imports/zendesk	Import Ticket
GET	/platform/imports/{import_id}	Imported Ticket

Method	Route	Summary
PUT	/platform/imports/{import_id}/match	Match Ticket
GET	/platform/dashboard	Dashboard
GET	/platform/watchdog	Watchdog
POST	/platform/watchdog/scan	Scan
GET	/platform/cases/{case_id}/offers	Offers
POST	/platform/cases/{case_id}/offers	Publish Offer
GET	/platform/cases/{case_id}/support-requests	Case Support Requests
GET	/platform/cases/{case_id}/returns	Returns
POST	/platform/cases/{case_id}/returns	Request Return
PUT	/platform/cases/{case_id}/returns/{return_id}	Progress Return
GET	/platform/cases/{case_id}/dispute-packages	Packages
POST	/platform/cases/{case_id}/dispute-packages	Build Package
GET	/platform/cases/{case_id}/dispute-packages/{package_id}	Read Package
POST	/platform/cases/{case_id}/dispute-packages/{package_id}/review	Review Package
GET	/platform/cases/{case_id}/dispute-packages/{package_id}/export	Export Package
POST	/platform/buyer/offers	Buyer Offers
POST	/platform/buyer/decision	Buyer Decision
POST	/platform/buyer/returns	Buyer Returns
POST	/platform/buyer/returns/request	Buyer Request Return
POST	/aftercare/issues	Open Aftercare Issue
POST	/aftercare/status	Aftercare Status
POST	/aftercare/portal	Aftercare Portal
GET	/platform/return-policy	Policy
PUT	/platform/return-policy	Policy Save
POST	/cases/{case_id}/disputes	Dispute Record
GET	/cases/{case_id}/disputes	Dispute List
GET	/platform/cases/{case_id}/disputes	Resolution Disputes
POST	/platform/cases/{case_id}/disputes	Resolution Dispute Record
POST	/platform/cases/{case_id}/refund-traces	Trace Record
POST	/platform/cases/{case_id}/dispute-documents	Dispute Document
GET	/platform/cases/{case_id}/returns/{return_id}/guide	Return Guide

Method	Route	Summary
PUT	/platform/cases/{case_id}/returns/{return_id}/guide	Save Return Guide
POST	/platform/cases/{case_id}/returns/{return_id}/inspection	Inspect Return
POST	/platform/cases/{case_id}/returns/{return_id}/labels	Upload Label
POST	/aftercare/journey	Refund Journey
POST	/aftercare/context	Support Context
POST	/aftercare/received	Received Refund
POST	/aftercare/issues/lookup	Issue Lookup
POST	/aftercare/events	Event Pull
POST	/aftercare/returns/eligibility	Check Eligibility
POST	/aftercare/returns	Support Returns
POST	/aftercare/returns/request	Support Return Request
POST	/aftercare/returns/guide	Support Return Guide
POST	/aftercare/returns/label	Support Label
POST	/platform/buyer/assurance	Buyer Assurance
POST	/platform/buyer/returns/guide	Buyer Guide
POST	/platform/buyer/returns/label	Buyer Label
POST	/platform/buyer/return-policy	Buyer Return Policy
POST	/webhooks/zendesk/{merchant_id}	Zendesk Hook

Operation reference

GET /health

Health

Operation ID: health_health_get

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

POST /health

Health

Operation ID: health_health_post

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

GET /ready

Readiness

Read-only database readiness; never expose storage or exception details.

Operation ID: readiness_ready_get

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
503	Database unavailable	No response body declared

POST /cases

Create Case

Operation ID: create_case_cases_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | CaseCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: CaseResponse
422	Validation Error	application/json: HTTPValidationError

GET /cases

List Cases

Operation ID: list_cases_cases_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
limit	query / optional	integer; minimum: 1; maximum: 100; default: 20
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0
capture_id	query / optional	string or null;

Status	Description	Content / schema
200	Successful Response	application/json: CasePage
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}

Get Case

Operation ID: get_case_cases__case_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CaseResponse
422	Validation Error	application/json: HTTPValidationError

PUT /cases/{case_id}/commitment

Update Commitment

Operation ID: update_commitment_cases__case_id__commitment_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | CommitmentUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: CaseResponse
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/timeline

Get Timeline

Operation ID: get_timeline_cases__case_id__timeline_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
limit	query / optional	integer; minimum: 1; maximum: 100; default: 50
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: CaseTimelinePage
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refunds

Record Refund

Record development refund data. This endpoint does not execute a refund.

Operation ID: record_refund_cases__case_id__refunds_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | RefundRecord-Input | required

Status	Description	Content / schema
201	Successful Response	application/json: RefundRecord-Output
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refunds

List Refunds

Operation ID: list_refunds_cases__case_id__refunds_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of RefundRecord-Output
422	Validation Error	application/json: HTTPValidationError

PATCH /cases/{case_id}/refunds/{refund_id}

Update Refund Status

Operation ID: update_refund_status_cases__case_id__refunds__refund_id__patch

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
refund_id	path / required	string;

Request body: application/json | RefundStatusUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: RefundRecord-Output
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/condition-checks

Record Condition Check

Record a manual development check, retaining its note and timestamp.

Operation ID: record_condition_check_cases__case_id__condition_checks_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | ConditionCheckCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: ConditionCheck
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/condition-checks

List Condition Checks

Operation ID: list_condition_checks_cases__case_id__condition_checks_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of ConditionCheck
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/reconciliation

Get Reconciliation

Operation ID: get_reconciliation_cases__case_id__reconciliation_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: ReconciliationResponse
422	Validation Error	application/json: HTTPValidationError

GET /auth/me

Get Identity

Operation ID: get_identity_auth_me_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: MerchantIdentity

POST /cases/{case_id}/paypal-capture-verifications

Verify Paypal Capture

Operation ID: verify_paypal_capture_cases__case_id__paypal_capture_verifications_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
201	Successful Response	application/json: PayPalCaptureVerification
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/paypal-capture-verifications

List Paypal Capture Verifications

Operation ID: list_paypal_capture_verifications_cases__case_id__paypal_capture_verifications_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of PayPalCaptureVerification
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refund-approvals

Create Refund Approval

Operation ID: create_refund_approval_cases__case_id__refund_approvals_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | RefundApprovalCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: RefundApproval
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-approvals

List Refund Approvals

Operation ID: list_refund_approvals_cases__case_id__refund_approvals_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of RefundApproval
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-approvals/{approval_id}

Get Refund Approval

Operation ID: get_refund_approval_cases__case_id__refund_approvals__approval_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
approval_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: RefundApproval
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refund-approvals/{approval_id}/revoke

Revoke Refund Approval

Operation ID: revoke_refund_approval_cases__case_id__refund_approvals__approval_id__revoke_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
approval_id	path / required	string (uuid);

Request body: application/json | RefundApprovalRevoke | required

Status	Description	Content / schema
200	Successful Response	application/json: RefundApproval
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-approvals/{approval_id}/events

Get Refund Approval Events

Operation ID: get_refund_approval_events_cases__case_id__refund_approvals__approval_id__events_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
approval_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of RefundApprovalEvent
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refund-executions

Execute Refund

Operation ID: execute_refund_cases__case_id__refund_executions_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | RefundExecutionCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: RefundExecution
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-executions

List Refund Executions

Operation ID: list_refund_executions_cases__case_id__refund_executions_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of RefundExecution
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-executions/{execution_id}

Get Refund Execution

Operation ID: get_refund_execution_cases__case_id__refund_executions__execution_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
execution_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: RefundExecution
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refund-executions/{execution_id}/retry

Retry Refund Execution

Operation ID: retry_refund_execution_cases__case_id__refund_executions__execution_id__retry_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
execution_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: RefundExecution
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/refund-executions/{execution_id}/refresh

Refresh Refund Execution

Operation ID: refresh_refund_execution_cases__case_id__refund_executions__execution_id__refresh_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
execution_id	path / required	string (uuid);

Request body: application/json | PayPalRefundVerificationCreate or null | optional

Status	Description	Content / schema
200	Successful Response	application/json: RefundExecution
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/refund-executions/{execution_id}/events

Get Execution Events

Operation ID: get_execution_events_cases__case_id__refund_executions__execution_id__events_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
execution_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of RefundExecutionEvent
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/paypal-refund-verifications

Verify Paypal Refund

Operation ID: verify_paypal_refund_cases__case_id__paypal_refund_verifications_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | PayPalRefundVerificationCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: PayPalRefundVerification
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/paypal-refund-verifications

List Paypal Refund Verifications

Operation ID: list_paypal_refund_verifications_cases__case_id__paypal_refund_verifications_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of PayPalRefundVerification
422	Validation Error	application/json: HTTPValidationError

POST /webhooks/paypal/sandbox

Receive Paypal Webhook

Verify the PayPal signature and persist the delivery before acknowledging it.

Operation ID: receive_paypal_webhook_webhooks_paypal_sandbox_post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
PayPal-Auth-Algo	header / required	string;
PayPal-Cert-Url	header / required	string;
PayPal-Transmission-Id	header / required	string;
PayPal-Transmission-Sig	header / required	string;
PayPal-Transmission-Time	header / required	string;

Request body: application/json | object | required

Status	Description	Content / schema
204	Successful Response	No response body declared
400	Malformed event or signature headers	No response body declared
401	PayPal rejected the event signature	No response body declared
409	Existing verified event ID has different content	No response body declared
413	Event exceeds 256 KiB	No response body declared
415	Event must be JSON	No response body declared
503	Signature verification or persistence unavailable	No response body declared

POST /cases/{case_id}/paypal-refund-history/refresh

Refresh Paypal History

Read order, capture and refund details. This endpoint never submits a refund.

Operation ID: refresh_paypal_history_cases__case_id__paypal_refund_history_refresh_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: PayPalRefundHistory
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/close

Close Case

Operation ID: close_case_cases__case_id__close_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | CaseAction | required

Status	Description	Content / schema
200	Successful Response	application/json: CaseResponse
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/reopen

Reopen Case

Operation ID: reopen_case_cases__case_id__reopen_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | CaseAction | required

Status	Description	Content / schema
200	Successful Response	application/json: CaseResponse
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/attachments

Upload Attachment

Attach raw evidence bytes. The filename is supplied as a query parameter.

Operation ID: upload_attachment_cases__case_id__attachments_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
filename	query / required	string; minLength: 1; maxLength: 120

Request body: application/pdf | string (binary) | required

Request body: image/png | string (binary) | required

Request body: image/jpeg | string (binary) | required

Status	Description	Content / schema
201	Successful Response	application/json: CaseAttachment
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/attachments

List Attachments

Operation ID: list_attachments_cases__case_id__attachments_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of CaseAttachment
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/attachments/{attachment_id}

Download Attachment

Operation ID: download_attachment_cases__case_id__attachments__attachment_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
attachment_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/pdf: string (binary); image/png: string (binary); image/jpeg: string (binary)
422	Validation Error	application/json: HTTPValidationError

GET /review-queue

Get Review Queue

Operation ID: get_review_queue_review_queue_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
status	query / optional	string; enum: open, resolved; default: "open"
limit	query / optional	integer; minimum: 1; maximum: 100; default: 20
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: ReviewPage
422	Validation Error	application/json: HTTPValidationError

POST /review-queue/{exception_id}/resolve

Resolve Exception

Operation ID: resolve_exception_review_queue__exception_id__resolve_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
exception_id	path / required	string (uuid);

Request body: application/json | CaseAction | required

Status	Description	Content / schema
200	Successful Response	application/json: ReviewException
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/inbox

Merchant Inbox

Filter the merchant's cases before pagination using saved local evidence.

Operation ID: merchant_inbox_resolution_cases_inbox_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
filter_by	query / optional	string; enum: all, waiting, needs_review, pending, fulfilled, waiting_on_customer, needs_approval, pending_with_paypal, unread; default: "all"
q	query / optional	string; maxLength: 160; default: ""
limit	query / optional	integer; minimum: 1; maximum: 100; default: 25
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: InboxPage
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/customer-link

Customer Link Status

Read link status without returning the secret token.

Operation ID: customer_link_status_resolution_cases__case_id__customer_link_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: LinkStatus
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/customer-link

Issue Customer Link

Replace any previous link and return the new token once.

Operation ID: issue_customer_link_resolution_cases__case_id__customer_link_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | LinkCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: IssuedLink
422	Validation Error	application/json: HTTPValidationError

DELETE /resolution-cases/{case_id}/customer-link

Revoke Customer Link

Operation ID: revoke_customer_link_resolution_cases__case_id__customer_link_delete

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: LinkStatus
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/helpdesk

Read Helpdesk

Operation ID: read_helpdesk_resolution_cases__case_id__helpdesk_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: HelpdeskState
422	Validation Error	application/json: HTTPValidationError

PUT /resolution-cases/{case_id}/helpdesk

Link Helpdesk

Operation ID: link_helpdesk_resolution_cases__case_id__helpdesk_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | TicketInput | required

Status	Description	Content / schema
200	Successful Response	application/json: HelpdeskState
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/customer-messages

Merchant Read Messages

Operation ID: merchant_read_messages_resolution_cases__case_id__customer_messages_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of PortalMessage

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/customer-messages

Merchant Send Message

Save a buyer-visible reply and queue a notice if the case has an email contact.

Operation ID: merchant_send_message_resolution_cases__case_id__customer_messages_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | MessageCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: PortalMessage
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/view

Customer View

Read the case referenced by a valid link. No merchant credential is required.

Operation ID: customer_view_customer_portal_view_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: CustomerCase
404	Link is invalid, expired, or revoked.	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/messages

Customer Send Message

Record one message for the linked case; retry with the same request ID.

Operation ID: customer_send_message_customer_portal_messages_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | CustomerMessageCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: PortalMessage

Status	Description	Content / schema
404	Link is invalid, expired, or revoked.	No response body declared
429	Send rate limit reached.	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/intake-invites

Create Intake Invite

Operation ID: create_intake_invite_resolution_cases_intake_invites_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | InviteCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: InviteIssued
422	Validation Error	application/json: HTTPValidationError

GET /customer-account/capabilities

Customer Account Capabilities

Operation ID: customer_account_capabilities_customer_account_capabilities_get

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: CustomerAccountCapabilities

POST /customer-account/google/start

Start Google Sign In

Operation ID: start_google_sign_in_customer_account_google_start_post

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: GoogleStart

POST /customer-account/google/finish

Finish Google Sign In

Operation ID: finish_google_sign_in_customer_account_google_finish_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | GoogleFinish | required

Status	Description	Content / schema
200	Successful Response	application/json: AccountToken

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

POST /customer-account/request-sign-in

Request Customer Sign In

Operation ID: request_customer_sign_in_customer_account_request_sign_in_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | EmailSignIn | required

Status	Description	Content / schema
202	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /customer-account/redeem

Redeem Customer Sign In

Operation ID: redeem_customer_sign_in_customer_account_redeem_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | RedeemSignIn | required

Status	Description	Content / schema
200	Successful Response	application/json: AccountToken
422	Validation Error	application/json: HTTPValidationError

GET /customer-account/cases

List Customer Account Cases

Operation ID: list_customer_account_cases_customer_account_cases_get

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
authorization	header / optional	string or null;

Status	Description	Content / schema
200	Successful Response	application/json: array of AccountCase
422	Validation Error	application/json: HTTPValidationError

POST /customer-account/cases/{case_id}/open

Open Customer Account Case

Operation ID: open_customer_account_case_customer_account_cases__case_id__open_post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
authorization	header / optional	string or null;

Status	Description	Content / schema
200	Successful Response	application/json: AccountToken
422	Validation Error	application/json: HTTPValidationError

POST /customer-account/sign-out

Customer Sign Out

Operation ID: customer_sign_out_customer_account_sign_out_post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
authorization	header / optional	string or null;

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/intake-view

Intake View

Operation ID: intake_view_customer_portal_intake_view_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: IntakeView
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/intake

Submit Intake

Operation ID: submit_intake_customer_portal_intake_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | IntakeSubmit | required

Status	Description	Content / schema
200	Successful Response	application/json: CustomerCase
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/evidence

Customer Upload Evidence

Operation ID: customer_upload_evidence_customer_portal_evidence_post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
x-customer-link	header / required	string (password);
x-file-name	header / required	string;

Request body: application/pdf | string (binary) | required

Request body: image/png | string (binary) | required

Request body: image/jpeg | string (binary) | required

Status	Description	Content / schema
201	Successful Response	application/json: CustomerEvidence
422	Validation Error	application/json: HTTPValidationError

POST /customer-portal/evidence/{file_id}

Buyer Download Evidence

Operation ID: buyer_download_evidence_customer_portal_evidence__file_id__post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
file_id	path / required	string (uuid);

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/customer-evidence

Merchant Customer Evidence

Operation ID: merchant_customer_evidence_resolution_cases__case_id__customer_evidence_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: array of CustomerEvidence

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/customer-evidence/{file_id}

Merchant Download Evidence

Operation ID: merchant_download_evidence_resolution_cases__case_id__customer_evidence__file_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
file_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/operations

Case Operations

Operation ID: case_operations_resolution_cases__case_id__operations_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Operations
422	Validation Error	application/json: HTTPValidationError

PUT /resolution-cases/{case_id}/operations

Update Case Operations

Operation ID: update_case_operations_resolution_cases__case_id__operations_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | OperationsUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: Operations

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/operations/read

Mark Customer Messages Read

Operation ID: mark_customer_messages_read_resolution_cases__case_id__operations_read_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | MarkRead | required

Status	Description	Content / schema
200	Successful Response	application/json: Operations
422	Validation Error	application/json: HTTPValidationError

GET /merchant-auth/capabilities

Capabilities

Operation ID: capabilities_merchant_auth_capabilities_get

OpenAPI security: not declared at this level; inspect route authorization before use

Status	Description	Content / schema
200	Successful Response	application/json: Capabilities

POST /merchant-auth/session/key

Key Login

Operation ID: key_login_merchant_auth_session_key_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | MerchantKeyInput | required

Status	Description	Content / schema
201	Successful Response	application/json: IssuedMerchantSession
422	Validation Error	application/json: HTTPValidationError

GET /merchant-auth/session

Merchant Session

Operation ID: merchant_session_merchant_auth_session_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: MerchantSession

DELETE /merchant-auth/session

Logout

Operation ID: logout_merchant_auth_session_delete

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

POST /merchant-auth/paypal/start

Start Paypal

Operation ID: start_paypal_merchant_auth_paypal_start_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | PayPalStart | required

Status	Description	Content / schema
200	Successful Response	application/json: PayPalRedirect
422	Validation Error	application/json: HTTPValidationError

POST /merchant-auth/paypal/finish

Finish Paypal

Operation ID: finish_paypal_merchant_auth_paypal_finish_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | PayPalFinish | required

Status	Description	Content / schema
200	Successful Response	application/json: PayPalResult
422	Validation Error	application/json: HTTPValidationError

DELETE /merchant-auth/paypal/link

Unlink Paypal

Operation ID: unlink_paypal_merchant_auth_paypal_link_delete

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

GET /merchant-auth/commerce-keys

List Commerce Keys

List active SDK key IDs and creation times for the browser session.

Operation ID: list_commerce_keys_merchant_auth_commerce_keys_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: CommerceKeys

POST /merchant-auth/commerce-keys

Issue Commerce Key

Create a commerce-only SDK key and return its secret once.

Operation ID: issue_commerce_key_merchant_auth_commerce_keys_post

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
201	Successful Response	application/json: IssuedCommerceKey
403	Recent full access-key browser sign-in required	No response body declared

DELETE /merchant-auth/commerce-keys/{key_id}

Revoke Commerce Key

Revoke one of this merchant's commerce-only keys.

Operation ID: revoke_commerce_key_merchant_auth_commerce_keys__key_id__delete

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
key_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
403	Recent full access-key browser sign-in required	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/promise-health

Promises Needing Attention

At-risk and broken refund promises across the merchant's cases, largest amount at risk first.

Operation ID: promises_needing_attention_resolution_cases_promise_health_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
limit	query / optional	integer; minimum: 1; maximum: 200; default: 50

Status	Description	Content / schema
200	Successful Response	application/json: PromiseHealthPage
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/promise-health

Case Promise Health

Kept, partially kept, at-risk or broken status for each accepted refund promise on one case.

Operation ID: case_promise_health_resolution_cases__case_id__promise_health_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CasePromiseHealth
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/next-action

Case Next Action

What is missing before a refund, the facts behind it, and a code-written next step. No AI.

Operation ID: case_next_action_resolution_cases__case_id__next_action_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: NextAction
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/remedies

Suggested Remedies

Remedy options that are valid now, with amounts from the reconciliation (captured minus completed and pending refunds) and the return policy. No model call; nothing is recorded.

Operation ID: suggested_remedies_resolution_cases__case_id__remedies_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: RemedySuggestions
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/remedies/promises

Create Remedy Promises

Record the promises for the suggested remedy the merchant chose, after recomputing it; its `expected_amount` must still match. A capture holds one refund promise, so one option is recorded per case. Returns the choice for /platform/cases/{id}/offers but does not publish an offer or refund anything.

Operation ID: create_remedy_promises_resolution_cases__case_id__remedies_promises_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | CreateRemedy | required

Status	Description	Content / schema
201	Successful Response	application/json: CreatedRemedy
409	The option is no longer valid or the balance changed	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases

Create Resolution

Create a case with or without a linked PayPal refund case.

Operation ID: create_resolution_resolution_cases_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | ResolutionCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: ResolutionView
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases

List Resolutions

Operation ID: list_resolutions_resolution_cases_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
limit	query / optional	integer; minimum: 1; maximum: 100; default: 25
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: ResolutionPage
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/upsert

Upsert Evidence Case

Create or reuse a resolution case by an exact merchant-scoped external reference.

Operation ID: upsert_evidence_case_resolution_cases_upsert_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | EvidenceCaseUpsert | required

Status	Description	Content / schema
200	Successful Response	application/json: EvidenceCaseView
409	External reference has different case data	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}

Get Resolution

Operation ID: get_resolution_resolution_cases__case_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: EvidenceCaseView
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/evidence/records

Link Evidence Record

Associate a record reference without contacting its provider.

Operation ID: link_evidence_record_resolution_cases__case_id__evidence_records_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | EvidenceRecordInput | required

Status	Description	Content / schema
200	Successful Response	application/json: LinkedEvidenceRecord
409	Conflicting record association	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/evidence/events

Submit Merchant Evidence

Record merchant evidence once. This cannot approve or execute money movement.

Operation ID: submit_merchant_evidence_resolution_cases__case_id__evidence_events_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | EvidenceInput | required

Status	Description	Content / schema
200	Successful Response	application/json: EvidenceReceipt
409	Source event ID has different evidence	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/evidence/refresh

Refresh Case Evidence

Check linked PayPal Sandbox records; report incomplete checks without removing prior facts.

Operation ID: refresh_case_evidence_resolution_cases__case_id__evidence_refresh_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: EvidenceRefreshResult
409	Linked records changed during the check	No response body declared
422	Validation Error	application/json: HTTPValidationError

PUT /resolution-cases/{case_id}/payment-link

Link Resolution Payment

Attach a merchant-owned payment record once, without calling PayPal.

Operation ID: link_resolution_payment_resolution_cases__case_id__payment_link_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | ResolutionPaymentLink | required

Status	Description	Content / schema
200	Successful Response	application/json: ResolutionView
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/promises

Record Promise

Record an agreed remedy and optional prerequisites in this case.

Operation ID: record_promise_resolution_cases__case_id__promises_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | PromiseTerms-Input | required

Status	Description	Content / schema
201	Successful Response	application/json: PromiseView
422	Validation Error	application/json: HTTPValidationError

PUT /resolution-cases/{case_id}/promises/{promise_id}

Revise Promise

Revise the exact current version; previous evidence remains in the timeline.

Operation ID: revise_promise_resolution_cases__case_id__promises__promise_id__put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
promise_id	path / required	string (uuid);

Request body: application/json | PromiseRevision | required

Status	Description	Content / schema
200	Successful Response	application/json: PromiseView
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/promises/{promise_id}/evidence

Record Promise Evidence

Save a note or an explicit internal return finding; never provider proof.

Operation ID: record_promise_evidence_resolution_cases__case_id__promises__promise_id__evidence_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
promise_id	path / required	string (uuid);

Request body: application/json | MerchantEvidence | required

Status	Description	Content / schema
201	Successful Response	application/json: PromiseView
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/promises/{promise_id}/refresh

Refresh Promise

Fetch external evidence. No provider mutation or payment submission.

Operation ID: refresh_promise_resolution_cases__case_id__promises__promise_id__refresh_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
promise_id	path / required	string (uuid);

Request body: application/json | RefreshEvidence | required

Status	Description	Content / schema
200	Successful Response	application/json: PromiseView
403	Provider connector is not configured for this merchant	No response body declared
409	Stale revision or conflicting provider evidence	No response body declared
503	Provider connector is disabled or unavailable	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/timeline

Resolution Timeline

Read case events newest first; use before_sequence for paging through new activity.

Operation ID: resolution_timeline_resolution_cases__case_id__timeline_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
limit	query / optional	integer; minimum: 1; maximum: 100; default: 50
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0
before_sequence	query / optional	integer or null;

Status	Description	Content / schema
200	Successful Response	application/json: ResolutionTimeline
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/evidence-bundle

Evidence Bundle

Export evidence privately for review; does not submit a PayPal dispute.

Operation ID: evidence_bundle_resolution_cases__case_id__evidence_bundle_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
limit	query / optional	integer; minimum: 1; maximum: 100; default: 50
offset	query / optional	integer; minimum: 0; maximum: 100000; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: EvidenceBundle
422	Validation Error	application/json: HTTPValidationError

POST /commerce/orders/sync

Sync Commerce Order

Create or reuse a case and atomically save the latest app order snapshot.

Operation ID: sync_commerce_order_commerce_orders_sync_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | CommerceSyncInput | required

Status	Description	Content / schema
200	Successful Response	application/json: CommerceSyncResult
409	Stale/conflicting revision, case, or PayPal reference	No response body declared
413	Snapshot exceeds 32 KiB	No response body declared
422	Invalid request; details never echo submitted data	No response body declared

POST /commerce/orders/register

Register Commerce Order

Save or update an order for the dashboard without opening a new case.

Operation ID: register_commerce_order_commerce_orders_register_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | CommerceRegisterInput | required

Status	Description	Content / schema
200	Successful Response	application/json: CommerceOrderReceipt
409	Stale or conflicting order revision or PayPal reference	No response body declared
413	Snapshot exceeds 32 KiB	No response body declared
422	Invalid request; details never echo submitted data	No response body declared

GET /commerce/orders

List Commerce Orders

Browse app orders for the authenticated merchant without calling PayPal.

Operation ID: list_commerce_orders_commerce_orders_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
q	query / optional	string; maxLength: 160; default: ""
source	query / optional	string; maxLength: 64; pattern: "^(?:[A-Za-z0-9][A-Za-z0-9_.-]{0,63})?$"; default: ""
limit	query / optional	integer; minimum: 1; maximum: 100; default: 25
offset	query / optional	integer; minimum: 0; maximum: 9007199254740991; default: 0

Status	Description	Content / schema
200	Successful Response	application/json: CommerceOrdersPage
422	Validation Error	application/json: HTTPValidationError

GET /commerce/orders/{order_id}

Get Registered Order

Read the private order snapshot without any shared contact details.

Operation ID: get_registered_order_commerce_orders__order_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
order_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CommerceOrderDetail
422	Validation Error	application/json: HTTPValidationError

POST /commerce/orders/{order_id}/case

Open Commerce Case

Open or reuse a resolution case and attach the registered order evidence.

Operation ID: open_commerce_case_commerce_orders__order_id__case_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
order_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CommerceOrderReceipt
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/commerce

Get Commerce Order

Compare the app order with the most recent applicable PayPal check.

Operation ID: get_commerce_order_resolution_cases__case_id__commerce_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CommerceReport
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/commerce/refresh

Refresh Commerce Order

Read linked PayPal Sandbox evidence and compare. Never mutate payments.

Operation ID: refresh_commerce_order_resolution_cases__case_id__commerce_refresh_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CommerceReport
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/commerce/contact

Get Commerce Contact

Read explicitly shared app contact information with full merchant access.

Operation ID: get_commerce_contact_resolution_cases__case_id__commerce_contact_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: CommerceContact
422	Validation Error	application/json: HTTPValidationError

GET /resolution-cases/{case_id}/investigations

Investigations

Operation ID: investigations_resolution_cases__case_id__investigations_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: InvestigationPage
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/investigations/{investigation_id}/review

Review Investigation

Operation ID: review_investigation_resolution_cases__case_id__investigations__investigation_id__review_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
investigation_id	path / required	string (uuid);

Request body: application/json | InvestigationReview | required

Status	Description	Content / schema
200	Successful Response	application/json: ReviewReceipt
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/ai/extract-promises

Extract Promise Proposals

Propose promises for review from the case's customer conversation, or from supplied messages. Does not record promises or call PayPal.

Operation ID: extract_promise_proposals_resolution_cases__case_id__ai_extract_promises_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | ExtractionRequest or null | optional

Status	Description	Content / schema
200	Successful Response	application/json: ExtractionResult
404	Resolution case not found	No response body declared
422	Validation Error	application/json: HTTPValidationError

GET /ai/usage

Extraction Usage

Today's (UTC) extraction usage for the authenticated merchant. Counted in this API process's memory only: it resets on restart and is not shared between processes.

Operation ID: extraction_usage_ai_usage_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: UsageSummary

POST /resolution-cases/{case_id}/ai/explain-next-action

Explain Next Action

One-sentence explanation of the next action, written from structured case facts only.

Uses the extraction switch, data policy, cache, token cap and daily budget. Text whose amounts, dates or numbers are not in the facts is replaced by the code template. Advisory only: it never approves, submits or records anything.

Operation ID: explain_next_action_resolution_cases__case_id__ai_explain_next_action_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Explanation
404	Resolution case not found	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /resolution-cases/{case_id}/ai/rank-remedies

Rank Remedies

Classify the issue and buyer preference, rank the code-built remedy options with a one-line reason each, and draft a buyer message, from the masked conversation.

Uses the extraction switch, data policy, cache, token cap and daily budget. Any option, amount or number outside the listed options falls back to code order and a template. Advisory only: it never records promises, publishes offers or refunds.

Operation ID: rank_remedies_resolution_cases__case_id__ai_rank_remedies_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: RemedyRanking
404	Resolution case not found	No response body declared
422	Validation Error	application/json: HTTPValidationError

POST /platform/account/signup

Signup

Operation ID: signup_platform_account_signup_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | Signup | required

Status	Description	Content / schema
201	Successful Response	application/json: AccountSession

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/account/login

Login

Operation ID: login_platform_account_login_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | AccountInput | required

Status	Description	Content / schema
200	Successful Response	application/json: AccountSession
422	Validation Error	application/json: HTTPValidationError

POST /platform/account/claim

Claim Owner

Operation ID: claim_owner_platform_account_claim_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OwnerAccount | required

Status	Description	Content / schema
201	Successful Response	application/json: AccountSession
422	Validation Error	application/json: HTTPValidationError

POST /platform/account/accept-invite

Accept Invite

Operation ID: accept_invite_platform_account_accept_invite_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | AcceptInvite | required

Status	Description	Content / schema
201	Successful Response	application/json: AccountSession
422	Validation Error	application/json: HTTPValidationError

GET /platform/me

Me

Operation ID: me_platform_me_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: PlatformIdentity

Status	Description	Content / schema

GET /platform/team

Team

Operation ID: team_platform_team_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: StaffPage

POST /platform/team/invites

Invite

Operation ID: invite_platform_team_invites_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | Invite | required

Status	Description	Content / schema
201	Successful Response	application/json: Invitation
422	Validation Error	application/json: HTTPValidationError

PUT /platform/team/{staff_id}

Update Staff

Operation ID: update_staff_platform_team__staff_id__put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
staff_id	path / required	string (uuid);

Request body: application/json | StaffUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: StaffPage
422	Validation Error	application/json: HTTPValidationError

GET /platform/audit

Audit History

Operation ID: audit_history_platform_audit_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

Status	Description	Content / schema

GET /platform/sdk-keys

Sdk Keys

Operation ID: sdk_keys_platform_sdk_keys_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema

POST /platform/sdk-keys

Issue Sdk Key

Operation ID: issue_sdk_key_platform_sdk_keys_post

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
201	Successful Response	application/json: Unspecified schema

POST /platform/support-keys

Issue Support Key

Operation ID: issue_support_key_platform_support_keys_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | SupportKeyInput | required

Status	Description	Content / schema
201	Successful Response	application/json: SupportKeyReceipt
422	Validation Error	application/json: HTTPValidationError

DELETE /platform/sdk-keys/{key_id}

Revoke Sdk Key

Operation ID: revoke_sdk_key_platform_sdk_keys__key_id__delete

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
key_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

GET /platform/connections

Connections

Operation ID: connections_platform_connections_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: ConnectionPage

PUT /platform/connections/{provider}

Save Connection

Operation ID: save_connection_platform_connections__provider__put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
provider	path / required	string;

Request body: application/json | ConnectionInput | required

Status	Description	Content / schema
200	Successful Response	application/json: ConnectionView
422	Validation Error	application/json: HTTPValidationError

POST /platform/connections/{provider}/check

Check Connection

Operation ID: check_connection_platform_connections__provider__check_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
provider	path / required	string;

Status	Description	Content / schema
200	Successful Response	application/json: ConnectionView
422	Validation Error	application/json: HTTPValidationError

GET /platform/imports

Imports

Operation ID: imports_platform_imports_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: TicketPage

POST /platform/imports/zendesk

Import Ticket

Operation ID: import_ticket_platform_imports_zendesk_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | TicketImport | required

Status	Description	Content / schema
200	Successful Response	application/json: TicketDetail
422	Validation Error	application/json: HTTPValidationError

GET /platform/imports/{import_id}

Imported Ticket

Operation ID: imported_ticket_platform_imports__import_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
import_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: TicketDetail
422	Validation Error	application/json: HTTPValidationError

PUT /platform/imports/{import_id}/match

Match Ticket

Operation ID: match_ticket_platform_imports__import_id__match_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
import_id	path / required	string (uuid);

Request body: application/json | ImportMatch | required

Status	Description	Content / schema
200	Successful Response	application/json: TicketDetail
422	Validation Error	application/json: HTTPValidationError

GET /platform/dashboard

Dashboard

Operation ID: dashboard_platform_dashboard_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: Dashboard

GET /platform/watchdog

Watchdog

Operation ID: watchdog_platform_watchdog_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: AlertPage

POST /platform/watchdog/scan

Scan

Operation ID: scan_platform_watchdog_scan_post

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: AlertPage

GET /platform/cases/{case_id}/offers

Offers

Operation ID: offers_platform_cases__case_id__offers_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: OfferPage
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/offers

Publish Offer

Operation ID: publish_offer_platform_cases__case_id__offers_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | OfferCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: OfferView
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/support-requests

Case Support Requests

Operation ID: case_support_requests_platform_cases__case_id__support_requests_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: SupportRequestPage
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/returns

Returns

Operation ID: returns_platform_cases__case_id__returns_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: ReturnCatalog
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/returns

Request Return

Operation ID: request_return_platform_cases__case_id__returns_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | ReturnCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: ReturnView

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

PUT /platform/cases/{case_id}/returns/{return_id}

Progress Return

Operation ID: progress_return_platform_cases__case_id__returns__return_id__put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
return_id	path / required	string (uuid);

Request body: application/json | ReturnUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnView
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/dispute-packages

Packages

Operation ID: packages_platform_cases__case_id__dispute_packages_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: PackagePage
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/dispute-packages

Build Package

Operation ID: build_package_platform_cases__case_id__dispute_packages_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | PackageCreate | required

Status	Description	Content / schema
201	Successful Response	application/json: PackageReceipt

Status	Description	Content / schema
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/dispute-packages/{package_id}

Read Package

Operation ID: read_package_platform_cases__case_id__dispute_packages__package_id__get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
package_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: PackageDetail
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/dispute-packages/{package_id}/review

Review Package

Operation ID: review_package_platform_cases__case_id__dispute_packages__package_id__review_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
package_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: PackageDetail
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/dispute-packages/{package_id}/export

Export Package

Operation ID: export_package_platform_cases__case_id__dispute_packages__package_id__export_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
package_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/offers

Buyer Offers

Operation ID: buyer_offers_platform_buyer_offers_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: BuyerOfferPage
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/decision

Buyer Decision

Operation ID: buyer_decision_platform_buyer_decision_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | OfferDecision | required

Status	Description	Content / schema
200	Successful Response	application/json: DecisionReceipt
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/returns

Buyer Returns

Operation ID: buyer_returns_platform_buyer_returns_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnCatalog
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/returns/request

Buyer Request Return

Operation ID: buyer_request_return_platform_buyer_returns_request_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | BuyerReturn | required

Status	Description	Content / schema
201	Successful Response	application/json: ReturnView
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/issues

Open Aftercare Issue

Operation ID: open_aftercare_issue_aftercare_issues_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | IssueInput | required

Status	Description	Content / schema
201	Successful Response	application/json: IssueReceipt
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/status

Aftercare Status

Operation ID: aftercare_status_aftercare_status_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OrderLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: OrderResolution
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/portal

Aftercare Portal

Operation ID: aftercare_portal_aftercare_portal_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OrderLocator | required

Status	Description	Content / schema
201	Successful Response	application/json: IssuedLink
422	Validation Error	application/json: HTTPValidationError

GET /platform/return-policy

Policy

Operation ID: policy_platform_return_policy_get

OpenAPI security: [{"MerchantBearer": []}]

Status	Description	Content / schema
200	Successful Response	application/json: PolicyView

PUT /platform/return-policy

Policy Save

Operation ID: policy_save_platform_return_policy_put

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | PolicyUpdate | required

Status	Description	Content / schema
200	Successful Response	application/json: PolicyView
422	Validation Error	application/json: HTTPValidationError

POST /cases/{case_id}/disputes

Dispute Record

Operation ID: dispute_record_cases__case_id__disputes_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | DisputeEvent | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

GET /cases/{case_id}/disputes

Dispute List

Operation ID: dispute_list_cases__case_id__disputes_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/disputes

Resolution Disputes

Operation ID: resolution_disputes_platform_cases__case_id__disputes_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/disputes

Resolution Dispute Record

Operation ID: resolution_dispute_record_platform_cases__case_id__disputes_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | DisputeEvent | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/refund-traces

Trace Record

Operation ID: trace_record_platform_cases__case_id__refund_traces_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | TraceInput | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/dispute-documents

Dispute Document

Operation ID: dispute_document_platform_cases__case_id__dispute_documents_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);

Request body: application/json | DisputeDocument | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

GET /platform/cases/{case_id}/returns/{return_id}/guide

Return Guide

Operation ID: return_guide_platform_cases__case_id__returns__return_id__guide_get

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
return_id	path / required	string (uuid);

Status	Description	Content / schema
200	Successful Response	application/json: ReturnGuideView
422	Validation Error	application/json: HTTPValidationError

PUT /platform/cases/{case_id}/returns/{return_id}/guide

Save Return Guide

Operation ID: save_return_guide_platform_cases__case_id__returns__return_id__guide_put

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
return_id	path / required	string (uuid);

Request body: application/json | GuideInput | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnGuideView
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/returns/{return_id}/inspection

Inspect Return

Operation ID: inspect_return_platform_cases__case_id__returns__return_id__inspection_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
return_id	path / required	string (uuid);

Request body: application/json | InspectionInput | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/cases/{case_id}/returns/{return_id}/labels

Upload Label

Operation ID: upload_label_platform_cases__case_id__returns__return_id__labels_post

OpenAPI security: [{"MerchantBearer": []}]

Parameter	Location / required	Type / constraints
case_id	path / required	string (uuid);
return_id	path / required	string (uuid);

Request body: application/json | LabelInput | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/journey

Refund Journey

Operation ID: refund_journey_aftercare_journey_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OrderLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: RefundJourney
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/context

Support Context

Operation ID: support_context_aftercare_context_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | ContextRequest | required

Status	Description	Content / schema
200	Successful Response	application/json: ContextView
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/received

Received Refund

Operation ID: received_refund_aftercare_received_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OrderLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: RefundJourney
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/issues/lookup

Issue Lookup

Operation ID: issue_lookup_aftercare_issues_lookup_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | LookupIssue | required

Status	Description	Content / schema
200	Successful Response	application/json: IssueReceipt
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/events

Event Pull

Operation ID: event_pull_aftercare_events_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | EventPull | required

Status	Description	Content / schema
200	Successful Response	application/json: EventPage
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/returns/eligibility

Check Eligibility

Operation ID: check_eligibility_aftercare_returns_eligibility_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | EligibilityInput | required

Status	Description	Content / schema
200	Successful Response	application/json: EligibilityView
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/returns

Support Returns

Operation ID: support_returns_aftercare_returns_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | OrderLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnCatalog
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/returns/request

Support Return Request

Operation ID: support_return_request_aftercare_returns_request_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | SupportReturn | required

Status	Description	Content / schema
201	Successful Response	application/json: ReturnView
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/returns/guide

Support Return Guide

Operation ID: support_return_guide_aftercare_returns_guide_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | ReturnLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnGuideView
422	Validation Error	application/json: HTTPValidationError

POST /aftercare/returns/label

Support Label

Operation ID: support_label_aftercare_returns_label_post

OpenAPI security: [{"MerchantBearer": []}]

Request body: application/json | LabelLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnLabelFile
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/assurance

Buyer Assurance

Operation ID: buyer_assurance_platform_buyer_assurance_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/returns/guide

Buyer Guide

Operation ID: buyer_guide_platform_buyer_returns_guide_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | BuyerReturnLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnGuideView
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/returns/label

Buyer Label

Operation ID: buyer_label_platform_buyer_returns_label_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | BuyerLabelLocator | required

Status	Description	Content / schema
200	Successful Response	application/json: ReturnLabelFile
422	Validation Error	application/json: HTTPValidationError

POST /platform/buyer/return-policy

Buyer Return Policy

Operation ID: buyer_return_policy_platform_buyer_return_policy_post

OpenAPI security: not declared at this level; inspect route authorization before use

Request body: application/json | PortalCredentials | required

Status	Description	Content / schema
200	Successful Response	application/json: PublicReturnPolicy
422	Validation Error	application/json: HTTPValidationError

POST /webhooks/zendesk/{merchant_id}

Zendesk Hook

Operation ID: zendesk_hook_webhooks_zendesk__merchant_id__post

OpenAPI security: not declared at this level; inspect route authorization before use

Parameter	Location / required	Type / constraints
merchant_id	path / required	string (uuid);

Status	Description	Content / schema
202	Successful Response	application/json: Unspecified schema
422	Validation Error	application/json: HTTPValidationError

Component schema dictionary

Required means required by this object schema. Null unions and constraints are retained separately. The machine-readable JSON remains authoritative for exact serialization.

AcceptInvite

Field	Required / type	Description / constraints
email	required; string	minLength: 3; maxLength: 254; pattern: "^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$"
password	required; string (password)	minLength: 12; maxLength: 256
token	required; string (password)	No additional description declared
name	required; string	minLength: 1; maxLength: 100

additionalProperties: false

AccountCase

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
merchant_name	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared

AccountInput

Field	Required / type	Description / constraints
email	required; string	minLength: 3; maxLength: 254; pattern: "^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$"
password	required; string (password)	minLength: 12; maxLength: 256

additionalProperties: false

AccountSession

Field	Required / type	Description / constraints
token	required; string	No additional description declared
merchant	required; MerchantIdentity	No additional description declared
method	required; string	No additional description declared
expires_at	required; string (date-time)	No additional description declared
paypal_linked	required; boolean	No additional description declared
staff	required; StaffView	No additional description declared

AccountToken

Field	Required / type	Description / constraints
token	required; string	No additional description declared
expires_at	required; string (date-time)	No additional description declared

Adjustment

A kept proposal that the validators changed.

Field	Required / type	Description / constraints
reason	required; string; enum: quote_normalized, quote_unmasked, amount_removed, action_removed	No additional description declared
detail	required; string	No additional description declared
kind	required; string	No additional description declared
source_message_id	required; string	No additional description declared

AlertPage

Field	Required / type	Description / constraints
items	required; array of AlertView	No additional description declared

AlertView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
promise_id	required; string (uuid)	No additional description declared
promise_revision	required; integer	No additional description declared
day	required; string (date)	No additional description declared
state	required; string	No additional description declared
assignee	required; string or null	No additional description declared
reason	required; string	No additional description declared
customer_draft	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared
resolved_at	required; string (date-time) or null	No additional description declared

AppResolutionEvent

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
sequence	required; integer	No additional description declared
source	required; string	No additional description declared
order_reference	required; string	No additional description declared
revision	required; integer	No additional description declared
snapshot	required; object	No additional description declared
created_at	required; string	No additional description declared
type	optional; string	default: "resolution.updated"

BillingCorrectionTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
action	required; string; enum: cancel_invoice, duplicate_charge, incorrect_amount	No additional description declared
paypal_invoice_id	optional; string or null	No additional description declared
original_capture_id	optional; string or null	No additional description declared

additionalProperties: false

BuyerChoice

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
promise	required; string	No additional description declared
kind	required; string	No additional description declared
amount	required; string or null	No additional description declared
currency	required; string or null	No additional description declared
due_at	required; string (date-time) or null	No additional description declared
conditions_required	required; boolean	No additional description declared

BuyerLabelLocator

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared
return_id	required; string (uuid)	No additional description declared
label_id	required; string (uuid)	No additional description declared

additionalProperties: false

BuyerOffer

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
revision	required; integer	No additional description declared
status	required; string	No additional description declared
stale	required; boolean	No additional description declared
expires_at	required; string (date-time)	No additional description declared
selected_choice	required; string (uuid) or null	No additional description declared
decision_at	required; string (date-time) or null	No additional description declared
choices	required; array of BuyerChoice	No additional description declared

BuyerOfferPage

Field	Required / type	Description / constraints
items	required; array of BuyerOffer	No additional description declared

BuyerReturn

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
order_id	required; string (uuid)	No additional description declared
items	required; array of ReturnItem	minItems: 1; maxItems: 50
reason	required; string	minLength: 1; maxLength: 2000
delivered_at	optional; string (date-time) or null	No additional description declared
token	required; string (password)	No additional description declared

additionalProperties: false

BuyerReturnLocator

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared
return_id	required; string (uuid)	No additional description declared

additionalProperties: false

Capabilities

Field	Required / type	Description / constraints
paypal_enabled	required; boolean	No additional description declared
paypal_environment	required; string or null	No additional description declared

CaseAction

Field	Required / type	Description / constraints
reason	required; string	minLength: 1; maxLength: 1000

additionalProperties: false

CaseAttachment

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
filename	required; string	No additional description declared
content_type	required; string	No additional description declared
size_bytes	required; integer	No additional description declared
sha256	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared

CaseCreate

Field	Required / type	Description / constraints
order_id	required; string	minLength: 1; maxLength: 100
complaint	required; string	minLength: 1; maxLength: 5000
payment	required; PaymentReference-Input	No additional description declared
commitment	optional; RefundCommitment-Input or null	No additional description declared

additionalProperties: false

CaseFacts

Structured, message-free facts. This is all the model ever sees.

Field	Required / type	Description / constraints
currency	optional; string	default: "USD"
payment_linked	required; boolean	No additional description declared
captured_amount	optional; string or null	No additional description declared
agreed_amount	optional; string or null	No additional description declared

Field	Required / type	Description / constraints
agreement_status	optional; string or null	No additional description declared
reconciliation_status	optional; string or null	No additional description declared
recommended_refund_amount	optional; string or null	No additional description declared
refunds	optional; array of RefundFacts	default: []

CasePage

Field	Required / type	Description / constraints
items	required; array of CaseResponse	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

CasePromiseHealth

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
overdue_after_days	required; integer	No additional description declared
items	required; array of PromiseHealth	No additional description declared

CaseResponse

Field	Required / type	Description / constraints
order_id	required; string	minLength: 1; maxLength: 100
complaint	required; string	minLength: 1; maxLength: 5000
payment	required; PaymentReference-Output	No additional description declared
commitment	optional; RefundCommitment-Output or null	No additional description declared
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
status	optional; string; enum: open, closed	default: "open"

additionalProperties: false

CaseTimelineEntry

Field	Required / type	Description / constraints
id	required; string	No additional description declared
source	required; string; enum: case, approval, execution, capture_verification, refund_verification, condition_check	No additional description declared
case_id	required; string (uuid)	No additional description declared
capture_id	required; string	No additional description declared
event_type	required; string	No additional description declared
actor_merchant_id	required; string (uuid) or null	No additional description declared
actor_kind	required; string; enum: merchant, system, unknown	No additional description declared
occurred_at	required; string (date-time)	No additional description declared
data	required; object	No additional description declared

CaseTimelinePage

Field	Required / type	Description / constraints
items	required; array of CaseTimelineEntry	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

ChatMessage

Field	Required / type	Description / constraints
id	required; string	minLength: 1; maxLength: 80
sender	required; string; enum: buyer, merchant	No additional description declared
text	required; string	minLength: 1; maxLength: 4000
sent_at	required; string (date-time)	No additional description declared

additionalProperties: false

CommerceContact

Field	Required / type	Description / constraints
name	optional; string or null	No additional description declared
email	optional; string or null	No additional description declared
phone	optional; string or null	No additional description declared

additionalProperties: false

CommerceFieldCheck

Field	Required / type	Description / constraints
field	required; string; enum: paypal_order_id, paypal_capture_id, currency, payment_status, captured_amount, refunded_amount	No additional description declared
app_value	required; string or null	No additional description declared
paypal_value	required; string or null	No additional description declared
status	required; string; enum: match, mismatch, missing_app, unverified	No additional description declared
checked_at	optional; string (date-time) or null	No additional description declared

CommerceItem-Input

Field	Required / type	Description / constraints
product_id	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
name	optional; string or null	No additional description declared
sku	optional; string or null	No additional description declared
quantity	required; integer	minimum: 1.0; maximum: 1000000.0
unit_amount	optional; number or string or null	No additional description declared

additionalProperties: false

CommerceItem-Output

Field	Required / type	Description / constraints
product_id	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
name	optional; string or null	No additional description declared
sku	optional; string or null	No additional description declared
quantity	required; integer	minimum: 1.0; maximum: 1000000.0
unit_amount	optional; string or null	No additional description declared

additionalProperties: false

CommerceKeySummary

Field	Required / type	Description / constraints
key_id	required; string (uuid)	No additional description declared
created_at	required; string (date-time)	No additional description declared

CommerceKeys

Field	Required / type	Description / constraints
keys	required; array of CommerceKeySummary	No additional description declared
can_manage	required; boolean	No additional description declared

CommerceOrderDetail

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	No additional description declared
synced_at	required; string (date-time)	No additional description declared
app	required; CommerceSnapshot	No additional description declared

CommerceOrderReceipt

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	No additional description declared
synced_at	required; string (date-time)	No additional description declared

CommerceOrderSummary

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	No additional description declared
synced_at	required; string (date-time)	No additional description declared
order_status	required; string or null	No additional description declared
payment	required; CommercePayment-Output or null	No additional description declared
line_count	required; integer	No additional description declared

CommerceOrdersPage

Field	Required / type	Description / constraints
items	required; array of CommerceOrderSummary	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

CommercePayment-Input

Field	Required / type	Description / constraints
paypal_order_id	optional; string or null	No additional description declared
paypal_capture_id	optional; string or null	No additional description declared
currency	optional; string	default: "USD"
status	optional; string; enum: pending, completed, partially_refunded, refunded, failed or null	No additional description declared
captured_amount	optional; number or string or null	No additional description declared
refunded_amount	optional; number or string or null	No additional description declared

additionalProperties: false

CommercePayment-Output

Field	Required / type	Description / constraints
paypal_order_id	optional; string or null	No additional description declared
paypal_capture_id	optional; string or null	No additional description declared
currency	optional; string	default: "USD"
status	optional; string; enum: pending, completed, partially_refunded, refunded, failed or null	No additional description declared
captured_amount	optional; string or null	No additional description declared
refunded_amount	optional; string or null	No additional description declared

additionalProperties: false

CommerceProviderIssue

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
reference	optional; string or null	No additional description declared
status	required; string; enum: missing, unsupported, unavailable, mismatch	No additional description declared
detail	required; string	No additional description declared

CommerceRegisterInput

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	minimum: 1.0; maximum: 9007199254740991.0
order_status	optional; string or null	No additional description declared
customer_reference	optional; string or null	No additional description declared
payment	optional; CommercePayment-Input or null	No additional description declared
items	optional; array of CommerceItem-Input	maxItems: 50
contact	optional; CommerceContact or null	No additional description declared

additionalProperties: false

CommerceReport

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
app	required; CommerceSnapshot	No additional description declared
synced_at	required; string (date-time)	No additional description declared
app_source	optional; string	default: "merchant_reported"
provider_source	optional; string	default: "paypal_sandbox"
status	required; string; enum: match, mismatch, incomplete	No additional description declared
checks	required; array of CommerceFieldCheck	No additional description declared
last_checked_at	optional; string (date-time) or null	No additional description declared
provider_issues	optional; array of CommerceProviderIssue	No additional description declared

CommerceSnapshot

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	minimum: 1.0; maximum: 9007199254740991.0
order_status	optional; string or null	No additional description declared
customer_reference	optional; string or null	No additional description declared
payment	optional; CommercePayment-Output or null	No additional description declared
items	optional; array of CommerceItem-Output	maxItems: 50

additionalProperties: false

CommerceSyncInput

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	minimum: 1.0; maximum: 9007199254740991.0
order_status	optional; string or null	No additional description declared
customer_reference	optional; string or null	No additional description declared
payment	optional; CommercePayment-Input or null	No additional description declared
items	optional; array of CommerceItem-Input	maxItems: 50
contact	optional; CommerceContact or null	No additional description declared
case_id	optional; string (uuid) or null	No additional description declared

additionalProperties: false

CommerceSyncResult

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
revision	required; integer	No additional description declared
synced_at	required; string (date-time)	No additional description declared

CommitmentUpdate

Field	Required / type	Description / constraints
state_fingerprint	required; string	pattern: "^[a-f0-9]{64}$"
commitment	required; RefundCommitment-Input	No additional description declared

additionalProperties: false

ConditionCheck

Field	Required / type	Description / constraints
status	required; string; enum: met, not_met	No additional description declared
evidence_note	required; string	minLength: 1; maxLength: 5000
recorded_at	optional; string (date-time)	No additional description declared
recorded_by_merchant_id	optional; string (uuid) or null	No additional description declared

additionalProperties: false

ConditionCheckCreate

Field	Required / type	Description / constraints
status	required; string; enum: met, not_met	No additional description declared
evidence_note	required; string	minLength: 1; maxLength: 5000

additionalProperties: false

ConnectionInput

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 0.0
enabled	optional; boolean	default: false
config	optional; object	No additional description declared
credentials	optional; object	No additional description declared

additionalProperties: false

ConnectionPage

Field	Required / type	Description / constraints
items	required; array of ConnectionView	No additional description declared
encryption_configured	required; boolean	No additional description declared

ConnectionView

Field	Required / type	Description / constraints
provider	required; string; enum: paypal, zendesk, shopify, easypost	No additional description declared
config	required; object	No additional description declared
enabled	required; boolean	No additional description declared
revision	required; integer	No additional description declared
check_status	required; string	No additional description declared
checked_at	required; string (date-time) or null	No additional description declared
updated_at	required; string (date-time)	No additional description declared
credentials_stored	required; boolean	No additional description declared

ContextRequest

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
before_sequence	optional; integer or null	No additional description declared

additionalProperties: false

ContextView

Field	Required / type	Description / constraints
resolution	required; OrderResolution	No additional description declared
issues	required; array of object	No additional description declared
messages	required; array of PortalMessage	No additional description declared
next_before_sequence	required; integer or null	No additional description declared
has_more_messages	required; boolean	No additional description declared
identity_source	optional; string	default: "merchant_app_or_private_buyer_link"

CreateRemedy

The one option the merchant chose. A capture holds one cumulative refund promise (ResolutionWorkspace rule), so refund options cannot be recorded side by side.

Field	Required / type	Description / constraints
option_id	required; string; enum: refund_after_return, partial_refund	No additional description declared
expected_amount	required; number or string	No additional description declared
return_reference	optional; string or null	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared

additionalProperties: false

CreatedRemedy

Field	Required / type	Description / constraints
option_id	required; string; enum: refund_after_return, partial_refund	No additional description declared
promises	required; array of PromiseView	No additional description declared
offer_choice	required; OfferChoiceDraft	No additional description declared

CustomerAccountCapabilities

Field	Required / type	Description / constraints
email_enabled	required; boolean	No additional description declared
google_enabled	required; boolean	No additional description declared

CustomerCase

Field	Required / type	Description / constraints
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
expires_at	required; string (date-time)	No additional description declared
promises	required; array of PublicPromise	No additional description declared
refund	required; PublicRefund or null	No additional description declared
messages	required; array of PortalMessage	No additional description declared
evidence	required; array of CustomerEvidence	No additional description declared
timeline	required; array of CustomerMilestone	No additional description declared
next_step	required; CustomerNextStep	No additional description declared

CustomerEvidence

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
filename	required; string	No additional description declared
content_type	required; string	No additional description declared
size_bytes	required; integer	No additional description declared
created_at	required; string (date-time)	No additional description declared
source	optional; string	default: "customer_submitted"

CustomerMessageCreate

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
body	required; string	minLength: 1; maxLength: 2000
token	required; string (password)	No additional description declared

additionalProperties: false

CustomerMilestone

Field	Required / type	Description / constraints
label	required; string	No additional description declared
occurred_at	required; string (date-time)	No additional description declared
source	required; string; enum: merchant_recorded, provider_confirmed, customer_submitted, resolve	No additional description declared

CustomerNextStep

Field	Required / type	Description / constraints
actor	required; string; enum: customer, merchant, paypal, none	No additional description declared
action	required; string	No additional description declared
due_at	required; string (date-time) or null	No additional description declared
overdue	required; boolean	No additional description declared

Dashboard

Field	Required / type	Description / constraints
case_count	required; integer	No additional description declared
outcomes	required; object	No additional description declared
remedies	required; object	No additional description declared
complaint_reasons	required; object	No additional description declared
overdue_promises	required; integer	No additional description declared
awaiting_evidence	required; integer	No additional description declared
financial	required; LedgerSummary	No additional description declared
resolution_time	required; ResolutionTime	No additional description declared

DecisionReceipt

Field	Required / type	Description / constraints
status	required; string; enum: accepted, declined	No additional description declared
decision_at	required; string (date-time)	No additional description declared
authorizes_payment	required; boolean	No additional description declared

DisputeDocument

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
requirement	required; string; enum: original_delivery, product_description, return_policy, buyer_authorization, service_fulfilled, credit_agreement, cancellation, duplicate_charge, other	No additional description declared
evidence_ids	optional; array of string (uuid)	maxItems: 10
note	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

DisputeEvent

Field	Required / type	Description / constraints
provider	required; string; enum: paypal, stripe, bank, merchant	No additional description declared
reference	required; string	pattern: "^[A-Za-z0-9_-]{1,100}$"
event_id	required; string	pattern: "^[A-Za-z0-9_.:-]{1,160}$"
version	required; integer	minimum: 1.0
state	required; string; enum: open, under_review, resolved_no_refund, resolved_refunded	No additional description declared
note	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

DisputeHandoffTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
paypal_dispute_id	required; string	pattern: "^[A-Za-z0-9_-]{1,80}$"

additionalProperties: false

DroppedProposal

Field	Required / type	Description / constraints
reason	required; string; enum: schema_invalid, unknown_kind, unknown_message, buyer_message, quote_not_found, amount_not_allowed, amount_not_in_quote, duplicate, limit_exceeded	No additional description declared
detail	required; string	No additional description declared
kind	optional; string or null	No additional description declared
source_message_id	optional; string or null	No additional description declared
exact_quote	optional; string or null	No additional description declared

EligibilityInput

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
items	required; array of ReturnItem	minItems: 1; maxItems: 50
delivered_at	optional; string (date-time) or null	No additional description declared

additionalProperties: false

EligibilityView

Field	Required / type	Description / constraints
policy_enabled	optional; boolean	default: false
decision	required; string; enum: eligible, needs_review	No additional description declared
policy_revision	required; integer	No additional description declared
delivered_at	optional; string (date-time) or null	No additional description declared
flags	required; array of string	No additional description declared
shipping_paid_by	required; string; enum: merchant, buyer	No additional description declared
restocking_fee	required; string or null	No additional description declared
currency	optional; string	default: "USD"
instructions	required; string	No additional description declared
authorizes_refund	optional; boolean	default: false

EmailSignIn

Field	Required / type	Description / constraints
email	required; string	No additional description declared

additionalProperties: false

EventPage

Field	Required / type	Description / constraints
merchant_id	required; string (uuid)	No additional description declared
source	required; string	No additional description declared
items	required; array of AppResolutionEvent	No additional description declared
next_after_sequence	required; integer	No additional description declared
has_more	required; boolean	No additional description declared
reconciled_orders	required; integer	No additional description declared

EventPull

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
after_sequence	optional; integer	minimum: 0.0; maximum: 9007199254740991.0; default: 0
limit	optional; integer	minimum: 1.0; maximum: 100.0; default: 50

additionalProperties: false

EvidenceBundle

Field	Required / type	Description / constraints
case	required; EvidenceCaseView	No additional description declared
timeline	required; ResolutionTimeline	No additional description declared
refund_attachments	required; array of CaseAttachment	No additional description declared
linked_records	required; array of LinkedEvidenceRecord	No additional description declared
commerce	optional; CommerceReport or null	No additional description declared

EvidenceCaseUpsert

Field	Required / type	Description / constraints
title	required; string	minLength: 1; maxLength: 160
order_reference	optional; string or null	No additional description declared
refund_case_id	optional; string (uuid) or null	No additional description declared
external_reference	required; string	minLength: 1; maxLength: 160

additionalProperties: false

EvidenceCaseView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
refund_case_id	required; string (uuid) or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
promises	required; array of PromiseView	No additional description declared
external_reference	optional; string or null	No additional description declared
evidence_summary	optional; EvidenceSummary or null	No additional description declared

EvidenceChecklist

Field	Required / type	Description / constraints
item	required; string	No additional description declared
present	required; boolean	No additional description declared
evidence_type	optional; string	default: "OTHER"
source	optional; string	default: "unspecified"

EvidenceInput

Field	Required / type	Description / constraints
source	required; string	minLength: 1; maxLength: 160
source_event_id	required; string	minLength: 1; maxLength: 160
evidence_type	required; string; enum: refund_approved, return_confirmed, support_note	No additional description declared
occurred_at	required; string (date-time)	No additional description declared
summary	required; string	minLength: 1; maxLength: 500
amount	optional; number or string or null	No additional description declared
currency	optional; string or null	No additional description declared

additionalProperties: false

EvidenceIssue

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
reference	optional; string or null	No additional description declared
status	required; string; enum: missing, unsupported, unavailable, mismatch	No additional description declared
detail	required; string	No additional description declared

EvidenceReceipt

Field	Required / type	Description / constraints
source	required; string	minLength: 1; maxLength: 160
source_event_id	required; string	minLength: 1; maxLength: 160
evidence_type	required; string; enum: refund_approved, return_confirmed, support_note	No additional description declared
occurred_at	required; string (date-time)	No additional description declared
summary	required; string	minLength: 1; maxLength: 500
amount	optional; string or null	No additional description declared
currency	optional; string or null	No additional description declared
id	required; string (uuid)	No additional description declared
recorded_at	required; string (date-time)	No additional description declared
verification	optional; string	default: "merchant_reported"

additionalProperties: false

EvidenceRecordInput

Field	Required / type	Description / constraints
kind	required; string; enum: order, paypal_order, paypal_capture, paypal_refund, support_ticket	No additional description declared
reference	required; string	minLength: 1; maxLength: 160
source	optional; string	minLength: 1; maxLength: 160; default: "merchant_app"

additionalProperties: false

EvidenceRefreshResult

Field	Required / type	Description / constraints
checked_at	required; string (date-time)	No additional description declared
verified	required; array of PayPalEvidenceFact	No additional description declared
issues	required; array of EvidenceIssue	No additional description declared
order_history_verified	optional; boolean	default: false

EvidenceSummary

Field	Required / type	Description / constraints
last_check_started_at	optional; string (date-time) or null	No additional description declared
last_checked_at	optional; string (date-time) or null	No additional description declared
last_verified_at	optional; string (date-time) or null	No additional description declared
order_history_verified	optional; boolean	default: false
verified	optional; array of PayPalEvidenceFact	No additional description declared
issues	optional; array of EvidenceIssue	No additional description declared
last_merchant_approval	optional; EvidenceReceipt or null	No additional description declared
captured_amount	optional; string or null	No additional description declared
provider_completed_amount	optional; string	default: "0.00"
provider_pending_amount	optional; string	default: "0.00"
refund_status	optional; string; enum: unconfirmed, pending, partially_refunded, refunded	default: "unconfirmed"
currency	optional; string	default: "USD"

ExecutionCaptureCheck

Field	Required / type	Description / constraints
capture_id	required; string	No additional description declared
captured_amount	required; string	No additional description declared
currency	required; string	No additional description declared
paypal_merchant_id	required; string	No additional description declared
capture_status	required; string; enum: COMPLETED, DECLINED, PARTIALLY_REFUNDED, PENDING, REFUNDED, FAILED	No additional description declared
checked_at	required; string (date-time)	No additional description declared

Explanation

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
text	required; string	No additional description declared
source	required; string; enum: ai, template	No additional description declared
label	required; string or null	No additional description declared
fallback_reason	required; string or null	No additional description declared
guard_violations	required; array of string	No additional description declared
model	required; string or null	No additional description declared
tokens	optional; integer	default: 0
cache_hit	optional; boolean	default: false
facts	required; CaseFacts	No additional description declared
missing	required; array of MissingItem	No additional description declared
authorizes	optional; string	default: "nothing"

ExtractionRequest

Field	Required / type	Description / constraints
messages	optional; array of ChatMessage or null	Omit to use the case's stored customer conversation.

additionalProperties: false

ExtractionResult

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
status	required; string; enum: ok, needs_review	No additional description declared
source	required; string; enum: case_conversation, merchant_supplied	No additional description declared
review_reasons	required; array of string; enum: not_configured, no_messages, auth_error, model_not_found, rate_limited, bad_request, timeout, connection_error, provider_error, unexpected_error, extraction_disabled, data_policy_blocked, budget_exceeded, invalid_json, schema_invalid, low_confidence	No additional description declared
model	required; string or null	No additional description declared
proposals	required; array of PromiseProposal	No additional description declared
dropped	required; array of DroppedProposal	No additional description declared
adjustments	optional; array of Adjustment	No additional description declared
tokens	optional; integer	Provider tokens used by this request; 0 on a cache hit.; default: 0
flags	optional; array of InjectionFlag	Buyer messages matching an injection rule. Informational: never blocks.
cache_hit	optional; boolean	default: false
skipped_reason	optional; string; enum: extraction_disabled, no_messages, no_merchant_messages, not_configured, data_policy_blocked, budget_exceeded or null	Why no model call was made, when none was.

Finding

Field	Required / type	Description / constraints
evidence_id	required; string (uuid)	No additional description declared
source	required; string; enum: provider_fact, merchant_claim, system	No additional description declared
kind	required; string	No additional description declared
status	required; string	No additional description declared
amount	optional; string or null	No additional description declared
currency	optional; string or null	No additional description declared
verified_at	optional; string (date-time) or null	No additional description declared

additionalProperties: false

GoogleFinish

Field	Required / type	Description / constraints
state	required; string (password)	No additional description declared
browser_token	required; string (password)	No additional description declared
code	required; string (password)	No additional description declared

additionalProperties: false

GoogleStart

Field	Required / type	Description / constraints
authorize_url	required; string	No additional description declared
browser_token	required; string	No additional description declared

GuideInput

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 0.0
instructions	required; string	minLength: 1; maxLength: 3000
return_address	optional; string	maxLength: 1000; default: ""
shipping_paid_by	optional; string; enum: merchant, buyer	default: "merchant"

additionalProperties: false

HTTPValidationError

Field	Required / type	Description / constraints
detail	optional; array of ValidationError	No additional description declared

HelpdeskState

Field	Required / type	Description / constraints
configured	required; boolean	No additional description declared
ticket	required; LinkedTicket or null	No additional description declared

ImportMatch

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared

additionalProperties: false

InboxItem

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
refund_case_id	required; string (uuid) or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
promises	required; array of PromiseView	No additional description declared
operations	required; Operations	No additional description declared

InboxPage

Field	Required / type	Description / constraints
items	required; array of InboxItem	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

InjectionFlag

Field	Required / type	Description / constraints
rule_id	required; string	No additional description declared
label	required; string	No additional description declared
message_id	required; string	No additional description declared

InspectionInput

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 1.0
request_id	required; string (uuid)	No additional description declared
finding	required; string; enum: clear, needs_review, reject	No additional description declared
quantities_match	required; boolean	No additional description declared
evidence_ids	optional; array of string (uuid)	maxItems: 10
override_policy	optional; boolean	default: false
note	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

IntakeSubmit

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared
issue_type	required; string; enum: missing_item, duplicate_charge, damaged_delivery, refund_delay, other	No additional description declared
description	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

IntakeView

Field	Required / type	Description / constraints
order_reference	required; string	No additional description declared
submitted	required; boolean	No additional description declared

InvestigationPage

Field	Required / type	Description / constraints
items	required; array of InvestigationView	No additional description declared

additionalProperties: false

InvestigationResult

Field	Required / type	Description / constraints
issue_type	required; string; enum: refund, unknown	No additional description declared
status	required; string; enum: confirmed_full_refund, partial_refund, pending_refund, approval_unconfirmed, contradictory, stale, missing	No additional description declared
findings	required; array of Finding	No additional description declared
contradictions	required; array of string	No additional description declared
missing_evidence	required; array of string	No additional description declared
next_step	required; string; enum: review, request_evidence, wait_provider, no_action, abstain	No additional description declared
reason	required; string	No additional description declared
validation_failures	optional; array of string	No additional description declared
last_verified_at	optional; string (date-time) or null	No additional description declared
evidence_fresh_until	optional; string (date-time) or null	No additional description declared
evidence_snapshot	required; string	No additional description declared
case_revision	required; integer	No additional description declared
model_calls	optional; array of object	No additional description declared

additionalProperties: false

InvestigationReview

Field	Required / type	Description / constraints
expected_revision	required; integer	exclusiveMinimum: 0.0
evidence_snapshot	required; string	pattern: "^[a-f0-9]{64}$"
decision	required; string; enum: approve, reject, request_evidence	No additional description declared

additionalProperties: false

InvestigationView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
case_revision	required; integer	No additional description declared
state	required; string; enum: queued, running, finished, blocked	No additional description declared
stale	required; boolean	No additional description declared
created_at	required; string (date-time)	No additional description declared
completed_at	optional; string (date-time) or null	No additional description declared
result	optional; InvestigationResult or null	No additional description declared
review	optional; ReviewReceipt or null	No additional description declared

additionalProperties: false

Invitation

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
token	required; string	No additional description declared
expires_at	required; string (date-time)	No additional description declared

Invite

Field	Required / type	Description / constraints
email	required; string	maxLength: 254; pattern: "^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$"
role	required; string	pattern: "^(manager|finance|agent|viewer)$"

additionalProperties: false

InviteCreate

Field	Required / type	Description / constraints
order_reference	required; string	minLength: 1; maxLength: 160
customer_email	optional; string or null	No additional description declared
send_email	optional; boolean	default: true

additionalProperties: false

InviteIssued

Field	Required / type	Description / constraints
token	required; string	No additional description declared
order_reference	required; string	No additional description declared
expires_at	required; string (date-time)	No additional description declared
email_queued	optional; boolean	default: false
public_url	optional; string or null	No additional description declared

IssueInput

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
request_id	required; string (uuid)	No additional description declared
reason	required; string; enum: item_not_received, damaged_item, wrong_item, refund_not_received, other	No additional description declared
message	required; string	minLength: 1; maxLength: 2000
requested_resolution	optional; string; enum: refund, replacement, return, help	default: "help"

additionalProperties: false

IssueReceipt

Field	Required / type	Description / constraints
issue_id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
order_reference	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared
status	optional; string	default: "received"
authorizes_payment	optional; boolean	default: false

IssuedCommerceKey

Field	Required / type	Description / constraints
key_id	required; string (uuid)	No additional description declared
api_key	required; string	No additional description declared

IssuedLink

Field	Required / type	Description / constraints
active	required; boolean	No additional description declared
expires_at	optional; string (date-time) or null	No additional description declared
title	optional; string or null	No additional description declared
show_order_reference	optional; boolean	default: false
token	required; string	No additional description declared
public_url	optional; string or null	No additional description declared

IssuedMerchantSession

Field	Required / type	Description / constraints
merchant	required; MerchantIdentity	No additional description declared
method	required; string; enum: key, paypal, password	No additional description declared
expires_at	required; string (date-time)	No additional description declared
paypal_linked	required; boolean	No additional description declared
staff	optional; object or null	No additional description declared
token	required; string	No additional description declared

LabelInput

Field	Required / type	Description / constraints
filename	required; string	maxLength: 120
content_base64	required; string	maxLength: 2800000

additionalProperties: false

LabelLocator

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
return_id	required; string (uuid)	No additional description declared
label_id	required; string (uuid)	No additional description declared

additionalProperties: false

LabelMetadata

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
filename	required; string	No additional description declared
sha256	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared

LedgerSummary

Field	Required / type	Description / constraints
currency	required; string	No additional description declared
source	required; string	No additional description declared
shared_capture_count	required; integer	No additional description declared
promised	required; string	No additional description declared
completed	required; string	No additional description declared
pending	required; string	No additional description declared
outstanding_excluding_pending	required; string	No additional description declared

LinkCreate

Field	Required / type	Description / constraints
title	optional; string	minLength: 1; maxLength: 120; default: "Your resolution"
show_order_reference	optional; boolean	default: false

additionalProperties: false

LinkStatus

Field	Required / type	Description / constraints
active	required; boolean	No additional description declared
expires_at	optional; string (date-time) or null	No additional description declared
title	optional; string or null	No additional description declared
show_order_reference	optional; boolean	default: false

LinkedEvidenceRecord

Field	Required / type	Description / constraints
kind	required; string; enum: order, paypal_order, paypal_capture, paypal_refund, support_ticket	No additional description declared
reference	required; string	minLength: 1; maxLength: 160
source	optional; string	minLength: 1; maxLength: 160; default: "merchant_app"
id	required; string (uuid)	No additional description declared
linked_at	required; string (date-time)	No additional description declared
verification	optional; string	default: "association_only"

additionalProperties: false

LinkedTicket

Field	Required / type	Description / constraints
ticket_id	required; integer	No additional description declared
status	required; string	No additional description declared
checked_at	required; string (date-time)	No additional description declared
url	required; string	No additional description declared

LookupIssue

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
request_id	required; string (uuid)	No additional description declared

additionalProperties: false

MarkRead

Field	Required / type	Description / constraints
through	required; integer	minimum: 0.0; maximum: 9007199254740991.0

additionalProperties: false

MerchantEvidence

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 1.0
note	required; string	minLength: 1; maxLength: 3000
reference	optional; string or null	No additional description declared
finding	optional; string; enum: note, confirmed, not_confirmed	default: "note"

additionalProperties: false

MerchantIdentity

Field	Required / type	Description / constraints
name	required; string	minLength: 1; maxLength: 200
id	required; string (uuid)	No additional description declared
created_at	required; string (date-time)	No additional description declared

additionalProperties: false

MerchantKeyInput

Field	Required / type	Description / constraints
key	required; string (password)	No additional description declared

additionalProperties: false

MerchantSession

Field	Required / type	Description / constraints
merchant	required; MerchantIdentity	No additional description declared
method	required; string; enum: key, paypal, password	No additional description declared
expires_at	required; string (date-time)	No additional description declared
paypal_linked	required; boolean	No additional description declared
staff	optional; object or null	No additional description declared

MessageCreate

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
body	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

MissingItem

Field	Required / type	Description / constraints
code	required; string; enum: no_linked_payment, no_refund_promise, no_amount, agreement_not_accepted, no_deadline, unmet_condition, pending_refund_unconfirmed	No additional description declared
text	required; string	No additional description declared
promise_id	optional; string (uuid) or null	No additional description declared

NextAction

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
facts	required; CaseFacts	No additional description declared
missing	required; array of MissingItem	No additional description declared
summary	required; string	No additional description declared

OfferChoice

Field	Required / type	Description / constraints
promise_id	required; string (uuid)	No additional description declared
expected_revision	required; integer	minimum: 1.0

additionalProperties: false

OfferChoiceDraft

Field	Required / type	Description / constraints
promise_id	required; string (uuid)	No additional description declared
expected_revision	required; integer	No additional description declared

OfferCreate

Field	Required / type	Description / constraints
choices	required; array of OfferChoice	minItems: 1; maxItems: 4
expires_at	required; string (date-time)	No additional description declared

additionalProperties: false

OfferDecision

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared
offer_id	required; string (uuid)	No additional description declared
expected_revision	required; integer	minimum: 1.0
choice_id	optional; string (uuid) or null	No additional description declared
decision	required; string	pattern: "^(accept|decline)$"

additionalProperties: false

OfferOption

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
promise_id	required; string (uuid)	No additional description declared
promise_revision	required; integer	No additional description declared
promise	required; string	No additional description declared
target	required; one of: RefundTarget-Output, ReturnTarget, ReplacementTarget, OrderCancellationTarget, SubscriptionTarget, StoreCreditOrExchangeTarget-Output, BillingCorrectionTarget, DisputeHandoffTarget	No additional description declared
requires	required; array of string (uuid)	No additional description declared
due_at	required; string (date-time) or null	No additional description declared

OfferPage

Field	Required / type	Description / constraints
items	required; array of OfferView	No additional description declared

OfferView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
revision	required; integer	No additional description declared
choices	required; array of OfferOption	No additional description declared
expires_at	required; string (date-time)	No additional description declared
status	required; string; enum: published, accepted, declined, superseded	No additional description declared
selected_choice	required; string (uuid) or null	No additional description declared
decision_at	required; string (date-time) or null	No additional description declared
decision_actor	required; string or null	No additional description declared
created_at	required; string (date-time)	No additional description declared

Operations

Field	Required / type	Description / constraints
revision	required; integer	No additional description declared
assignee	required; string or null	No additional description declared
due_at	required; string (date-time) or null	No additional description declared
promise_due_at	required; string (date-time) or null	No additional description declared
overdue	required; boolean	No additional description declared
waiting_on_customer	required; boolean	No additional description declared
workflow	required; string; enum: waiting_on_customer, needs_approval, pending_with_paypal, merchant_action, resolved	No additional description declared
next_actor	required; string; enum: customer, merchant, paypal, none	No additional description declared
next_action	required; string	No additional description declared
unread_count	required; integer	No additional description declared
message_watermark	required; integer	No additional description declared
issue_type	required; string or null	No additional description declared

OperationsUpdate

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 0.0
assignee	optional; string or null	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared
waiting_on_customer	optional; boolean	default: false

additionalProperties: false

OrderCancellationTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
shopify_order_id	optional; string or null	No additional description declared
paypal_authorization_id	optional; string or null	No additional description declared

additionalProperties: false

OrderLocator

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"

additionalProperties: false

OrderResolution

Field	Required / type	Description / constraints
order_reference	required; string	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
stage	required; string; enum: no_issue, under_review, action_required, pending, resolved, needs_review	No additional description declared
next_action	required; string; enum: report_issue, wait, open_portal, review_offer, none	No additional description declared
next_step	required; CustomerNextStep	No additional description declared
promises	required; array of PublicPromise	No additional description declared
refund	required; SupportRefund or null	No additional description declared
issue_count	required; integer	No additional description declared
authorizes_payment	optional; boolean	default: false

OwnerAccount

Field	Required / type	Description / constraints
email	required; string	minLength: 3; maxLength: 254; pattern: "^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$"
password	required; string (password)	minLength: 12; maxLength: 256
name	required; string	minLength: 1; maxLength: 100

additionalProperties: false

PackageCreate

Field	Required / type	Description / constraints
dispute_id	required; string	pattern: "^[A-Za-z0-9_-]{1,80}$"
reason	required; string	pattern: "^(item_not_received|not_as_described|unauthorized|credit_not_processed|duplicate_charge|canceled_recurring|other)$"

additionalProperties: false

PackageDetail

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
snapshot_hash	required; string	No additional description declared
reviewed	required; boolean	No additional description declared
stale	required; boolean	No additional description declared
snapshot	required; object	No additional description declared
submitted_to_paypal	required; boolean	No additional description declared

PackagePage

Field	Required / type	Description / constraints
items	required; array of PackageSummary	No additional description declared

PackageReceipt

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
snapshot_hash	required; string	No additional description declared
checklist	required; array of EvidenceChecklist	No additional description declared
submitted_to_paypal	required; boolean	No additional description declared

PackageSummary

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
dispute_id	required; string	No additional description declared
reason	required; string	No additional description declared
snapshot_hash	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared
reviewed_at	required; string (date-time) or null	No additional description declared
reviewer_id	required; string or null	No additional description declared

PayPalCaptureVerification

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
capture_id	required; string	No additional description declared
paypal_merchant_id	required; string	No additional description declared
captured_amount	required; string	No additional description declared
currency	required; string	No additional description declared
capture_status	required; string; enum: COMPLETED, DECLINED, PARTIALLY_REFUNDED, PENDING, REFUNDED, FAILED	No additional description declared
checked_at	required; string (date-time)	No additional description declared
environment	optional; string	default: "sandbox"
capture_details_verified	optional; boolean	default: true
refund_history_verified	optional; boolean	default: false
refund_eligibility_verified	optional; boolean	default: false

PayPalEvidenceFact

Field	Required / type	Description / constraints
kind	required; string; enum: paypal_order, paypal_capture, paypal_refund	No additional description declared
reference	required; string	No additional description declared
status	required; string	No additional description declared
amount	optional; string or null	No additional description declared
currency	optional; string or null	No additional description declared
capture_id	optional; string or null	No additional description declared
provider	optional; string	default: "paypal"
environment	optional; string	default: "sandbox"
verification	optional; string	default: "provider_confirmed"
checked_at	required; string (date-time)	No additional description declared

PayPalFinish

Field	Required / type	Description / constraints
state	required; string (password)	No additional description declared
browser_token	required; string (password)	No additional description declared
code	required; string (password)	No additional description declared

additionalProperties: false

PayPalRedirect

Field	Required / type	Description / constraints
authorize_url	required; string	No additional description declared
browser_token	required; string	No additional description declared

PayPalRefundHistory

Field	Required / type	Description / constraints
order_id	required; string	No additional description declared
capture_id	required; string	No additional description declared
capture_status	required; string; enum: COMPLETED, DECLINED, PARTIALLY_REFUNDED, PENDING, REFUNDED, FAILED	No additional description declared
checked_at	required; string (date-time)	No additional description declared
digest	required; string	No additional description declared
scope	optional; string	default: "sandbox_order_capture"
refund_ids	required; array of string	No additional description declared
completed_amount	required; string	No additional description declared
pending_amount	required; string	No additional description declared
remaining_amount	required; string	No additional description declared

PayPalRefundVerification

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
capture_id	required; string	No additional description declared
refund_id	required; string	No additional description declared
amount	required; string	No additional description declared
currency	required; string	No additional description declared
provider_status	required; string; enum: CANCELLED, FAILED, PENDING, COMPLETED	No additional description declared
checked_at	required; string (date-time)	No additional description declared
execution_id	optional; string (uuid) or null	No additional description declared
environment	optional; string	default: "sandbox"
refund_details_verified	optional; boolean	default: true
refund_history_verified	optional; boolean	default: false

PayPalRefundVerificationCreate

Field	Required / type	Description / constraints
refund_id	required; string	pattern: "^[A-Za-z0-9]{1,64}$"

additionalProperties: false

PayPalResult

Field	Required / type	Description / constraints
intent	required; string; enum: signin, link	No additional description declared
session	optional; IssuedMerchantSession or null	No additional description declared

PayPalStart

Field	Required / type	Description / constraints
intent	optional; string; enum: signin, link	default: "signin"

additionalProperties: false

PaymentReference-Input

Field	Required / type	Description / constraints
capture_id	required; string	minLength: 1; maxLength: 100
captured_amount	required; number or string	No additional description declared
currency	optional; string	default: "USD"

additionalProperties: false

PaymentReference-Output

Field	Required / type	Description / constraints
capture_id	required; string	minLength: 1; maxLength: 100
captured_amount	required; string	No additional description declared
currency	optional; string	default: "USD"

additionalProperties: false

PlatformIdentity

Field	Required / type	Description / constraints
merchant	required; MerchantIdentity	No additional description declared
actor_id	required; string	No additional description declared
role	required; string; enum: owner, manager, finance, agent, viewer	No additional description declared

PolicyUpdate

Field	Required / type	Description / constraints
enabled	optional; boolean	default: false
window_days	required; integer	minimum: 1.0; maximum: 365.0
restocking_fee	optional; number or string	default: "0.00"
shipping_paid_by	optional; string; enum: merchant, buyer	default: "merchant"
inspection_required	optional; boolean	default: true
photos_required	optional; boolean	default: false
excluded_products	optional; array of string	maxItems: 50
instructions	optional; string	minLength: 1; maxLength: 3000; default: "Contact the merchant for return instructions before shipping."
expected_revision	required; integer	minimum: 0.0

additionalProperties: false

PolicyView

Field	Required / type	Description / constraints
revision	required; integer	No additional description declared
policy	required; ReturnPolicy	No additional description declared

PortalCredentials

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared

additionalProperties: false

PortalMessage

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
sender	required; string; enum: merchant, customer	No additional description declared
body	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared

Prerequisite

Field	Required / type	Description / constraints
name	required; string	No additional description declared
done	required; boolean	No additional description declared

PromiseHealth

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
case_title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
refund_case_id	required; string (uuid)	No additional description declared
promise_id	required; string (uuid)	No additional description declared
promise_revision	required; integer	No additional description declared
promise	required; string	No additional description declared
status	required; string; enum: kept, partially_kept, at_risk, broken	No additional description declared
currency	required; string	No additional description declared
promised_amount	required; string	No additional description declared
refunded_amount	required; string	No additional description declared
pending_amount	required; string	No additional description declared
remaining_amount	required; string	No additional description declared
captured_amount	required; string	No additional description declared
suggested_refund_amount	required; string	No additional description declared
promised_at	required; string (date-time)	No additional description declared
deadline	required; string (date-time)	No additional description declared
days_since_promise	required; integer	No additional description declared
overdue	required; boolean	No additional description declared
ledger_ahead_of_provider	required; boolean	No additional description declared

PromiseHealthPage

Field	Required / type	Description / constraints
overdue_after_days	required; integer	No additional description declared
items	required; array of PromiseHealth	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
cases_checked	required; integer	No additional description declared

PromiseProposal

Field	Required / type	Description / constraints
kind	required; string; enum: refund, return, replacement, order_cancellation, subscription, store_credit_or_exchange, billing_correction, dispute_handoff	No additional description declared
amount_cents	optional; integer or null	No additional description declared
action	optional; string or null	Target action for subscription, store credit/exchange and billing kinds.
condition	optional; string or null	No additional description declared
deadline	optional; string or null	No additional description declared
source_message_id	required; string	minLength: 1; maxLength: 80
exact_quote	required; string	minLength: 1; maxLength: 1000
confidence	required; number	minimum: 0.0; maximum: 1.0
needs_review	required; boolean	No additional description declared
supporting_message_ids	optional; array of string	Later merchant messages restating this promise with the same amount and action.
possible_revision	optional; boolean	An earlier message has a same-kind proposal with a different amount or action.; default: false

PromiseRevision

Field	Required / type	Description / constraints
promise	required; string	minLength: 1; maxLength: 3000
source_note	required; string	minLength: 1; maxLength: 3000
source_reference	optional; string or null	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared
requires	optional; array of string (uuid)	maxItems: 8
target	required; one of: RefundTarget-Input, ReturnTarget, ReplacementTarget, OrderCancellationTarget, SubscriptionTarget, StoreCreditOrExchangeTarget-Input, BillingCorrectionTarget, DisputeHandoffTarget	No additional description declared
expected_revision	required; integer	minimum: 1.0

additionalProperties: false

PromiseTerms-Input

Field	Required / type	Description / constraints
promise	required; string	minLength: 1; maxLength: 3000
source_note	required; string	minLength: 1; maxLength: 3000
source_reference	optional; string or null	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared
requires	optional; array of string (uuid)	maxItems: 8
target	required; one of: RefundTarget-Input, ReturnTarget, ReplacementTarget, OrderCancellationTarget, SubscriptionTarget, StoreCreditOrExchangeTarget-Input, BillingCorrectionTarget, DisputeHandoffTarget	No additional description declared

additionalProperties: false

PromiseTerms-Output

Field	Required / type	Description / constraints
promise	required; string	minLength: 1; maxLength: 3000
source_note	required; string	minLength: 1; maxLength: 3000
source_reference	optional; string or null	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared
requires	optional; array of string (uuid)	maxItems: 8
target	required; one of: RefundTarget-Output, ReturnTarget, ReplacementTarget, OrderCancellationTarget, SubscriptionTarget, StoreCreditOrExchangeTarget-Output, BillingCorrectionTarget, DisputeHandoffTarget	No additional description declared

additionalProperties: false

PromiseView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
revision	required; integer	No additional description declared
terms	required; PromiseTerms-Output	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
evidence_source	required; string; enum: merchant_recorded, provider_confirmed, system	No additional description declared
reason	required; string	No additional description declared
checked_at	optional; string (date-time) or null	No additional description declared
overdue	required; boolean	No additional description declared
provider_proofs	optional; array of ProviderProof	No additional description declared
refund_progress	optional; RefundProgress or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared

ProviderProof

Field	Required / type	Description / constraints
provider	required; string; enum: paypal, shopify, easypost	No additional description declared
resource_id	required; string	No additional description declared
status	required; string	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
detail	required; string	No additional description declared
environment	optional; string; enum: sandbox, test, production or null	No additional description declared
response_due_at	optional; string (date-time) or null	No additional description declared
amount	optional; string or null	No additional description declared
currency	optional; string or null	No additional description declared

PublicPromise

Field	Required / type	Description / constraints
kind	required; string; enum: refund, return, replacement, order_cancellation, subscription, store_credit_or_exchange, billing_correction, dispute_handoff	No additional description declared
promise	required; string	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
due_at	optional; string (date-time) or null	No additional description declared
provider_confirmed	required; boolean	No additional description declared

PublicRefund

Field	Required / type	Description / constraints
promised_amount	required; string	No additional description declared
confirmed_amount	required; string or null	No additional description declared
pending_amount	required; string or null	No additional description declared
outstanding_amount	required; string or null	No additional description declared
verification	required; string; enum: current, unverified	No additional description declared
currency	optional; string	default: "USD"
environment	optional; string	default: "sandbox"

PublicReturnPolicy

Field	Required / type	Description / constraints
policy_enabled	required; boolean	No additional description declared
revision	required; integer	No additional description declared
window_days	required; integer or null	No additional description declared
shipping_paid_by	required; string; enum: merchant, buyer or null	No additional description declared
restocking_fee	required; string or null	No additional description declared
currency	optional; string	default: "USD"
inspection_required	required; boolean	No additional description declared
evidence_required	required; boolean	No additional description declared
instructions	required; string	No additional description declared

RankedOption

Field	Required / type	Description / constraints
option_id	required; string; enum: refund_after_return, partial_refund	No additional description declared
reason	required; string	No additional description declared

ReconciliationResponse

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
capture_verification	optional; PayPalCaptureVerification or null	No additional description declared
refund_verifications	optional; array of PayPalRefundVerification	No additional description declared
paypal_refund_history	optional; PayPalRefundHistory or null	No additional description declared
paypal_history_current	optional; boolean	default: false
resolution_promise_fingerprint	optional; string or null	No additional description declared
active_refund_execution_id	optional; string (uuid) or null	No additional description declared
failed_refund_execution_id	optional; string (uuid) or null	No additional description declared
state_fingerprint	required; string	pattern: "^[a-f0-9]{64}$"
currency	required; string	No additional description declared
captured_amount	required; string	No additional description declared
committed_amount	required; string or null	No additional description declared
completed_refund_amount	required; string	No additional description declared
pending_refund_amount	required; string	No additional description declared
failed_refund_amount	required; string	No additional description declared
outstanding_commitment_amount	required; string or null	No additional description declared
uncovered_commitment_amount	required; string or null	No additional description declared
remaining_refundable_amount	required; string	No additional description declared
recommended_refund_amount	required; string	No additional description declared
condition_check	required; ConditionCheck or null	No additional description declared
status	required; string; enum: no_commitment, awaiting_acceptance, refund_pending, fulfilled, awaiting_condition, refund_required, execution_pending, execution_failed, closed, provider_review, promise_review, awaiting_prerequisite	No additional description declared
next_action	required; string; enum: review_complaint, confirm_agreement, monitor_pending_refund, none, verify_condition, request_merchant_approval, monitor_refund_execution, review_failed_execution, review_provider_evidence, review_resolution_promise, verify_resolution_prerequisite	No additional description declared

Field	Required / type	Description / constraints
verified_with_paypal	optional; boolean	default: false

RedeemSignIn

Field	Required / type	Description / constraints
token	required; string (password)	No additional description declared

additionalProperties: false

RefreshEvidence

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 1.0

additionalProperties: false

RefundApproval

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
request_id	required; string (uuid)	No additional description declared
capture_id	required; string	No additional description declared
amount	required; string	No additional description declared
currency	required; string	No additional description declared
state_fingerprint	required; string	No additional description declared
decision_note	required; string	No additional description declared
status	required; string; enum: approved, revoked, expired, invalidated	No additional description declared
approved_at	required; string (date-time)	No additional description declared
expires_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared
status_reason	required; string	No additional description declared
basis	required; ReconciliationResponse	No additional description declared
verified_with_paypal	optional; boolean	default: false

RefundApprovalCreate

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
capture_id	required; string	minLength: 1; maxLength: 100
amount	required; number or string	No additional description declared
currency	optional; string	default: "USD"
state_fingerprint	required; string	pattern: "^[a-f0-9]{64}$"
decision_note	required; string	minLength: 1; maxLength: 5000

additionalProperties: false

RefundApprovalEvent

Field	Required / type	Description / constraints
sequence	required; integer	No additional description declared
approval_id	required; string (uuid)	No additional description declared
event_type	required; string; enum: approved, revoked, expired, invalidated	No additional description declared
actor_merchant_id	required; string (uuid) or null	No additional description declared
note	required; string	No additional description declared
recorded_at	required; string (date-time)	No additional description declared

RefundApprovalRevoke

Field	Required / type	Description / constraints
reason	required; string	minLength: 1; maxLength: 5000

additionalProperties: false

RefundCommitment-Input

Field	Required / type	Description / constraints
amount	required; number or string	No additional description declared
currency	optional; string	default: "USD"
source_message	required; string	minLength: 1; maxLength: 5000
condition	optional; string or null	No additional description declared
status	optional; string; enum: proposed, accepted	default: "proposed"

additionalProperties: false

RefundCommitment-Output

Field	Required / type	Description / constraints
amount	required; string	No additional description declared
currency	optional; string	default: "USD"
source_message	required; string	minLength: 1; maxLength: 5000
condition	optional; string or null	No additional description declared
status	optional; string; enum: proposed, accepted	default: "proposed"

additionalProperties: false

RefundExecution

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
capture_id	required; string	No additional description declared
approval_id	required; string (uuid)	No additional description declared
request_id	required; string (uuid)	No additional description declared
provider_request_id	required; string (uuid)	No additional description declared
amount	required; string	No additional description declared
currency	required; string	No additional description declared
status	required; string; enum: reserved, submitting, unknown, pending, completed, failed	No additional description declared
attempt_count	required; integer	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared
lease_expires_at	optional; string (date-time) or null	No additional description declared
error_code	optional; string or null	No additional description declared
approval_snapshot	required; RefundApproval	No additional description declared
final_capture_check	required; ExecutionCaptureCheck	No additional description declared
provider_refund	optional; PayPalRefundVerification or null	No additional description declared
environment	optional; string	default: "sandbox"
full_refund_only	optional; boolean	default: true

RefundExecutionCreate

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
approval_id	required; string (uuid)	No additional description declared

additionalProperties: false

RefundExecutionEvent

Field	Required / type	Description / constraints
sequence	required; integer	No additional description declared
execution_id	required; string (uuid)	No additional description declared
status	required; string; enum: reserved, submitting, unknown, pending, completed, failed	No additional description declared
note	required; string	No additional description declared
recorded_at	required; string (date-time)	No additional description declared
snapshot	optional; object or null	No additional description declared

RefundFacts

Field	Required / type	Description / constraints
promise_id	required; string (uuid)	No additional description declared
promised_amount	required; string	No additional description declared
refunded_amount	required; string	No additional description declared
pending_amount	required; string	No additional description declared
remaining_amount	required; string	No additional description declared
due_date	required; string (date) or null	No additional description declared
days_since_promise	required; integer	No additional description declared
prerequisites	required; array of Prerequisite	No additional description declared

RefundJourney

Field	Required / type	Description / constraints
stage	required; string; enum: not_promised, needs_verification, promised, processor_pending, sent_to_original_method, buyer_reports_received, needs_review	No additional description declared
explanation	required; string	No additional description declared
last_checked_at	required; string (date-time) or null	No additional description declared
buyer_reported_received_at	required; string (date-time) or null	No additional description declared
bank_receipt_verified	optional; boolean	default: false
resolution	required; OrderResolution	No additional description declared
traces	required; array of TraceView	No additional description declared
authorizes_payment	optional; boolean	default: false

RefundProgress

Field	Required / type	Description / constraints
refund_case_id	required; string (uuid)	No additional description declared
captured_amount	required; string	No additional description declared
promised_amount	required; string	No additional description declared
provider_completed_amount	required; string	No additional description declared
provider_pending_amount	required; string	No additional description declared
outstanding_amount	required; string	No additional description declared
history_current	required; boolean	No additional description declared
verified_remaining_refundable_amount	optional; string or null	No additional description declared
refund_ids	required; array of string	No additional description declared

RefundRecord-Input

Field	Required / type	Description / constraints
refund_id	required; string	minLength: 1; maxLength: 100
capture_id	required; string	minLength: 1; maxLength: 100
amount	required; number or string	No additional description declared
currency	optional; string	default: "USD"
status	required; string; enum: pending, completed, failed	No additional description declared

additionalProperties: false

RefundRecord-Output

Field	Required / type	Description / constraints
refund_id	required; string	minLength: 1; maxLength: 100
capture_id	required; string	minLength: 1; maxLength: 100
amount	required; string	No additional description declared
currency	optional; string	default: "USD"
status	required; string; enum: pending, completed, failed	No additional description declared

additionalProperties: false

RefundStatusUpdate

Field	Required / type	Description / constraints
status	required; string; enum: pending, completed, failed	No additional description declared

additionalProperties: false

RefundTarget-Input

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
amount	required; number or string	No additional description declared
currency	optional; string	default: "USD"

additionalProperties: false

RefundTarget-Output

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
amount	required; string	No additional description declared
currency	optional; string	default: "USD"

additionalProperties: false

RemedyFacts

Field	Required / type	Description / constraints
payment_linked	required; boolean	No additional description declared
currency	optional; string	default: "USD"
captured_amount	optional; string or null	No additional description declared
completed_refund_amount	optional; string or null	No additional description declared
pending_refund_amount	optional; string or null	No additional description declared
refundable_amount	optional; string or null	No additional description declared
payment_hold	optional; boolean	default: false
return_policy_enabled	required; boolean	No additional description declared
return_policy_revision	required; integer	No additional description declared
restocking_fee	required; string	No additional description declared
return_window_days	required; integer or null	No additional description declared
inspection_required	required; boolean	No additional description declared
partial_refund_percent	required; integer	No additional description declared

RemedyOption

Field	Required / type	Description / constraints
id	required; string; enum: refund_after_return, partial_refund	No additional description declared
title	required; string	No additional description declared
description	required; string	No additional description declared
amount	required; string	No additional description declared
currency	required; string	No additional description declared
requires_return	required; boolean	No additional description declared
return_milestone	optional; string; enum: warehouse_received, inspection_passed or null	No additional description declared
reason	required; string	No additional description declared

RemedyRanking

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
source	required; string; enum: ai, code	No additional description declared
label	required; string or null	No additional description declared
fallback_reason	required; string or null	No additional description declared
issue	required; string; enum: damaged, not_received, wrong_item, not_as_described, changed_mind, other, unknown	No additional description declared
buyer_preference	required; string; enum: full_refund, partial_refund, replacement, store_credit, keep_item, unknown	No additional description declared
ranking	required; array of RankedOption	No additional description declared
buyer_message	required; string	No additional description declared
guard_violations	optional; array of string	No additional description declared
model	optional; string or null	No additional description declared
tokens	optional; integer	default: 0
cache_hit	optional; boolean	default: false

RemedySuggestions

Field	Required / type	Description / constraints
case_id	required; string (uuid)	No additional description declared
facts	required; RemedyFacts	No additional description declared
options	required; array of RemedyOption	No additional description declared
unavailable	required; array of Unavailable	No additional description declared

ReplacementTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
replacement_reference	required; string	minLength: 1; maxLength: 160
milestone	required; string; enum: shipped, delivered	No additional description declared
tracking	required; TrackingReference	No additional description declared

additionalProperties: false

ResolutionCreate

Field	Required / type	Description / constraints
title	required; string	minLength: 1; maxLength: 160
order_reference	optional; string or null	No additional description declared
refund_case_id	optional; string (uuid) or null	No additional description declared

additionalProperties: false

ResolutionEvent

Field	Required / type	Description / constraints
sequence	required; integer	No additional description declared
id	required; string (uuid)	No additional description declared
promise_id	required; string (uuid) or null	No additional description declared
revision	required; integer or null	No additional description declared
event_type	required; string	No additional description declared
source	required; string; enum: merchant_recorded, provider_confirmed, system	No additional description declared
actor_merchant_id	required; string (uuid) or null	No additional description declared
recorded_at	required; string (date-time)	No additional description declared
data	required; object	No additional description declared

ResolutionPage

Field	Required / type	Description / constraints
items	required; array of ResolutionSummary	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

ResolutionPaymentLink

Field	Required / type	Description / constraints
refund_case_id	required; string (uuid)	No additional description declared

additionalProperties: false

ResolutionSummary

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
refund_case_id	required; string (uuid) or null	No additional description declared
created_at	required; string (date-time)	No additional description declared

ResolutionTime

Field	Required / type	Description / constraints
sample_count	required; integer	No additional description declared
average_hours	required; number or null	No additional description declared

ResolutionTimeline

Field	Required / type	Description / constraints
items	required; array of ResolutionEvent	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared
next_before_sequence	optional; integer or null	No additional description declared
refund_items	optional; array of CaseTimelineEntry	No additional description declared
refund_total	optional; integer	default: 0

ResolutionView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
title	required; string	No additional description declared
order_reference	required; string or null	No additional description declared
refund_case_id	required; string (uuid) or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
outcome	required; string; enum: waiting, pending, fulfilled, needs_review	No additional description declared
promises	required; array of PromiseView	No additional description declared

ReturnCatalog

Field	Required / type	Description / constraints
orders	required; array of ReturnableOrder	No additional description declared
items	required; array of ReturnView	No additional description declared

ReturnCreate

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
order_id	required; string (uuid)	No additional description declared
items	required; array of ReturnItem	minItems: 1; maxItems: 50
reason	required; string	minLength: 1; maxLength: 2000
delivered_at	optional; string (date-time) or null	No additional description declared

additionalProperties: false

ReturnGuideView

Field	Required / type	Description / constraints
policy_enabled	required; boolean	No additional description declared
revision	required; integer	No additional description declared
instructions	required; string	No additional description declared
return_address	required; string	No additional description declared
shipping_paid_by	required; string; enum: merchant, buyer	No additional description declared
restocking_fee	required; string or null	No additional description declared
currency	required; string	No additional description declared
labels	required; array of LabelMetadata	No additional description declared
eligibility	required; EligibilityView or null	No additional description declared
inspection_status	required; string; enum: unknown, clear, needs_review, reject	No additional description declared
policy_revision	required; integer	No additional description declared
save_label_for_later	required; boolean	No additional description declared

ReturnItem

Field	Required / type	Description / constraints
product_id	required; string	minLength: 1; maxLength: 160
quantity	required; integer	minimum: 1.0; maximum: 10000.0

additionalProperties: false

ReturnLabelFile

Field	Required / type	Description / constraints
filename	required; string	No additional description declared
content_type	required; string	No additional description declared
content_base64	required; string	No additional description declared

ReturnLocator

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
return_id	required; string (uuid)	No additional description declared

additionalProperties: false

ReturnPolicy

Field	Required / type	Description / constraints
enabled	optional; boolean	default: false
window_days	required; integer	minimum: 1.0; maximum: 365.0
restocking_fee	optional; string	default: "0.00"
shipping_paid_by	optional; string; enum: merchant, buyer	default: "merchant"
inspection_required	optional; boolean	default: true
photos_required	optional; boolean	default: false
excluded_products	optional; array of string	maxItems: 50
instructions	optional; string	minLength: 1; maxLength: 3000; default: "Contact the merchant for return instructions before shipping."

additionalProperties: false

ReturnTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
milestone	required; string; enum: carrier_delivered, warehouse_received, inspection_passed	No additional description declared
return_reference	required; string	minLength: 1; maxLength: 160
tracking	optional; TrackingReference or null	No additional description declared

additionalProperties: false

ReturnUpdate

Field	Required / type	Description / constraints
expected_revision	required; integer	minimum: 1.0
action	required; string	pattern: "^(approve|reject|ship_return|receive|pass_inspection|ship_replacement|complete)$"
note	required; string	minLength: 1; maxLength: 2000
shipment	optional; Shipment or null	No additional description declared
promise_id	optional; string (uuid) or null	No additional description declared
promise_revision	optional; integer or null	No additional description declared

additionalProperties: false

ReturnView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid)	No additional description declared
order_id	required; string (uuid)	No additional description declared
request_id	required; string (uuid)	No additional description declared
revision	required; integer	No additional description declared
status	required; string; enum: requested, approved, rejected, in_transit, received, inspection_passed, replacement_shipped, completed	No additional description declared
items	required; array of ReturnItem	No additional description declared
reason	required; string	No additional description declared
tracking	required; Shipment or null	No additional description declared
replacement	required; Shipment or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared

ReturnableItem

Field	Required / type	Description / constraints
product_id	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
name	optional; string or null	No additional description declared
sku	optional; string or null	No additional description declared
quantity	required; integer	minimum: 1.0; maximum: 1000000.0
unit_amount	optional; string or null	No additional description declared
available_quantity	required; integer	No additional description declared

additionalProperties: false

ReturnableOrder

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
order_reference	required; string	No additional description declared
items	required; array of ReturnableItem	No additional description declared

ReviewException

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
capture_id	required; string or null	No additional description declared
source_key	required; string	No additional description declared
reason	required; string	No additional description declared
status	required; string; enum: open, resolved	No additional description declared
blocking	required; boolean	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared
resolution_note	required; string or null	No additional description declared

ReviewPage

Field	Required / type	Description / constraints
items	required; array of ReviewException	No additional description declared
total	required; integer	No additional description declared
limit	required; integer	No additional description declared
offset	required; integer	No additional description declared

ReviewReceipt

Field	Required / type	Description / constraints
expected_revision	required; integer	exclusiveMinimum: 0.0
evidence_snapshot	required; string	pattern: "^[a-f0-9]{64}$"
decision	required; string; enum: approve, reject, request_evidence	No additional description declared
reviewer_merchant_id	required; string (uuid)	No additional description declared
reviewer_identity	required; string	No additional description declared
reviewed_at	required; string (date-time)	No additional description declared
authorizes_payment	optional; boolean	default: false

additionalProperties: false

Shipment

Field	Required / type	Description / constraints
carrier	required; string	minLength: 1; maxLength: 60
tracking_code	required; string	minLength: 1; maxLength: 100
reference	required; string	minLength: 1; maxLength: 160

additionalProperties: false

Signup

Field	Required / type	Description / constraints
email	required; string	minLength: 3; maxLength: 254; pattern: "^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$"
password	required; string (password)	minLength: 12; maxLength: 256
workspace	required; string	minLength: 1; maxLength: 100
name	required; string	minLength: 1; maxLength: 100

additionalProperties: false

StaffPage

Field	Required / type	Description / constraints
items	required; array of StaffView	No additional description declared

StaffUpdate

Field	Required / type	Description / constraints
role	required; string	pattern: "^(owner|manager|finance|agent|viewer)$"
active	required; boolean	No additional description declared

additionalProperties: false

StaffView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
email	required; string	No additional description declared
name	required; string	No additional description declared
role	required; string; enum: owner, manager, finance, agent, viewer	No additional description declared
active	required; integer	No additional description declared
created_at	required; string (date-time)	No additional description declared

StoreCreditOrExchangeTarget-Input

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
action	required; string; enum: store_credit, exchange	No additional description declared
credit_transaction_id	optional; string or null	No additional description declared
credit_account_id	optional; string or null	No additional description declared
amount	optional; number or string or null	No additional description declared
currency	optional; string or null	No additional description declared
fulfillment_id	optional; string or null	No additional description declared
shopify_order_id	optional; string or null	No additional description declared
exchange_line_item_id	optional; string or null	No additional description declared

additionalProperties: false

StoreCreditOrExchangeTarget-Output

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
action	required; string; enum: store_credit, exchange	No additional description declared
credit_transaction_id	optional; string or null	No additional description declared
credit_account_id	optional; string or null	No additional description declared
amount	optional; string or null	No additional description declared
currency	optional; string or null	No additional description declared
fulfillment_id	optional; string or null	No additional description declared
shopify_order_id	optional; string or null	No additional description declared
exchange_line_item_id	optional; string or null	No additional description declared

additionalProperties: false

SubscriptionTarget

Field	Required / type	Description / constraints
kind	required; string	No additional description declared
paypal_subscription_id	required; string	pattern: "^[A-Za-z0-9_-]{1,80}$"
action	required; string; enum: cancel, pause	No additional description declared

additionalProperties: false

SupportKeyInput

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"

additionalProperties: false

SupportKeyReceipt

Field	Required / type	Description / constraints
key_id	required; string (uuid)	No additional description declared
api_key	required; string	No additional description declared
source	required; string	No additional description declared
capabilities	required; array of string; enum: order_sync, customer_support	No additional description declared

SupportRefund

Field	Required / type	Description / constraints
promised_amount	required; string or null	No additional description declared
completed_amount	required; string or null	No additional description declared
pending_amount	required; string or null	No additional description declared
remaining_amount	required; string or null	No additional description declared
currency	optional; string	default: "USD"
environment	optional; string	default: "sandbox"
verification	required; string; enum: current, unverified	No additional description declared
last_checked_at	required; string (date-time) or null	No additional description declared

SupportRequestPage

Field	Required / type	Description / constraints
items	required; array of SupportRequestView	No additional description declared

SupportRequestView

Field	Required / type	Description / constraints
issue_id	required; string (uuid)	No additional description declared
source	required; string	No additional description declared
reason	required; string	No additional description declared
requested_resolution	required; string	No additional description declared
message	required; string	No additional description declared
created_at	required; string (date-time)	No additional description declared

SupportReturn

Field	Required / type	Description / constraints
source	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.-]{0,63}$"
order_reference	required; string	pattern: "^[A-Za-z0-9][A-Za-z0-9_.:/-]{0,159}$"
items	required; array of ReturnItem	minItems: 1; maxItems: 50
delivered_at	optional; string (date-time) or null	No additional description declared
request_id	required; string (uuid)	No additional description declared
reason	required; string	minLength: 1; maxLength: 2000

additionalProperties: false

TicketDetail

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
provider	required; string	No additional description declared
ticket_id	required; string	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
order_reference	required; string or null	No additional description declared
title	required; string	No additional description declared
state	required; string; enum: matched, needs_match	No additional description declared
suggestions	required; ExtractionResult or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared
messages	required; array of TicketMessage	No additional description declared

TicketImport

Field	Required / type	Description / constraints
ticket_id	required; integer	maximum: 9007199254740991.0; exclusiveMinimum: 0.0

additionalProperties: false

TicketInput

Field	Required / type	Description / constraints
ticket_id	required; integer	maximum: 9007199254740991.0; exclusiveMinimum: 0.0

additionalProperties: false

TicketMessage

Field	Required / type	Description / constraints
source_id	required; string	No additional description declared
sender	required; string; enum: buyer, merchant	No additional description declared
body	required; string	No additional description declared
public	required; integer	No additional description declared
sent_at	required; string (date-time)	No additional description declared

TicketPage

Field	Required / type	Description / constraints
items	required; array of TicketView	No additional description declared

TicketView

Field	Required / type	Description / constraints
id	required; string (uuid)	No additional description declared
merchant_id	required; string (uuid)	No additional description declared
provider	required; string	No additional description declared
ticket_id	required; string	No additional description declared
case_id	required; string (uuid) or null	No additional description declared
order_reference	required; string or null	No additional description declared
title	required; string	No additional description declared
state	required; string; enum: matched, needs_match	No additional description declared
suggestions	required; ExtractionResult or null	No additional description declared
created_at	required; string (date-time)	No additional description declared
updated_at	required; string (date-time)	No additional description declared

TraceInput

Field	Required / type	Description / constraints
request_id	required; string (uuid)	No additional description declared
refund_id	required; string	pattern: "^[A-Za-z0-9_-]{1,80}$"
reference_type	required; string; enum: ARN, STAN, RRN, bank_reference	No additional description declared
reference	required; string	pattern: "^[A-Za-z0-9 -]{4,100}$"
stage	required; string; enum: initiated, processor_pending, sent_to_bank, bank_processing, failed	No additional description declared
expected_by	optional; string (date-time) or null	No additional description declared
note	required; string	minLength: 1; maxLength: 1000

additionalProperties: false

TraceView

Field	Required / type	Description / constraints
refund_id	required; string	No additional description declared
reference_type	required; string	No additional description declared
reference	required; string	No additional description declared
stage	required; string	No additional description declared
expected_by	required; string (date-time) or null	No additional description declared
source	required; string	No additional description declared
recorded_at	required; string (date-time)	No additional description declared

TrackingReference

Field	Required / type	Description / constraints
tracker_id	required; string	pattern: "^trk_[A-Za-z0-9]{1,80}$"
tracking_code	required; string	pattern: "^[A-Za-z0-9 -]{1,100}$"
carrier	required; string	pattern: "^[A-Za-z0-9_ -]{1,60}$"

additionalProperties: false

Unavailable

Field	Required / type	Description / constraints
kind	required; string; enum: refund_after_return, partial_refund, store_credit, replacement	No additional description declared
reason	required; string	No additional description declared

UsageCall

Field	Required / type	Description / constraints
at	required; string (date-time)	No additional description declared
case_id	required; string (uuid)	No additional description declared
tokens	required; integer	No additional description declared
cache_hit	required; boolean	No additional description declared
skipped_reason	required; string; enum: extraction_disabled, no_messages, no_merchant_messages, not_configured, data_policy_blocked, budget_exceeded or null	No additional description declared
status	required; string; enum: ok, needs_review	No additional description declared

UsageSummary

Field	Required / type	Description / constraints
date	required; string	No additional description declared
scope	optional; string	default: "process_memory"
tokens	required; integer	No additional description declared
daily_token_limit	required; integer	No additional description declared
remaining_tokens	required; integer	No additional description declared
model_calls	required; integer	No additional description declared
cache_hits	required; integer	No additional description declared
skipped	required; object	No additional description declared
calls	required; array of UsageCall	No additional description declared

ValidationError

Field	Required / type	Description / constraints
loc	required; array of string or integer	No additional description declared
msg	required; string	No additional description declared
type	required; string	No additional description declared
input	optional; object	No additional description declared
ctx	optional; object	No additional description declared