

Finding the neighbourhood Restaurants in Cologne



The Restaurant Battle of Neighborhoods in Cologne


Cologne, the city the author lives in, attracts a large number of tourists, not least due to its famous cathedral, the trade fairs and conventions, its vibrant party scene. For tourists, finding the right place to eat can be a challenge, though. German dishes include a lot of meat, often pork, which many people do not want to eat for health-related, religious, cultural, or moral reasons. This is just one motive for giving tourists a good overview about what to eat where.

Thus, the goal I want to reach with this exercise is to give a simple recommendation to tourists in Cologne: in which district of the city will you find a large number or even concentration of which types of restaurants? Where to eat Mediterranean food, where to find German food, where to get fast food? The target audience are foreign tourists.






Data Preparation

I will, as requested by the assignment task, use foursquare data about restaurants in Cologne. Foursquare is a US tech company from New York focusing on location data. Their technology and data powers apps such as Apple's Maps, Uber, Twitter, and many other household names. I will use foursquare data such as the restaurant name, ID, location, and category of food (vegetarian, Italian etc.).

Also, I will use the overview of districts/city parts of Cologne from Wikipedia



The screenshot shows the Wikipedia article "Districts of Cologne". It includes a table titled "Districts" with columns: Map, Coat, City district, City parts, Area, Population¹, Pop. density, District Councils, and Town Hall. The table lists District 1 Köln-Innenstadt and District 2 Köln-Deutz.

Map	Coat	City district	City parts	Area	Population ¹	Pop. density	District Councils	Town Hall
		District 1 Köln-Innenstadt	Altstadt-Nord, Altstadt-Süd, Deutz, Neustadt-Nord, Neustadt-Süd	16.4 km²	127.033	7.746/km²	Bezirksamt Innenstadt Brückenstraße 19, D-50667 Köln	[Insert Image Here]
		District 2 Köln-Deutz	Bayenthal, Godorf, Hahnwald, Immendorf, Molenberg, Molenberg-Süd, Rodenkirchen, Rodenkirchen-Süd	54.6 km²	100.036	1.830/km²	Bezirksamt Rodenkirchen	

Here, you will find a table "Districts" which shows the nine city districts and its neighborhoods/city parts. I will use these districts and the data about restaurants in these districts from foursquare to show the density of restaurants in them.

Data acquisition and cleaning

Starting out, I scraped data from Wikipedia to create a dataframe with the city districts of Cologne. For this, I used the pandas read function. I had to clean the resulting data frame in


terms of unnecessary information or data that could not be handled in a data frame, such as picture data of the coat of arms of each district. The result is a nice data frame:

	City district	City parts	Area	Population1	Pop. density	District Councils
0	Köln-Innenstadt	Altstadt-Nord, Altstadt-Süd, Deutz, Neustadt-N...	16.4 km²	127.033	7.746/km²	Bezirksamt Innenstadt Brückenstraße 19, D-50...
1	Köln-Rodenkirchen	Bayenthal, Godorf, Hahnwald, Immendorf, Marien...	54.6 km²	100.936	1.850/km²	Bezirksamt Rodenkirchen Hauptstraße 85, D-5099...
2	Köln-Lindenthal	Braunsfeld, Junkersdorf, Klettenberg, Lindenth...	41.6 km²	137.552	3.308/km²	Bezirksamt Lindenthal Aachener Straße 220, 509...
3	Köln-Ehrenfeld	Bickendorf, Bocklemünd/Mengenich, Ehrenfeld, N...	23.8 km²	103.621	4.348/km²	Bezirksamt Ehrenfeld Venloer Straße 419 – 421,...
4	Köln-Nippes	Bilderstöckchen, Longerich, Mauenheim, Niehl, ...	31.8 km²	110.092	3.462/km²	Bezirksamt NippesNeusser Straße 450,D-50733 Köln
5	Köln-Chorweiler	Blumenberg, Chorweiler, Esch/Auweiler, Fühling...	67.2 km²	80.870	1.204/km²	Bezirksamt Chorweiler Pariser Platz 1, D-50765...
6	Köln-Porz	Eil, Elsdorf, Ensen, Finkenber, Gremberghoven...	78.8 km²	106.520	1.352/km²	Bezirksamt PorzFriedrich-Ebert-Ufer 64–70, D-5...
7	Köln-Kalk	Brück, Höhenberg, Humboldt/Gremberg, Kalk, Mer...	38.2 km²	108.330	2.841/km²	Bezirksamt KalkKalker Hauptstraße 247–273,D-51...
8	Köln-Mülheim	Buchforst, Buchheim, Dellbrück, Dünnwald, Flit...	52.2 km²	144.374	2.764/km²	Bezirksamt Mülheim Wiener Platz 2a,D-51065 Köln

Then, I enabled geopy functions by installing the conda-forge geopy package. I used the nominatim function to add geospatial data to the data frame, that is the latitude and the longitude seen on the right side of the following table.

	City district	City parts	Area	Population1	Pop. density	District Councils	Latitude	Longitude
0	Köln-Innenstadt	Altstadt-Nord, Altstadt-Süd, Deutz, Neustadt-N...	16.4 km²	127.033	7.746/km²	Bezirksamt Innenstadt Brückenstraße 19, D-50...	50.937328	6.959234
1	Köln-Rodenkirchen	Bayenthal, Godorf, Hahnwald, Immendorf, Marien...	54.6 km²	100.936	1.850/km²	Bezirksamt Rodenkirchen Hauptstraße 85, D-5099...	50.865622	6.969718
2	Köln-Lindenthal	Braunsfeld, Junkersdorf, Klettenberg, Lindenth...	41.6 km²	137.552	3.308/km²	Bezirksamt Lindenthal Aachener Straße 220, 509...	50.935935	6.871246
3	Köln-Ehrenfeld	Bickendorf, Bocklemünd/Mengenich, Ehrenfeld, N...	23.8 km²	103.621	4.348/km²	Bezirksamt Ehrenfeld Venloer Straße 419 – 421,...	50.951502	6.916529
4	Köln-Nippes	Bilderstöckchen, Longerich, Mauenheim, Niehl, ...	31.8 km²	110.092	3.462/km²	Bezirksamt NippesNeusser Straße 450,D-50733 Köln	50.958994	6.941777
5	Köln-Chorweiler	Blumenberg, Chorweiler, Esch/Auweiler, Fühling...	67.2 km²	80.870	1.204/km²	Bezirksamt Chorweiler Pariser Platz 1, D-50765...	51.021167	6.898034
6	Köln-Porz	Eil, Elsdorf, Ensen, Finkenber, Gremberghoven...	78.8 km²	106.520	1.352/km²	Bezirksamt PorzFriedrich-Ebert-Ufer 64–70, D-5...	50.906705	6.999129
7	Köln-Kalk	Brück, Höhenberg, Humboldt/Gremberg, Kalk, Mer...	38.2 km²	108.330	2.841/km²	Bezirksamt KalkKalker Hauptstraße 247–273,D-51...	50.931923	7.005806
8	Köln-Mülheim	Buchforst, Buchheim, Dellbrück, Dünnwald, Flit...	52.2 km²	144.374	2.764/km²	Bezirksamt Mülheim Wiener Platz 2a,D-51065 Köln	50.958147	7.013526

Visualization of city parts



Now, foursquare data comes into play. I first did a view try-outs for the city district "Innenstadt", which I know pretty well, to see if the venues retrieved from foursquare seem reasonable and correct. That was the case.

To find clusters of restaurant types in the different city districts, I first transformed the data frame with the restaurant venues, associated to city districts, by one-hot encoding (0/1), as seen in the picture below.

	Neighborhood	American Restaurant	Asian Restaurant	Austrian Restaurant	Chinese Restaurant	Comfort Food Restaurant	Doner Restaurant	Eastern European Restaurant	Falafel Restaurant	Fast Food Restaurant	French Restaurant	German Restaurant	Greek Restaurant	Indian Restaurant	Italian Restaurant	Japanese Restaurant	Kebab Restaurant	Kurdish Restaurant	A Re
1	Köln-Innenstadt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	Köln-Innenstadt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3	Köln-Innenstadt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4	Köln-Innenstadt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	Köln-Innenstadt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Next, I used grouping to show the frequency of each category of restaurants in each city district.

	Neighborhood	American Restaurant	Asian Restaurant	Austrian Restaurant	Chinese Restaurant	Comfort Food Restaurant	Doner Restaurant	Eastern European Restaurant	Falafel Restaurant	Fast Food Restaurant	French Restaurant	German Restaurant	Greek Restaurant	Indian Restaurant	Italian Restaurant	Japanese Restaurant	Kebab Restaurant	Kurdish Restaurant	A Re
0	Köln-Chorweiler	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.333333	0.000000	0.000000	0.000000	0.000000	0.333333	0.000000	0.000000	0.000000	
1	Köln-Ehrenfeld	0.000000	0.000000	0.000000	0.038462	0.000000	0.000000	0.000000	0.000000	0.000000	0.038462	0.076923	0.038462	0.000000	0.153846	0.038462	0.038462	0.000000	
2	Köln-Innenstadt	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.041667	0.000000	0.083333	0.083333	0.000000	0.000000	0.291667	0.000000	0.000000	0.000000	
3	Köln-Kalk	0.000000	0.041667	0.000000	0.000000	0.041667	0.041667	0.041667	0.000000	0.000000	0.000000	0.041667	0.083333	0.041667	0.083333	0.000000	0.000000	0.041667	
4	Köln-Lindenthal	0.041667	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.041667	0.333333	0.083333	0.041667	0.083333	0.041667	0.000000	0.000000	
5	Köln-Mülheim	0.000000	0.095238	0.000000	0.000000	0.047619	0.000000	0.000000	0.000000	0.000000	0.000000	0.047619	0.047619	0.000000	0.095238	0.000000	0.000000	0.000000	
6	Köln-Nippes	0.000000	0.000000	0.064516	0.000000	0.000000	0.032258	0.000000	0.000000	0.000000	0.096774	0.064516	0.064516	0.000000	0.193548	0.000000	0.032258	0.000000	
7	Köln-Porz	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.035714	0.071429	0.250000	0.071429	0.000000	0.178571	0.000000	0.000000	0.035714	
8	Köln-Rodenkirchen	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.333333	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	

I used this information to create a data frame in which you can see the most common restaurant venue types for each city district.

	Neighborhood	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10th Most Common Venue
0	Köln-Chorweiler	Fast Food Restaurant	Italian Restaurant	Sushi Restaurant	Vietnamese Restaurant	Japanese Restaurant	Indian Restaurant	Greek Restaurant	German Restaurant	French Restaurant	Falafel Restaurant
1	Köln-Ehrenfeld	Tapas Restaurant	Italian Restaurant	Restaurant	German Restaurant	Sushi Restaurant	Vietnamese Restaurant	Modern European Restaurant	Chinese Restaurant	French Restaurant	Greek Restaurant
2	Köln-Innenstadt	Italian Restaurant	Sushi Restaurant	Vietnamese Restaurant	German Restaurant	French Restaurant	Middle Eastern Restaurant	Modern European Restaurant	Restaurant	Schnitzel Restaurant	Falafel Restaurant
3	Köln-Kalk	Greek Restaurant	Turkish Restaurant	Italian Restaurant	Middle Eastern Restaurant	Restaurant	German Restaurant	Indian Restaurant	Kurdish Restaurant	Vegetarian / Vegan Restaurant	Mediterranean Restaurant
4	Köln-Lindenthal	German Restaurant	Sushi Restaurant	Italian Restaurant	Greek Restaurant	American Restaurant	Indian Restaurant	French Restaurant	Mexican Restaurant	Modern European Restaurant	Restaurant
5	Köln-Mülheim	Turkish Restaurant	Italian Restaurant	Asian Restaurant	Mediterranean Restaurant	German Restaurant	Vegetarian / Vegan Restaurant	Greek Restaurant	Middle Eastern Restaurant	Vietnamese Restaurant	Seafood Restaurant
6	Köln-Nippes	Italian Restaurant	French Restaurant	Vietnamese Restaurant	Austrian Restaurant	Modern European Restaurant	Greek Restaurant	Restaurant	Sushi Restaurant	German Restaurant	Spanish Restaurant
7	Köln-Porz	German Restaurant	Italian Restaurant	Restaurant	Greek Restaurant	Thai Restaurant	Seafood Restaurant	French Restaurant	Fast Food Restaurant	Turkish Restaurant	Kurdish Restaurant
8	Köln-Rodenkirchen	German Restaurant	Restaurant	Scandinavian Restaurant	Vietnamese Restaurant	Kebab Restaurant	Italian Restaurant	Indian Restaurant	Greek Restaurant	French Restaurant	Fast Food Restaurant

Now, with all this data, I could finally run an unsupervised machine learning algorithm, more specifically, a k-means clustering algorithm from the scikit-learn package. One could use the elbow method to systematically define the k value, but I simply chose k to be 5, having been inspired by one of the coursera courses to do so.


Results and Conclusion

	Cluster Labels	City district	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue
0	2	Köln-Chorweiler	Sushi Restaurant	Fast Food Restaurant	Vegetarian / Vegan Restaurant	Kebab Restaurant	Chinese Restaurant
1	3	Köln-Ehrenfeld	Italian Restaurant	Restaurant	Tapas Restaurant	Kebab Restaurant	Portuguese Restaurant
2	4	Köln-Innenstadt	Italian Restaurant	Indian Restaurant	Vegetarian / Vegan Restaurant	Mexican Restaurant	Chinese Restaurant
3	1	Köln-Kalk	Greek Restaurant	Vegetarian / Vegan Restaurant	Turkish Restaurant	Chinese Restaurant	Doner Restaurant
4	0	Köln-Lindenthal	Italian Restaurant	Vegetarian / Vegan Restaurant	Turkish Restaurant	Chinese Restaurant	Doner Restaurant

What we see in the table are the city districts and their most common venues, and they now have been assigned five different cluster labels from 0 to 4.

We can now use the cluster labels to show the city districts marked with a cluster-specific color on a map, again using folium:

Clusters view



You will see nine bubbles for the nine city districts, with five different colors for the five different clusters. If you have trouble counting to five here, look for a small green dot on the upper part of the picture and a small purple dot on the lower part of the picture.

Now, what is the final result of this exercise? We now can show five clusters of restaurant type concentrations for the city of Cologne, which I named according to the restaurant concentration the data shows.

Living in Cologne will probably agree that these clusters sound pretty reasonable and are not too far away from what you would have expected.