

## Training Day 3

23rd June 2025

### TOPICS COVERED

- **CSS Flexbox Model**

Flexbox is a CSS layout module that provides an efficient way to align and distribute space among items in a container.

Key Properties:

`display: flex;`

`flex-direction: row | column`

`justify-content: flex-start | center | space-between | space-around | space-evenly`

`align-items: flex-start | center | stretch | flex-end`

`flex-wrap: wrap | nowrap`

`gap`: defines spacing between flex items

Use Case:

Aligning cards, navbars, buttons, and content sections responsively

- **JavaScript Introduction**

JavaScript is a scripting language used to create interactive behavior on web pages.

- **Variables in JavaScript**

Variables store data values. They can be declared using:

`var` (function scoped)

`let` (block scoped)

`const` (block scoped and constant)

Example:

`let name = "Navneet";`

`const age = 20;`

- **Data Types**

String, Number, Boolean, Undefined, Null, Object, Array

- **Operators & Expressions**

Arithmetic: +, -, \*, /, %

Comparison: ==, ===, !=, <, >, <=, >=

Logical: &&, ||, !

Assignment: =, +=, -=, \*=, /=

## TOOLS USED

Visual Studio Code (VS Code)

Chrome Browser (Console for JavaScript)

## TASK

Implement a simple icon framework using HTML and CSS.

### #HTML Code

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
  <title>Icon Framework</title>
```

```
  <link rel="stylesheet" href="style.css">
```

```
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.5.0/css/all.min.css">
```

```
</head>
```

```
<body>
```

```
  <div class="container">
```

```
    <div class="box">
```

```
      <i class="fas fa-home"></i>
```

```
      <p>Home</p>
```

```
    </div>
```

```
  <div class="box">
```

```
<i class="fas fa-user"></i>

<p>Profile</p>

</div>

<div class="box">

  <i class="fas fa-envelope"></i>

  <p>Messages</p>

</div>

<div class="box">

  <i class="fas fa-cog"></i>

  <p>Settings</p>

</div>

</div>

</body>

</html>
```

### #CSS code

```
body {

  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;

  background-color: #ce6a6c;

  display: flex;

  justify-content: center;

}

.container {

  display: flex;

  position: relative;

  top: 30px;

  justify-content: center;

  gap: 30px;

  background: #edada3;
```

```
padding: 20px 40px;
border-radius: 10px;
}
.box {
text-align: center;
color: #333;
cursor: pointer;
transition: transform 0.2s;
}
.box:hover {
transform: scale(1.1);
color: #843b62;
}
.box i {
font-size: 30px;
margin-bottom: 5px;
}
```