### Activity: Apply more filters in SQL Introduction

In this lab, you'll apply more filters to SQL queries to retrieve information from a database. You'll use common operators in SQL to filter by specific dates and times. You'll be using the MariaDB shell to run your SQL queries.

#### What you'll do

You have multiple tasks in this lab:

- Filter for login attempts made after a certain date
- Filter for login attempts made in a certain date range
- Filter for login attempts made at a certain time
- Filter for login attempts by ID

# Activity: Apply more filters in SQL

1 hourFree

#### **Activity overview**

As a security analyst, you'll often need to query numbers and dates.

For example, you may need to filter patch dates to find machines that need an update.

Or you might filter login attempts made during a certain period of time to investigate a

security incident.

Common operators for working with numeric or date and time data will help you

accurately filter data. These are some of the operators you'll use:

= (equal)

> (greater than)

< (less than)</p>

<> (not equal to)

>= (greater than or equal to)

<= (less than or equal to)</p>

In this lab activity, you'll apply these operators to accurately filter for specific numbers

and dates!

**Note:** The terms **row** and **record** are used interchangeably in this lab activity.

**Scenario** 

In this scenario, you're investigating a recent security incident.

You need to gather information about login attempts for certain dates and times. This will help in resolving a security incident.

Here's how you'll do this task: **First**, you'll retrieve login events made after a certain date. **Second**, you'll narrow the focus of the search to filter logins in a date range. **Third**, you'll investigate logins that were made at certain times. **Finally**, you'll filter login attempts based on their event IDs.

It's time to get started and use operators to filter data from a table!

**Note:** In this lab you'll be working with the organization database and the tables it contains.

The lab starts with the organization database in the MariaDB shell that is already open.

This means you can start with the tasks as soon as you click the **Start Lab** button.

If you unintentionally exit the organization database in the MariaDB shell, you can reconnect by running the sudo mysql organization command.

#### Start your lab

Before you begin, you can review the instructions for using the Qwiklabs platform under the **Resources** tab in Coursera.

If you haven't already done so, click **Start Lab**. This brings up the terminal so that you can begin completing the tasks!

When you have completed all the tasks, refer to the **End your Lab** section that follows the tasks for information on how to end your lab.

## Task 1. Retrieve login attempts after a certain date

In this task, you need to investigate a recent security incident. To do this, you need to gather information about login attempts made after a certain date.

Complete the SQL query to retrieve data for login attempts made after
 '2022-05-09'. Replace X with the correct operator:

```
SELECT *
FROM log_in_attempts
WHERE login_date X '2022-05-09';

Copied!

content_copy

How many login attempts were made after 2022-05-09?

125
185
111
134
Submit
```

**Now**, based on your first query, you find a need to expand the date range to include 2022-05-09 in your search.

2. Complete the SQL query to retrieve data for login attempts that were made on or after '2022-05-09'. Replace X with the correct operator:

```
SELECT *
FROM log_in_attempts
WHERE login_date X '2022-05-09';

Copied!

content_copy

How many login attempts were made on or after 2022-05-09?

165
186
190
143
Submit
Click Check my progress to verify that you have completed this task correctly.

Retrieve login attempts after a certain date

Check my progress
```

#### Task 2. Retrieve logins in a date range

In this task, you need to narrow the focus of the search. Login attempts made after 2022-05-11 shouldn't be included. Use the BETWEEN and AND operators to return results between '2022-05-09' and '2022-05-11'.

• Run the query to retrieve the required records. You must insert the required dates X and Y:

```
SELECT *
FROM log_in_attempts
WHERE login_date BETWEEN 'X' AND 'Y';

Copied!
content_copy

How many login attempts were made between 2022-05-09 and 2022-05-11?

134
157
123
160
Submit
```

Click **Check my progress** to verify that you have completed this task correctly.

Retrieve logins in a date range


Check my progress

#### Task 3. Investigate logins at certain times

In this task, you need to investigate logins that were made at certain times. To do this, filter the data in the log\_in\_attempts table by login time (login\_time).

**First**, your organization's typical work hours begin at 07:00:00. Retrieve all login attempts made before 07:00:00 to learn more about the users who are logging in outside of typical hours.

1. Write a SQL query to retrieve data for login attempts made before '07:00:00'.



2. Modify the query to return logins between '06:00:00' and '07:00:00'.

What time was the earliest login attempt between 06:00:00 and 07:00:00?

06:04:34

06:03:41

06:15:41

06:01:31

Submit

Click **Check my progress** to verify that you have completed this task correctly.

Investigate logins at certain times

Check my progress

#### Task 4. Investigate logins by event ID

In this task, you need to investigate login attempts based on event ID numbers. With this query, you want to return only the event\_id, username, and login\_date fields from the log\_in\_attempts table.

**Note:** The event\_id column contains numeric data; do not place numeric data in quotation marks.

 Write a query to return login attempts with event\_id greater than or equal to 100.

What is the login date of the third result returned by your query?

2022-05-10

2022-05-09

2022-05-11

2022-05-08

Submit

The query in the previous step returned more data than required.

2. Modify the query to return only login attempts with event\_id between 100 and 150.

What is the username of the seventh result returned by your query?
gesparza
bisles
tmitchel
mabadi
Submit
Click <b>Check my progress</b> to verify that you have completed this task correctly.
Investigate logins by event ID
Check my progress

#### Conclusion

Great work!

You have completed this activity and practiced applying

- the WHERE keyword
- the BETWEEN and AND operators, and
- operators for working with numeric or date and time data types (for example, =,
   >, >=)

to filter data from a table.

You're now ready to filter for numbers and dates to extract all sorts of useful data!

#### **End your lab**

Before you end the lab, make sure you're satisfied that you've completed all the tasks, and follow these steps:

- Click End Lab. A pop-up box will appear. Click Submit to confirm that you're done.
   Ending the lab will remove your access to the Bash shell. You won't be able to access the work you've completed in it again.
- 2. Another pop-up box will ask you to rate the lab and provide feedback comments. You can complete this if you choose to.
- 3. Close the browser tab containing the lab to return to your course.
- 4. Refresh the browser tab for the course to mark the lab as complete.

## Exemplar: Apply more filters in SQL

**Activity overview** 

As a security analyst, you'll often need to guery numbers and dates.

For example, you may need to filter patch dates to find machines that need an update.

Or you might filter login attempts made during a certain period of time to investigate a

security incident.

Common operators for working with numeric or date and time data will help you

accurately filter data. These are some of the operators you'll use:

= (equal)

• > (greater than)

< (less than)</p>

<> (not equal to)

• >= (greater than or equal to)

<= (less than or equal to)</p>

In this lab activity, you'll apply these operators to accurately filter for specific numbers

and dates!

Note: The terms row and record are used interchangeably in this lab activity.

**Scenario** 

In this scenario, you're investigating a recent security incident.

You need to gather information about login attempts for certain dates and times. This will help in resolving a security incident.

Here's how you'll do this task: **First**, you'll retrieve login events made after a certain date. **Second**, you'll narrow the focus of the search to filter logins in a date range. **Third**, you'll investigate logins that were made at certain times. **Finally**, you'll filter login attempts based on their event IDs.

It's time to get started and use operators to filter data from a table!

**Note:** In this lab you'll be working with the organization database and the tables it contains.

The lab starts with the organization database in the MariaDB shell that is already open.

This means you can start with the tasks as soon as you click the **Start Lab** button.

If you unintentionally exit the organization database in the MariaDB shell, you can reconnect by running the sudo mysql organization command.

#### Start your lab

Before you begin, you can review the instructions for using the Qwiklabs platform under the **Resources** tab in Coursera.

If you haven't already done so, click **Start Lab**. This brings up the terminal so that you can begin completing the tasks!

When you have completed all the tasks, refer to the **End your Lab** section that follows the tasks for information on how to end your lab.

### Task 1. Retrieve login attempts after a certain date

In this task, you need to investigate a recent security incident. To do this, you need to gather information about login attempts made after a certain date.

Complete the SQL query to retrieve data for login attempts made after
 '2022-05-09'. Replace X with the correct operator:

```
SELECT *
FROM log_in_attempts
WHERE login_date X '2022-05-09';
```

The correct query to solve this step:

```
SELECT * FROM
log_in_attempts
WHERE login_date > '2022-05-09';
Copied!
```

content\_copy

```
How many login attempts were made after 2022-05-09?

185
111
134
125
Submit
```

Answer: The number of login attempts made after the 2022-05-09 is 125.

**Now**, based on your first query, you find a need to expand the date range to include 2022-05-09 in your search.

2. Complete the SQL query to retrieve data for login attempts that were made on or after '2022-05-09'. Replace X with the correct operator:

```
SELECT *
FROM log_in_attempts
WHERE login_date X '2022-05-09';
```

The correct query to solve this step:

```
SELECT *
FROM log_in_attempts
WHERE login_date >= '2022-05-09';
Copied!
content_copy
```

How many login attempts were made on or after 2022-05-09?

186 143 190 165

Submit

Answer: The number of login attempts made from 2022-05-09 onward is 165.

Click **Check my progress** to verify that you have completed this task correctly.

Retrieve login attempts after a certain date

Check my progress

#### Task 2. Retrieve logins in a date range

In this task, you need to narrow the focus of the search. Login attempts made after 2022-05-11 shouldn't be included. Use the BETWEEN and AND operators to return results between '2022-05-09' and '2022-05-11'.

Run the query to retrieve the required records. You must insert the required dates
 X and Y:

```
SELECT *
FROM log_in_attempts
WHERE login_date BETWEEN 'X' AND 'Y';
```

The correct query to solve this step:

```
SELECT *
FROM log_in_attempts
```

```
WHERE login_date BETWEEN '2022-05-09' AND '2022-05-11';

Copied!

content_copy

How many login attempts were made between 2022-05-09 and 2022-05-11?

157

160

123

134

Submit

Answer: 123 login attempts were made between 2022-05-09 and 2022-05-11.
```

Click **Check my progress** to verify that you have completed this task correctly.

Retrieve logins in a date range

Check my progress

#### Task 3. Investigate logins at certain times

In this task, you need to investigate logins that were made at certain times. To do this, filter the data in the log\_in\_attempts table by login time (login\_time).

**First**, your organization's typical work hours begin at 07:00:00. Retrieve all login attempts made before 07:00:00 to learn more about the users who are logging in outside of typical hours.

1. Write a SQL query to retrieve data for login attempts made before '07:00:00'.

**Note:** Place time data in single quotation marks.

The correct query to solve this step:

```
SELECT *
FROM log_in_attempts
WHERE login_time < '07:00:00';

Copied!

content_copy

What is the username of the fifth record returned from this query?

acook
eraab
jrafael
bisles
Submit
```

**Answer**: The username in the fifth record returned from this query is eraab.

The query in the previous step returned more results than required.

2. Modify the query to return logins between '06:00:00' and '07:00:00'.

The correct query to solve this step:

```
SELECT *
FROM log_in_attempts
```

```
WHERE login_time BETWEEN '06:00:00' AND '07:00:00';

Copied!

content_copy

What time was the earliest login attempt between 06:00:00 and 07:00:00?

06:03:41

06:15:41

06:04:34

06:01:31

Submit

Answer: The earliest login attempt was at 06:01:31.
```

Click **Check my progress** to verify that you have completed this task correctly.

Investigate logins at certain times

Check my progress

#### Task 4. Investigate logins by event ID

In this task, you need to investigate login attempts based on event ID numbers. With this query, you want to return only the event\_id, username, and login\_date fields from the log\_in\_attempts table.

**Note:** The event\_id column contains numeric data; do not place numeric data in quotation marks.

1. Write a query to return login attempts with event\_id greater than or equal to 100.

The correct query to solve this step:

```
SELECT event_id, username, login_date
FROM log_in_attempts
WHERE event_id >= 100;
Copied!
content_copy
```

What is the login date of the third result returned by your query?

2022-05-08

2022-05-10

2022-05-11

2022-05-09

Submit

**Answer**: The login date of the third result returned is 2022-05-09.

The query in the previous step returned more data than required.

2. Modify the query to return only login attempts with event\_id between 100 and 150.

The correct query to solve this step:

```
SELECT event_id, username, login_date
FROM log_in_attempts
WHERE event_id BETWEEN 100 AND 150;
```

Copied!
content_copy
What is the username of the seventh result returned by your query?
mabadi
gesparza
bisles
tmitchel
Submit
<b>Answer</b> : The username of the seventh result is tmitchel.
Click <b>Check my progress</b> to verify that you have completed this task correctly.
Investigate logins by event ID
Check my progress

#### Conclusion

Great work!

You have completed this activity and practiced applying

- the WHERE keyword
- the BETWEEN and AND operators, and

operators for working with numeric or date and time data types (for example, =,
 >, >=)

to filter data from a table.

You're now ready to filter for numbers and dates to extract all sorts of useful data!

#### **End your lab**

Before you end the lab, make sure you're satisfied that you've completed all the tasks, and follow these steps:

- Click End Lab. A pop-up box will appear. Click Submit to confirm that you're done.
   Ending the lab will remove your access to the Bash shell. You won't be able to access the work you've completed in it again.
- 2. Another pop-up box will ask you to rate the lab and provide feedback comments. You can complete this if you choose to.
- 3. Close the browser tab containing the lab to return to your course.
- 4. Refresh the browser tab for the course to mark the lab as complete.