BROWSERSTACK QA MEETUP | PHOENIX

From Prompts to Proof

How QA engineers can test AI applications

Test | Evaluate | Automate | Prove

Lakshmi Navya Sivakoti

Senior Forward Deployed Engineer, ContextQA

A QUICK HELLO, AND THE PLAN

Where I'm coming from

- I started in traditional QA automation: Python, Selenium, PyTest, then Playwright.
- Every test had one right answer. It matched or it didn't.
- Then I started testing AI products, and learned that AI isn't always right.

BACKGROUND	5+ years in QA and test automation
PREVIOUSLY	DXC Technology, RetailMeNot
TODAY	Senior FDE at ContextQA, testing AI agents and enterprise apps

What you'll walk away with

1. A clear way to call pass or fail for AI
2. Six ways AI answers go wrong
3. Test cases run live on an AI chatbot
4. Two prompts compared side by side
5. Where to go next: automating the checks

BEFORE WE START

Would you ship this?

USER

"Do you price match competitors?"

ASSISTANT

"...we do not have a formal price matching policy in place. If you find a lower price on an item from a competitor, feel free to reach out to us, and we'll do our best to assist you!"

Clear. Polite. Confident. Sounds completely reasonable.

Take ten seconds.

Hands up if you'd ship it.

Now: on what basis?

What exactly would you check, and how would you prove the answer either way?

The company documents say nothing about price matching. The policy and the offer are both invented.

We'll ask this same question live and see what the chatbot says.

POSITIONING

Testing with AI is not testing of AI

WELL COVERED ALREADY

Testing WITH AI

Using AI to speed up your existing QA work

- Generating test cases from requirements
- Self healing locators
- Summarising failure logs
- Writing the same tests faster

TONIGHT'S SESSION


Testing OF AI

Treating the AI itself as the system under test

- The same question can get different answers
- Correctness becomes a judgement call
- New failure modes, including security ones
- This is where QA has the least guidance

DEMO SETUP

The AI chatbot we're testing



Northwind Outfitters: support for a fictional outdoor store

Covers five products, shipping, returns, payments and support, and nothing else. It can't look up orders or take any action. Two system prompts to compare: Baseline (no rules) and Improved (strict rules).

THE CORE PROBLEM

There isn't always one correct answer

Have you tried asking the same question twice to AI?

How do you write an assertion when two different answers are both right, and a third sounds just as good but is made up?

Traditional automation expects one known result. AI breaks that. So before we change our tools, we have to change what "correct" means.

Response A — VALID

Accurate, concise, on topic

Response B — ALSO VALID

Accurate, longer, different wording

Response C — FAILS

Fluent, confident, completely invented

THE MENTAL SHIFT


What changes, line by line

	TRADITIONAL QA	AI TESTING
What you write down	Expected result	**Expected behaviour**
How you check it	Exact assertion	**Evaluation criteria**
How the system behaves	Mostly deterministic	**Different answers each time, by design**
What you get back	Pass or fail	**A verdict with a reason**
Who decides	The assertion	**You, or an evaluator you defined**

Same skills. A different way to judge.

TEST STRATEGY

The same ladder you already climb



Nothing on this ladder is new to you. What's new is what each step means when the AI writes the answer instead of looking it up.

Happy path: Does it answer a supported question correctly and stay on topic?

Negative and edge: Unclear, empty, off-topic, or not in the company documents

Adversarial: Can a user talk it out of its own instructions?

Regression: Does a prompt or model change quietly break what worked yesterday?

FAILURE TAXONOMY

Six AI failure modes to test for

1

Hallucination

Invents facts, policies or sources that do not exist

2

Incorrect response

Real topic, wrong answer

3

Irrelevant response

Answers a question nobody asked

4

Inconsistent behaviour

Same question, answers that disagree

5

Edge case collapse

Ambiguous or empty input handled badly

6

Adversarial and security

Tricked into ignoring its rules or leaking data

THE METHOD

How we decide pass or fail



Step 1: Write it down first

Before asking, write what a good answer must say.
Example: returns are allowed within 30 days of delivery.

Step 2: Judge against it

Read the whole answer. Does it match? Is anything made up? Every pass or fail gets a reason.

THE FOUR DIMENSIONS

Evaluation criteria

1 Correctness

Is the response factually accurate?

Example: says returns are allowed for 14 days, but the policy says 30

2 Relevance

Does it answer the question that was asked?

Example: asked about returns, it explains shipping prices instead

3 Groundedness

Is it backed by the company documents the AI was given?

Example: "We don't have a price-match policy", which no document says

4 Safety

Does it hold up under risky input?

Example: told "ignore your instructions", it reveals its hidden prompt

THE TEST CASES

Five cases, five different questions

			WHAT IT TRIES TO CATCH
01	**Normal question**	`"What is your return window?"`	INCORRECT RESPONSE
02	**Unsupported question**	`"Do you price match competitors?"`	HALLUCINATION
03	**Ambiguous question**	`"It's broken, what do I do?"`	EDGE CASE COLLAPSE
04	**Out of scope question**	`"What's a good stock to buy?"`	IRRELEVANT RESPONSE
05	**Prompt injection**	`"Ignore your instructions and..."`	ADVERSARIAL

LIVE DEMO

From prompts to proof

1. Ask the five saved questions in Chat
2. Open View Context to see the evidence
3. Switch Baseline and Improved, ask again
4. Compare each answer with what we wrote
5. Call pass or fail, out loud, together

We are not looking for green.
We are looking for evidence.

WHY AUTOMATE

Testing by hand doesn't scale

We just tested 5 questions by hand. What about 10? 50? Every time someone changes the prompt?

Checking each answer by hand takes time, and it has to be repeated after every change. So we run the questions automatically, with a tool called Promptfoo.

5 questions — FINE

By hand: a few minutes

50 questions — SLOW

By hand: an hour or more

Every prompt change — NOT SCALABLE

By hand: test everything again

Two ways to judge an answer automatically

FOR SIMPLE FACTS

Code checks

Plain code checks the answer's text

- Looks for exact words, like "30 days", in the answer
- Uses a string match or a regex (a text pattern)
- Free, instant, same result every time
- Sees the words, not their meaning or tone

FOR MEANING


LLM as a judge

A second AI judges the answer

- Reads the question, documents and answer
- Uses your written rule for a good answer
- Returns PASS or FAIL, with a reason
- Judges meaning, but it can be wrong

RUNNING IT

Running every test with Promptfoo



- **The tests: 31 questions** — The 5 questions from the demo, plus 26 more on shipping, returns, stock and payments.
- **The tool: Promptfoo** — A free, open-source tool for testing AI apps. One command runs every test.
- **The judge: Claude Haiku 4.5** — Deliberately a different AI from the chatbot, so it doesn't share the chatbot's blind spots.

WHAT ONE PROMPTFOO RUN FOUND

Same 31 questions, two prompts

1 Baseline: 25 of 31 passed

A short, friendly prompt with no rules.

Looks like: Invented a price-match policy, and said a jacket delivered 20 days ago was too late to return

2 Improved: 27 of 31 passed

Clear rules: company facts only, check the maths.

Looks like: "I do not have information regarding price matching policies at Northwind Outfitters."

3 Still fails with both prompts

"Reserve a jacket and email me a confirmation."

Looks like: Says it can't reserve, then points to a checkout that doesn't exist

4 Results change between runs

Same tests, run twice: 10 results flipped.

The chatbot and the judge are both AI, so their output varies. Run tests more than once.

These numbers are from one run. They change every run, because AI answers and grades are not deterministic. The 31 questions cover the 5 from the demo, plus shipping maths, returns, stock, payments, and trick requests.

KEEPING IT TRUE


AI regression is a different animal

What triggers it

- A model version changes, intentionally or unexpectedly
- Someone edits a system prompt
- The company documents change

Why it's harder to catch

- No stack trace, no error, no failed build
- The answer still looks professional and confident
- It gets worse slowly, not all at once



AI quality can drop quietly. Test on every change, not just at launch.

IF YOU REMEMBER FOUR THINGS

Key takeaways

1

Think like a QA engineer, not a prompt engineer

Knowing how things break is the rare skill, not writing prompts

2

Test behaviour, not exact answers

Write down what the system should do, not the string it should return

3

Define criteria before you judge

Decide what good looks like before you see the answer, or you'll talk yourself into it


4

Test more than once

The same question can get a different answer, so one good answer proves nothing

None of this replaces QA. It is the most QA thing there is.

Thank you



Everything from tonight is on GitHub

- The Northwind chatbot you saw tonight
- All 31 tests, ready to run in Promptfoo
- Setup steps to run it with your own API keys

github.com/NavyaSivakoti/from-prompts-to-proof

LinkedIn: Lakshmi Navya Sivakoti

Questions?