

ENGINEERING CHANGE REQUEST

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Customer: <i>Gyoduck</i>	Project / Part Name: <i>PSA 1.2 L VNTCH</i>	Part number: <i>897849-007</i>	Request date: <i>18/09/25</i>
1. Change Description:			
1.1 Original Process: <i>1. In OP 30 S.NO 26: Inlet Spec, Inlet Radius, life SPMT09T 308 LF, 0.8, 60</i>			
1.2 Process Modification: <i>1. In OP 30 S.NO 26: Inlet Spec, Inlet Radius, life changed to SPMT09T 304 LF, 0.4, 160.</i>			
1.3 Modification reason: <i>For tool life improvement and CPC Reduction purpose.</i>			
Change priority: ☐ Emergency ☒ Urgent ☐ Routine		Required change date: <i>27/09/25</i>	
Projects affected:			
Change Assessment Record No: (Filled by Engg Section)			
<i>NIEC-915-R5</i>			
Requested by: <i>R. V. R.</i>	Checked by: <i>[Signature]</i>	Approved by: <i>R. Faulstich</i>	

CHANGE ASSESSMENT RECORD

We are following "IATF 16949 CAPD Method 10.3 Continuous Improvement Spirit" to improve our GTI.

Customer: Garrett	Part Name: PSA 12L NNT /CH	Part number: 897849-0002	Change No.: MEC-916-25 Change date: 16/19/25
--------------------------	-----------------------------------	---------------------------------	---

1. Change Description:

1.1 Original Process:

1. In OP 30 S.NO 26: Tool insert spec, Radius, life SPMT09T 308 LF, 0.2, 60.

1.2 Process Modification:

1. In OP 30 S.NO 26: Tool insert spec, Radius, life changed to SPMT09T 304 LF, 0.4, 180.

1.3 Modification reason:

For tool life improvement and CPC reduction purpose.

2. Feasibility Verification:

2.1 New Equipment/Facilities/Gages required:

☐ Yes ☒ No If Yes:

2.2 Additional man power required:

☐ Yes ☒ No If Yes:

2.3 QCD target achievement:

☒ Yes ☐ No If No:

2.4 CFT Training required:

☒ Yes ☐ No If Yes: Need Awareness about the tool

2.5 Possibility to Modify:

☒ Yes ☐ No If No:

Others (if any):

3. Risk Analysis:

3.1 Investment Required:

☒ Yes ☐ No If Yes: need to purchase tool.

3.2 Inventory Loss(Existing product):

☐ Yes ☒ No If Yes:

3.3 Process effect:

☐ Yes ☒ No If Yes:

3.4 Product effect:

☐ Yes ☒ No If Yes:

3.5 Productivity Effect:

☐ Yes ☒ No If Yes:

3.6 Process modification effect HSE system?:

☐ Yes ☒ No If Yes:

Risk Level:

☐ Minor ☒ Medium ☐ Critical

Others (if any):

4. Customer communication required?:

☐ Yes ☒ Not Applicable

5. Customer Response:

☐ Accepted ☐ Rejected ☒ Not Applicable

6. Need to Communicate to:

6.1. Machining Section:

☒ Yes ☐ Not Applicable

6.2. Tool Section:

☒ Yes ☐ Not Applicable

6.3. Maintenance Section:

☐ Yes ☒ Not Applicable

6.4. Post Machining section:

☐ Yes ☒ Not Applicable

6.5. QC Section:

☒ Yes ☐ Not Applicable

6.6. QA Dept:

☒ Yes ☐ Not Applicable

6.7. QA Calibration:

☐ Yes ☒ Not Applicable

6.8. Business Dept:

☐ Yes ☒ Not Applicable

6.9. HSE Dept:

☐ Yes ☒ Not Applicable

7.0. Supplier :

☐ Yes ☒ Not Applicable

8. Trial Results:

Start Date: **11/08/25**

End Date: **21/08/25**

The trial performed was OK. Hence, the tool life got increased and the CPC got Reduced.

Requirements		Assessment		Responsibility	Completion date	Remarks
		Yes	No			
9.1 Add or modify fixture	Fixture Drawing					
	Periodic Fixture Check Record					
9.2 Add or modify tool	Tool Drawing					
	Cutting Tool List	✓		Vinath	10/10/25	
9.3 Add or modify Inspection Method	Gage drawing					Calibrated By/Date:
	Gage List					
9.4 Add or modify new process	CMM program					
	CNC Program	✓		Satish	10/10/25	
	Welding parameters					
	Leak test parameters					
	Washing parameters					
9.5 Update PPAP documents	Process Flow Chart					
	FMEA					
	Control Plan					
	Operator Inspection Sheet					
	Inspector Inspection Sheet					
	Control Plan attached drawing					
	KCC CIC List					
	EPCP					
	Appearance Criteria					
9.6 Add or modify Work instruction or Standard Operating procedure in Production Line	Traceability Evidence					
	Casting Inspection WI					
	Machining Operation Instruction					
	Loading & Unloading Procedure					
	Machining Identification Instruction					
	Deburring WI					
	Endoscope Inspection WI					
	Ultrasonic Washing WI & SOP					
	Position Gage Checking WI					
	End of line WI					
	Assembly standard operating procedure.					
	Welding Operation SOP					
	Welding Machining Parameters WI					
	Poka Yoke Manifestation					
	9.7 Update Add or modify Work instruction or Standard Operating procedure in Post Production	Leak Testing And Engraving Instruction				
Leak Testing Operation Procedure						
Jet Washing WI & SOP						
Drying Work Instruction & SOP						
Magnetic detection WI & SOP						
9.8 Update Checklists / Records	Final Inspection WI					
	Packing Work Instruction & SOP					
	Fixture Spot Check List					
	Machine Spot Check List					
	Poka Yoke check sheet					
	Welding Parameters Check List					
9.9 Update Aspect, impact and HIRA register	MPI Check List					
	Washing Check sheet					
10. ERP Update		✓		Parithra	14/10/25	
Others:						
11. Implementation Verified By / Date: Satish				12. Customer Approved: ☐ Yes ☐ No ☒ Not Applicable		
13. Before and After change comparison:						
13.1 Capability Study: NA						
13.2 Rejection Rate (PPM): NA						
13.3 Run@Rate achieved: NA						
Others (If any):						
14. Existing product handling: Existing Product has no effect.						
Prepared: H. Sanyal				Checked: [Signature]		Approved: R. [Signature]

RISK ANALYSIS

Customer	Garrett	Project Name	PSA 1.2L VNT	Change No	MEC-916-25
Part Name	CH	Part Number	897849-0007	Date	18/09/25

Change Description:

For tool life improvement and Cpe Reduction purpose.

S.No.	Risk Description	Risk Level				Action Needed	Responsibility	Target Date	Remarks
		NA	Low	Medium	High				
1	Availability of Operators	✓							
2	Quality History & Performance	✓							
3	Skill Level / Training		✓			Need Awareness about the tool	Srinivasulu	18/09/25	
4	Resource requirements	✓							
5	Investments		✓			Need to purchase tool	Paul Ruma	18/09/25	
6	Existing Stock availability	✓							
7	Development Cost	✓							
8	Manufacturing Technology	✓							
9	Fixture & Gauges requirement	✓							
10	Any New Machine/Technology	✓							
11	Cycle Time	✓							
12	Product/Process complexity	✓							
13	Process capability	✓							

Conclusion:

☐ Risks Known and acceptable

☒ Risks Known and acceptable with identified actions.

☐ Risks known and not acceptable


Risk Level:


☐ Minor



☒ Medium

☐ Critical

Sign-Off:


Team member / Title / Date
(Technical)


Team member / Title / Date
(Production)


Team member / Title / Date
(Q.C.)

Team member / Title / Date
(Q.A.)

Prepared by

H. S. S. S. S.

Reviewed By



Approved By

R. S. S. S. S.

Improvement Application and Confirmation Form

We are following IATF16949 CAPD Method 10.3 Continuous Improvement Spirit to improve our GTI

SN: K2-25-369 Date: 14/9/25

Customer: Garrett Part name: PSA12LVNTCM Part number: 897847-0007 OP: 30

I. Reason for Improvement ☐ Urgent: 8D / Shipment / Safety risk / Customer requirement

For Tool life increase w/o Trail. New insert.

Spot face Rough Application

II. Improvement description:

	Before	After
ERP Code:	AC61N00346	AC61D00120
Insert / Tool Spec:	SPMT09T308LF	SPMT09T304LF
Speed:	2000	2000
Feed:	120	120
Holder Spec:	φ25xφ25x120 2D1384#	φ25xφ25x120 2D1384#
Supplier:	Kennametal	Kennametal
Grade:	KC5025	KC5025
Pockets:	02	02
Edges:	04	04
Insert / Tool Cost:	345.00	323.00
Life:	60	180
CPC:	2.88	0.89
Tool MT (Sec):	0'20"	0'20"
Overall MT (Sec):	13'04"	13'04"

Approved by: [Signature] Checked by: [Signature] Prepared by: E. Vamsikrishna

Countersign ☐ QC [Signature] ☐ MC [Signature] ☐ Tool [Signature] ☐ TC [Signature]

The reason if don't agree improvement:

III. Quality confirmation

☐ Capability analysis ☒ Tool life ☒ First part ☒ First & Last part ☐ Others: _____

IV. QC conclusion

☒ Agree improvement ☐ Disagree improvement

Approved by: [Signature] Checked by: [Signature] Inspected by: [Signature]

V. TC Confirmation & Relevant Dep. Countersign

TC: ☒ Implement: ☐ Terminate

File modification:

TC APQP Change Assessment Record:

☒ Applicable -- Change Assessment Record Change No.: MEC-916-25
☐ Not Applicable -- Confirmation required from _____ department.
☐ Confirm email has been sent to manager of relevant department

TC General manager: [Signature] APQP Approval: [Signature]
Head Of Department Approval: [Signature]

Trial Tool - Life Tracking Record

110
980 (Rough used inserts)

Following IATF16949 CAPD Method 10.3 Continuous Improvement Spirit to improve our GTI

Tool Number			K7 - 25 - 369			Existing Life (pcs)		200	
Holder Specification			325-028 10037018			Project Name		PSA1.2L VNT	
Insert/Cutter Specification			SPMT09T300-LF			Part Number		891849-0007	
Tool supplier/Grade			KC5025 / Kennametal			OP/Machine Number		30A / Gm184	
Date	Shift	Edge	Tool Life (Pcs)	If Applicable		Checked by		Status	Result
				Dimension	Roughness	Tool Room/ PPAP/Kaizen	Line Leader		
				Rough	Rough				
11/8/25	A	01	02	OK	OK	Vamsi	Tyfa	R	
11/8/25	A	01	04	OK	OK	Vamsi	Tyfa	R	
11/9/25	B	01	32	OK	OK	Tyfa	Tyfa	R	
12/8/25	A	01	132	OK	OK	Vamsi	Tyfa	R	
12/8/25	B	01	186	OK	OK	Tyfa	Tyfa	R	
12/8/25	B	01	200	OK	OK	Vamsi	Tyfa	C	life over
13/8/25	A	02	98	OK	OK	Vamsi	Tyfa	R	
13/8/25	A	02	150	OK	OK	Vamsi	Tyfa	R	Visually OK NO wear out
13/8/25	B	02	200	OK	OK	Krishna	Tyfa	C	life over
13/8/25	B	03	02	OK	OK	Krishna	Tyfa	R	
14/8/25	A	03	68	OK	OK	Vamsi	Tyfa	R	
14/8/25	A	03	118	OK	OK	Vamsi	Tyfa	R	
15/8/25	B	03	200	OK	OK	Vamsi	Tyfa	C	life over
16/8/25	A	04	168	OK	OK	Vamsi	Tyfa	R	life over
16/8/25	A	04	200	OK	OK	Vamsi	Tyfa	C	No problem life over
16/8/25	A	05	20	OK	OK	Vamsi	Tyfa	R	
16/8/25	B	05	32	OK	OK	Tyfa	Tyfa	R	
17/8/25	A	05	138	OK	OK	Vamsi	Tyfa	R	No problem
17/8/25	B	5	200	OK	OK	Tyfa	Tyfa	R	Life over +1
18/8/25	A	6	54	OK	OK	Vamsi	Tyfa	R	
18/8/25	C	6	200	OK	OK	Vamsi	Tyfa	C	life over
19/8/25	A	7	12	OK	OK	Vamsi	Tyfa	R	
20/8/25	A	7	192	OK	OK	Vamsi	Tyfa	R	No problem
20/8/25	A	7	200	OK	OK	Vamsi	Tyfa	C	
21/8/25	A	8	144	OK	OK	Vamsi	Tyfa	R	
21/8/25	B	8	200	OK	OK	Tyfa	Tyfa	C	No Problem

Note: Roughness requirement is only for finish tools.

Status: R - Running, C - Completed

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Tool Name		Tool Name		Tool Name		Tool Name	
Tool Spec	Ø20X15X110x R0.5 974#	Tool Spec	3x5.3x19.25x15 ZDMH#	Tool Spec	2x5x31.25x15 ZDMH#	Tool Spec	CRMTC60202PF5015
Existing Life	400	Existing Life	300	Existing Life	500	Existing Life	50
Expected Life	1000	Expected Life	3000	Expected Life	3000	Expected Life	80
Macro No.	T1 971	Macro No.	T10 980	Macro No.	T7 977	Macro No.	T1 971
Project Name	PSA 1.2L VNT C/H	Project Name	PSA 1.2L VNT C/H	Project Name	PSA 1.2L VNT C/H	Project Name	PSA 1.2L VNT C/H
OP	0	OP	10A	OP	10A	OP	10A

Tec2-081-1

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

[illegible]

Status: R-running, C-completed

Multiple Tools Life Tracking Sheet

We are following "ATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Tool Name	Tool Name	Tool Name	Tool Name
Tool Spec	Tool Spec	Tool Spec	Tool Spec
Existing Life	Existing Life	Existing Life	Existing Life
Expected Life	Expected Life	Expected Life	Expected Life
Macro No.	Macro No.	Macro No.	Macro No.
Project Name	Project Name	Project Name	Project Name
OP	OP	OP	OP

219125	A	1	724	R		319125	A	1	2	R		319125	A	1	614	R		319125	A	1	1224	R	
219125	B	1	734	R		419125	A	1	153	R		419125	A	1	770	R		419125	A	1	1270	R	
319125	A	1	801	R	+1	419125	A	1	202	R		419125	A	1	816	R		419125	A	1	1316	R	
419125	A	1	962	R		419125	B	1	256	R		419125	B	1	870	R		419125	B	1	1370	R	
419125	A	1	1008	R		519125	A	1	288	R		519125	A	1	902	R		519125	A	1	1402	R	
419125	B	1	1062	R		519125	A	1	338	R		519125	A	1	956	R		519125	A	1	1452	R	
519125	A	1	1092	R		519125	B	1	392	R		519125	B	1	988	R		519125	B	1	1506	R	
519125	A	1	1144	R		619125	A	1	460	R		619125	A	1	1074	R	+1	619125	A	1	1574	R	
519125	B	1	1194	R		619125	B	1	510	R		619125	B	1	1124	R		619125	B	1	1624	R	
619125	A	1	1266	R		619125	A	1	524	R		619125	A	1	1138	R		619125	A	1	1638	R	
619125	A	1	1276	C		719125	A	1	798	R		719125	A	1	1412	R		719125	A	1	1912	R	
619125	A	2	2	R		819125	A	1	844	R		819125	A	1	1458	R		819125	A	1	1958	R	
619125	A	2	140	R		819125	A	1	840	R		819125	A	1	1464	R		819125	A	1	1964	R	
619125	B	2	54	R		919125	A	1	976	R		919125	A	1	1590	R		919125	A	1	1998	R	
819125	A	2	328	R		919125	A	1	1016	R	+1	919125	A	1	1630	R		919125	A	1	2002	R	
819125	A	2	374	R		1019125	A	1	1124	R		1019125	A	1	1738	R		1019125	A	1	2042	R	
819125	A	2	400	R		1019125	A	1	1164	R		1019125	A	1	1778	R		1019125	A	1	2150	R	
819125	A	2	506	R		1119125	A	1	1298	R		1119125	A	1	1904	R		1119125	A	1	2190	R	
819125	A	2	546	R		1119125	A	1	1452	R		1119125	A	1	1996	R		1119125	A	1	2316	R	
819125	A	2	654	R		1219125	A	1	1502	R		1219125	A	1	2046	R		1219125	A	1	2438	R	
819125	A	2	694	R		1219125	B	1	1534	R		1219125	B	1	2100	R		1219125	B	1	2508	R	
1119125	A	2	738	R		1219125	A	1	1618	R		1219125	A	1	2166	R		1219125	A	1	2580	R	
1219125	A	2	844	R	+1	1219125	A	1	1666	R		1219125	A	1	2193	C		1219125	A	1	2644	R	
1219125	A	2	894	R		1319125	A	1	1636	R		1319125	A	1	2193	C		1319125	A	1	2692	R	
1219125	B	2	944	R		1319125	A	1	1890	R		1319125	A	1	2193	C		1319125	A	1	2902	R	

Status: R-Running, C-completed

1976

Multiple Tools Life Tracking Sheet

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Tool Name							Tool Name							Tool Name							Tool Name																				
Tool Spec				Existing Life			Expected Life			Macro No.			Tool Spec				Existing Life			Expected Life			Macro No.			Tool Spec				Existing Life			Expected Life			Macro No.					
Ø5xØ14x90x100 569H#				1500									ØH.59x6.05xØ6x65 778H#				1000			2000						Ø10.55x14xØ14x80 678H#				250			3000								
T22 992													T15 985													T12 982															
PSA 1.2L VNT C/H													PSA 1.2L VNT C/H													PSA 1.2L VNT C/H															
OP 30A													OP 30A													OP H0C															
Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign							
3/9/25	A	1	2	R		✓	2/9/25	A	1	614	R		✓	2/9/25	A	1	254	R		✓	2/9/25	A	1	254	R		✓	2/9/25	A	1	1912	R		✓							
4/9/25	A	1	156	R		✓	2/9/25	A	1	770	R		✓	2/9/25	B	1	2508	R		✓	2/9/25	B	1	2508	R		✓	2/9/25	B	1	1928	R		✓							
4/9/25	A	1	202	R		✓	3/9/25	A	1	816	R		✓	3/9/25	A	1	2698	R		✓	3/9/25	A	1	2698	R		✓	3/9/25	A	1	2058	R		✓							
4/9/25	B	1	254	R		✓	3/9/25	B	1	870	R		✓	3/9/25	A	1	2756	R		✓	3/9/25	A	1	2756	R		✓	3/9/25	A	1	2116	R		✓							
5/9/25	A	1	288	R		✓	4/9/25	A	1	902	R		✓	4/9/25	A	1	2876	R		✓	4/9/25	A	1	2876	R		✓	4/9/25	A	1	2517	C		✓							
5/9/25	A	1	338	R		✓	4/9/25	A	1	952	R		✓	4/9/25	A	1	2946	R		✓	4/9/25	A	1	2946	R		✓	4/9/25	A	2	56	R		✓							
5/9/25	B	1	392	R		✓	5/9/25	B	1	1006	R		✓	5/9/25	A	1	3060	C		✓	5/9/25	A	1	3060	C		✓	5/9/25	A	2	128	R		✓							
6/9/25	A	1	460	R		✓	6/9/25	A	1	1074	R		✓	6/9/25	A	2	2	R		✓	6/9/25	A	2	2	R		✓	6/9/25	A	2	190	R		✓							
6/9/25	A	1	510	R		✓	6/9/25	A	1	1124	R		✓	6/9/25	A	2	110	R		✓	6/9/25	A	2	110	R		✓	6/9/25	A	2	234	R		✓							
6/9/25	B	1	524	R		✓	6/9/25	B	1	1136	R		✓	6/9/25	B	2	90	R		✓	6/9/25	B	2	90	R		✓	6/9/25	B	2	276	R		✓							
8/9/25	A	1	798	R		✓	8/9/25	A	1	1412	R		✓	8/9/25	A	2	176	R		✓	8/9/25	A	2	176	R		✓	8/9/25	A	2	306	R		✓							
8/9/25	A	1	844	R		✓	8/9/25	A	1	1804	R		✓	8/9/25	A	2	238	R		✓	8/9/25	A	2	238	R		✓	8/9/25	A	2	412	R		✓							
8/9/25	B	1	920	R		✓	8/9/25	B	1	1590	R		✓	8/9/25	B	2	258	R		✓	8/9/25	B	2	258	R		✓	8/9/25	B	2	474	R		✓							
9/9/25	A	1	976	R		✓	9/9/25	A	1	1630	R		✓	9/9/25	A	2	612	R		✓	9/9/25	A	2	612	R		✓	9/9/25	A	2	494	R		✓							
9/9/25	A	1	1016	R		✓	9/9/25	A	1	1738	R		✓	9/9/25	A	2	666	R		✓	9/9/25	A	2	666	R		✓	9/9/25	A	2	848	R		✓							
10/9/25	A	1	1124	R		✓	10/9/25	A	1	1780	R		✓	10/9/25	A	2	844	R		✓	10/9/25	A	2	844	R		✓	10/9/25	A	2	902	R		✓							
10/9/25	A	1	1166	R		✓	10/9/25	A	1	1904	R		✓	10/9/25	A	2	892	R		✓	10/9/25	A	2	892	R		✓	10/9/25	A	2	920	R		✓							
11/9/25	A	1	1290	R		✓	11/9/25	A	1	1996	R		✓	11/9/25	A	2	1036	R		✓	11/9/25	A	2	1036	R		✓	11/9/25	A	2	1080	R		✓							
12/9/25	A	1	1452	R		✓	12/9/25	A	1	2046	R		✓	12/9/25	A	2	1092	R		✓	12/9/25	A	2	1092	R		✓	12/9/25	A	2	1128	R		✓							
12/9/25	A	1	1502	R		✓	12/9/25	B	1	2100	R		✓	12/9/25	A	2	1246	R		✓	12/9/25	A	2	1246	R		✓	12/9/25	A	2	1272	R		✓							
12/9/25	B	1	1684	R		✓	12/9/25	A	1	2166	R		✓	12/9/25	A	2	1448	R		✓	12/9/25	A	2	1448	R		✓	12/9/25	A	2	1328	R		✓							
13/9/25	A	1	1620	R		✓	13/9/25	A	1	2193	C		✓	13/9/25	A	2	1508	R		✓	13/9/25	A	2	1508	R		✓	13/9/25	A	2	1482	R		✓							
13/9/25	A	1	1666	R		✓	13/9/25						✓	13/9/25	B	2	1578	R		✓	13/9/25	B	2	1578	R		✓	13/9/25	B	2	1684	R		✓							
13/9/25	B	1	1620	R		✓	13/9/25						✓	13/9/25	A	2	1658	R		✓	13/9/25	A	2	1658	R		✓	13/9/25	A	2	1744	R		✓							
13/9/25	A	1	1952	R		✓	13/9/25						✓	13/9/25	A	2	1720	R		✓	13/9/25	A	2	1720	R		✓	13/9/25	A	2	1814	R		✓							

Status: R-Running, C-completed

Multiple Tools Life Tracking Sheet

We are following "IATF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Tool Name							Tool Name							Tool Name							Tool Name																			
Tool Spec				Existing Life			Expected Life			Macro No.			Tool Spec				Existing Life			Expected Life			Macro No.			Tool Spec				Existing Life			Expected Life			Macro No.				
06x H0x012x80 210744				1000			2000			T23 993			PSA 1.2L VNT C/H				200			719 989			PSA 1.2L VNT C/H			05x014x90x10058944				1500			T22 992			PSA 1.2L VNT C/H				
OP				30A			OP			30A			OP				30A			OP				30A			OP				30A			OP				30A		
Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign	Date	Shift	Edge	Life	Status	Spec	Sign						
17/09/25	A	1	1976	R		Y	16/09/25	A	1	2915	R		Y	17/09/25	A	1	2280	R		Y																				
18/09/25	A	1	2016	C	18/09/25	Y	17/09/25	A	1	3086	R		Y	18/09/25	A	1	2386	R		Y																				
							18/09/25	A	1	3220	R		Y	19/09/25	A	1	2530	R		Y																				
							19/09/25	A	1	3366	R		Y								Y																			

Status: R-Running, C-completed

We are following "IAF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

We are following "IAF 16949 CAPD Method 10.3 Continual Improvement Spirit" to improve our GTI.

Greentech Industries (India) Pvt.Ltd. @Technical Center 03.09.2025 by sadia