

```
use demobd
switched to db demobd
show dbs
demobd      152.00 KiB
sample_mflix 115.54 MiB
admin        0 B
local        0 B
use placement_db
switched to db placement_db
use placement_db
already on db placement_db
db
placement_db
db.createCollection("students")
{ ok: 1 }
show collections
students

db.createCollection("companies")
{ ok: 1 }
show collections
companies
students

db.createCollection("applications")
{ ok: 1 }
db.applications.drop()
true
db.createCollection("applications")
{ ok: 1 }
db.stats()
{
```

```
db: 'placement_db',
collections: 3,
views: 0,
objects: Long('0'),
avgObjSize: 0,
dataSize: Long('0'),
storageSize: Long('12288'),
totalFreeStorageSize: Long('0'),
numExtents: Long('0'),
indexes: 3,
indexSize: Long('12288'),
indexFreeStorageSize: Long('0'),
fileSize: Long('0'),
nsSizeMB: 0,
ok: 1
}
```

help

Shell Help

log

'log.info(<msg>)': Write a custom info/warn/error/fatal/debug message

use

Set current database

show

'show databases'/'show dbs': Print a list of all available databases 'show database 'show profile': Prints system.profile information 'show users': Print roles for current database 'show log <name>': Display log for current database names.

exit

Quit the MongoDB shell with exit/exit()/exit

quit

Quit the MongoDB shell with quit/quit()

Mongo

Create a new connection and return the Mongo object. Usage: new MongoClient

connect

Create a new connection and return the Database object. Usage: connect

it

result of the last line evaluated; use to further iterate

version

Shell version

load

Loads and runs a JavaScript file into the current shell environment

enableTelemetry

Enables collection of anonymous usage data to improve the MongoDB

disableTelemetry	Disables collection of anonymous usage data to improve the mongo
passwordPrompt	Prompts the user for a password
sleep	Sleep for the specified number of milliseconds
print	Prints the contents of an object to the output
printjson	Alias for print()
convertShardKeyToHashed	Returns the hashed value for the input using the same hashing funct
cls	Clears the screen like console.clear()
isInteractive	Returns whether the shell will enter or has entered interactive mode

For more information on usage: <https://mongodb.com/docs/manual/reference/method>

```
use admin
```

```
switched to db admin
```

```
use placement_db
```

```
switched to db placement_db
```

```
db.students.insertOne({
  name: "Rahul",
  department: "CSE",
  cgpa: 8.5
})
{
  acknowledged: true,
  insertedId: ObjectId('6a32bd5875088adb2805fe46')
}
db.students.insertOne({
  name: "Priya",
  department: "ECE",
  cgpa: 8.2
})
{
  acknowledged: true,
  insertedId: ObjectId('6a32bdb575088adb2805fe47')
}
```

```
db.students.insertMany([
  {
    name: "Saran",
    department: "CSE",
    cgpa: 9.1
  },
  {
    name: "Kumar",
    department: "EEE",
    cgpa: 7.4
  },
  {
    name: "Anu",
    department: "ECE",
    cgpa: 8.7
  }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a32bdce75088adb2805fe48'),
    '1': ObjectId('6a32bdce75088adb2805fe49'),
    '2': ObjectId('6a32bdce75088adb2805fe4a')
  }
}

db.companies.insertOne({
  name: "TCS",
  location: "Hyderabad",
  package: 6
})
{
```

```
    acknowledged: true,
    insertedId: ObjectId('6a32be1e75088adb2805fe4b')
  }
  db.companies.insertMany([
    {name:"Infosys", location:"Bangalore", package:5},
    {name:"Wipro", location:"Chennai", package:4.5},
    {name:"Accenture", location:"Pune", package:7}
  ])
  {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('6a32be3175088adb2805fe4c'),
      '1': ObjectId('6a32be3175088adb2805fe4d'),
      '2': ObjectId('6a32be3175088adb2805fe4e')
    }
  }
  db.applications.insertOne({
    student:"Rahul",
    company:"TCS",
    status:"Applied"
  })
  {
    acknowledged: true,
    insertedId: ObjectId('6a32be5375088adb2805fe4f')
  }
  db.applications.insertMany([
    {student:"Priya", company:"Infosys", status:"Applied"},
    {student:"Saran", company:"Accenture", status:"Selected"},
    {student:"Kumar", company:"Wipro", status:"Rejected"}
  ])
  {
```

```
acknowledged: true,
insertedIds: {
  '0': ObjectId('6a32be5e75088adb2805fe50'),
  '1': ObjectId('6a32be5e75088adb2805fe51'),
  '2': ObjectId('6a32be5e75088adb2805fe52')
}
}
db.students.find()
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.5
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.2
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
{
  _id: ObjectId('6a32bdce75088adb2805fe49'),
  name: 'Kumar',
  department: 'EEE',
  cgpa: 7.4
}
```

```
}  
  
{  
  _id: ObjectId('6a32bdce75088adb2805fe4a'),  
  name: 'Anu',  
  department: 'ECE',  
  cgpa: 8.7  
}  
  
db.companies.find()  
  
{  
  _id: ObjectId('6a32be1e75088adb2805fe4b'),  
  name: 'TCS',  
  location: 'Hyderabad',  
  package: 6  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4c'),  
  name: 'Infosys',  
  location: 'Bangalore',  
  package: 5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4d'),  
  name: 'Wipro',  
  location: 'Chennai',  
  package: 4.5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4e'),  
  name: 'Accenture',  
  location: 'Pune',  
  package: 7  
}
```

```
}  
  
db.applications.find()  
  
{  
  _id: ObjectId('6a32be5375088adb2805fe4f'),  
  student: 'Rahul',  
  company: 'TCS',  
  status: 'Applied'  
}  
  
{  
  _id: ObjectId('6a32be5e75088adb2805fe50'),  
  student: 'Priya',  
  company: 'Infosys',  
  status: 'Applied'  
}  
  
{  
  _id: ObjectId('6a32be5e75088adb2805fe51'),  
  student: 'Saran',  
  company: 'Accenture',  
  status: 'Selected'  
}  
  
{  
  _id: ObjectId('6a32be5e75088adb2805fe52'),  
  student: 'Kumar',  
  company: 'Wipro',  
  status: 'Rejected'  
}  
  
db.students.findOne()  
  
{  
  _id: ObjectId('6a32bd5875088adb2805fe46'),  
  name: 'Rahul',  
  department: 'CSE',
```



```
cgpa: 8.5
}
db.students.find({name:"Rahul"})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.5
}
db.companies.find({name:"TCS"})
{
  _id: ObjectId('6a32be1e75088adb2805fe4b'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 6
}
db.applications.find({status:"Applied"})
{
  _id: ObjectId('6a32be5375088adb2805fe4f'),
  student: 'Rahul',
  company: 'TCS',
  status: 'Applied'
}
{
  _id: ObjectId('6a32be5e75088adb2805fe50'),
  student: 'Priya',
  company: 'Infosys',
  status: 'Applied'
}
db.students.find({department:"CSE"})
{
```

```
_id: ObjectId('6a32bd5875088adb2805fe46'),
name: 'Rahul',
department: 'CSE',
cgpa: 8.5
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
db.students.find({cgpa: {$gt: 8}})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.5
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.2
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
{
```

```
_id: ObjectId('6a32bdce75088adb2805fe4a'),
name: 'Anu',
department: 'ECE',
cgpa: 8.7
}
db.companies.find({package: {$gt: 5}})
{
  _id: ObjectId('6a32be1e75088adb2805fe4b'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 6
}
{
  _id: ObjectId('6a32be3175088adb2805fe4e'),
  name: 'Accenture',
  location: 'Pune',
  package: 7
}
db.applications.find({status:"Selected"})
{
  _id: ObjectId('6a32be5e75088adb2805fe51'),
  student: 'Saran',
  company: 'Accenture',
  status: 'Selected'
}
db.students.find({department:"ECE"})
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.2
}
```

```
}

{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu',
  department: 'ECE',
  cgpa: 8.7
}

db.companies.find({location:"Bangalore"})

{
  _id: ObjectId('6a32be3175088adb2805fe4c'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5
}

db.students.updateOne(
  {name:"Rahul"},
  {$set:{cgpa:8.8}}
)

{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}

db.students.updateOne(
  {name:"Priya"},
  {$set:{cgpa:8.3}}
)

{
  acknowledged: true,
```

```
insertedId: null,
matchedCount: 1,
modifiedCount: 1,
upsertedCount: 0
}
db.companies.updateOne(
  {name:"TCS"},
  {$set:{package:6.5}}
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
db.applications.updateOne(
  {student:"Rahul"},
  {$set:{status:"Selected"}}
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
db.students.deleteOne({name:"Kumar"})
{
  acknowledged: true,
  deletedCount: 1
}
```

```
}
db.companies.deleteOne({name:"Wipro"})
{
  acknowledged: true,
  deletedCount: 1
}
db.applications.deleteOne({student:"Kumar"})
{
  acknowledged: true,
  deletedCount: 1
}
db.applications.deleteMany({status:"Rejected"})
{
  acknowledged: true,
  deletedCount: 0
}
db.students.countDocuments()
4
db.companies.countDocuments()
3
db.applications.countDocuments()
3
db.students.countDocuments({department:"CSE"})
2
db.applications.countDocuments({status:"Selected"})
2
db.students.find({cgpa: {$gte: 8.5}})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
```

```
    cgpa: 8.8
  }
  {
    _id: ObjectId('6a32bdce75088adb2805fe48'),
    name: 'Saran',
    department: 'CSE',
    cgpa: 9.1
  }
  {
    _id: ObjectId('6a32bdce75088adb2805fe4a'),
    name: 'Anu',
    department: 'ECE',
    cgpa: 8.7
  }
  db.companies.find({package: {$gte: 6}})
  {
    _id: ObjectId('6a32be1e75088adb2805fe4b'),
    name: 'TCS',
    location: 'Hyderabad',
    package: 6.5
  }
  {
    _id: ObjectId('6a32be3175088adb2805fe4e'),
    name: 'Accenture',
    location: 'Pune',
    package: 7
  }
  db.applications.find({status: {$ne:"Selected"}})
  {
    _id: ObjectId('6a32be5e75088adb2805fe50'),
    student: 'Priya',
```

```
    company: 'Infosys',
    status: 'Applied'
  }
  db.students.find({department: {$ne:"ECE"}})
  {
    _id: ObjectId('6a32bd5875088adb2805fe46'),
    name: 'Rahul',
    department: 'CSE',
    cgpa: 8.8
  }
  {
    _id: ObjectId('6a32bdce75088adb2805fe48'),
    name: 'Saran',
    department: 'CSE',
    cgpa: 9.1
  }
  db.companies.find({package: {$lt: 7}})
  {
    _id: ObjectId('6a32be1e75088adb2805fe4b'),
    name: 'TCS',
    location: 'Hyderabad',
    package: 6.5
  }
  {
    _id: ObjectId('6a32be3175088adb2805fe4c'),
    name: 'Infosys',
    location: 'Bangalore',
    package: 5
  }
  db.students.find({cgpa: {$lt: 8.5}})
  {
```



```
_id: ObjectId('6a32bdb575088adb2805fe47'),
name: 'Priya',
department: 'ECE',
cgpa: 8.3
}
db.applications.find({status: {$ne:"Rejected"}})
{
  _id: ObjectId('6a32be5375088adb2805fe4f'),
  student: 'Rahul',
  company: 'TCS',
  status: 'Selected'
}
{
  _id: ObjectId('6a32be5e75088adb2805fe50'),
  student: 'Priya',
  company: 'Infosys',
  status: 'Applied'
}
{
  _id: ObjectId('6a32be5e75088adb2805fe51'),
  student: 'Saran',
  company: 'Accenture',
  status: 'Selected'
}
db.students.find({
  cgpa: {$gte: 8, $lte: 9}
})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
```

```
    cgpa: 8.8
  }
  {
    _id: ObjectId('6a32bdb575088adb2805fe47'),
    name: 'Priya',
    department: 'ECE',
    cgpa: 8.3
  }
  {
    _id: ObjectId('6a32bdce75088adb2805fe4a'),
    name: 'Anu',
    department: 'ECE',
    cgpa: 8.7
  }
  db.companies.find({
    package: {$gte: 5, $lte: 7}
  })
  {
    _id: ObjectId('6a32be1e75088adb2805fe4b'),
    name: 'TCS',
    location: 'Hyderabad',
    package: 6.5
  }
  {
    _id: ObjectId('6a32be3175088adb2805fe4c'),
    name: 'Infosys',
    location: 'Bangalore',
    package: 5
  }
  {
    _id: ObjectId('6a32be3175088adb2805fe4e'),
```

```
name: 'Accenture',
location: 'Pune',
package: 7
}
db.students.find({
  department: {$in:["CSE","ECE"]}
})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.8
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.3
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu',
  department: 'ECE',
  cgpa: 8.7
}
```

```
db.companies.find({
  location: {$in:["Bangalore","Pune"]}
})
{
  _id: ObjectId('6a32be3175088adb2805fe4c'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5
}
{
  _id: ObjectId('6a32be3175088adb2805fe4e'),
  name: 'Accenture',
  location: 'Pune',
  package: 7
}
db.applications.find({
  status: {$in:["Applied","Selected"]}
})
{
  _id: ObjectId('6a32be5375088adb2805fe4f'),
  student: 'Rahul',
  company: 'TCS',
  status: 'Selected'
}
{
  _id: ObjectId('6a32be5e75088adb2805fe50'),
  student: 'Priya',
  company: 'Infosys',
  status: 'Applied'
}
{
```

```
_id: ObjectId('6a32be5e75088adb2805fe51'),
student: 'Saran',
company: 'Accenture',
status: 'Selected'
}
db.students.find().sort({cgpa:1})
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.3
}
{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu',
  department: 'ECE',
  cgpa: 8.7
}
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.8
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
db.students.find().sort({cgpa:-1})
```

```
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.1
}
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.8
}
{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu',
  department: 'ECE',
  cgpa: 8.7
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  department: 'ECE',
  cgpa: 8.3
}
db.companies.find().sort({package:1})
{
  _id: ObjectId('6a32be3175088adb2805fe4c'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5
}
```

```
{
  _id: ObjectId('6a32be1e75088adb2805fe4b'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 6.5
}

{
  _id: ObjectId('6a32be3175088adb2805fe4e'),
  name: 'Accenture',
  location: 'Pune',
  package: 7
}

db.companies.find().sort({package:-1})

{
  _id: ObjectId('6a32be3175088adb2805fe4e'),
  name: 'Accenture',
  location: 'Pune',
  package: 7
}

{
  _id: ObjectId('6a32be1e75088adb2805fe4b'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 6.5
}

{
  _id: ObjectId('6a32be3175088adb2805fe4c'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5
}
```

```
db.students.find().sort({name:1})
```

```
{  
  _id: ObjectId('6a32bdce75088adb2805fe4a'),  
  name: 'Anu',  
  department: 'ECE',  
  cgpa: 8.7  
}
```

```
{  
  _id: ObjectId('6a32bdb575088adb2805fe47'),  
  name: 'Priya',  
  department: 'ECE',  
  cgpa: 8.3  
}
```

```
{  
  _id: ObjectId('6a32bd5875088adb2805fe46'),  
  name: 'Rahul',  
  department: 'CSE',  
  cgpa: 8.8  
}
```

```
{  
  _id: ObjectId('6a32bdce75088adb2805fe48'),  
  name: 'Saran',  
  department: 'CSE',  
  cgpa: 9.1  
}
```

```
db.students.find().limit(3)
```

```
{  
  _id: ObjectId('6a32bd5875088adb2805fe46'),  
  name: 'Rahul',  
  department: 'CSE',  
  cgpa: 8.8  
}
```



```
}  
  
{  
  _id: ObjectId('6a32bdb575088adb2805fe47'),  
  name: 'Priya',  
  department: 'ECE',  
  cgpa: 8.3  
}  
  
{  
  _id: ObjectId('6a32bdce75088adb2805fe48'),  
  name: 'Saran',  
  department: 'CSE',  
  cgpa: 9.1  
}  
  
db.companies.find().limit(5)  
  
{  
  _id: ObjectId('6a32be1e75088adb2805fe4b'),  
  name: 'TCS',  
  location: 'Hyderabad',  
  package: 6.5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4c'),  
  name: 'Infosys',  
  location: 'Bangalore',  
  package: 5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4e'),  
  name: 'Accenture',  
  location: 'Pune',  
  package: 7
```

```
}  
  
db.students.find().sort({cgpa:-1}).limit(3)  
  
{  
  _id: ObjectId('6a32bdce75088adb2805fe48'),  
  name: 'Saran',  
  department: 'CSE',  
  cgpa: 9.1  
}  
  
{  
  _id: ObjectId('6a32bd5875088adb2805fe46'),  
  name: 'Rahul',  
  department: 'CSE',  
  cgpa: 8.8  
}  
  
{  
  _id: ObjectId('6a32bdce75088adb2805fe4a'),  
  name: 'Anu',  
  department: 'ECE',  
  cgpa: 8.7  
}  
  
db.companies.find().sort({package:-1}).limit(2)  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4e'),  
  name: 'Accenture',  
  location: 'Pune',  
  package: 7  
}  
  
{  
  _id: ObjectId('6a32be1e75088adb2805fe4b'),  
  name: 'TCS',  
  location: 'Hyderabad',
```

```
package: 6.5
}
db.students.find({}, {name:1})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul'
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya'
}
{
  _id: ObjectId('6a32bdce75088adb2805fe48'),
  name: 'Saran'
}
{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu'
}
db.students.find({}, {name:1, cgpa:1})
{
  _id: ObjectId('6a32bd5875088adb2805fe46'),
  name: 'Rahul',
  cgpa: 8.8
}
{
  _id: ObjectId('6a32bdb575088adb2805fe47'),
  name: 'Priya',
  cgpa: 8.3
}
{
```

```
_id: ObjectId('6a32bdce75088adb2805fe48'),
name: 'Saran',
cgpa: 9.1
}
```

```
{
  _id: ObjectId('6a32bdce75088adb2805fe4a'),
  name: 'Anu',
  cgpa: 8.7
}
```

```
db.companies.find({}, {name:1, location:1})
```

```
{
  _id: ObjectId('6a32be1e75088adb2805fe4b'),
  name: 'TCS',
  location: 'Hyderabad'
}
```

```
{
  _id: ObjectId('6a32be3175088adb2805fe4c'),
  name: 'Infosys',
  location: 'Bangalore'
}
```

```
{
  _id: ObjectId('6a32be3175088adb2805fe4e'),
  name: 'Accenture',
  location: 'Pune'
}
```

```
db.students.find({}, {_id:0, name:1})
```

```
{
  name: 'Rahul'
}
```

```
{
  name: 'Priya'
}
```

```
}  
  
{  
  name: 'Saran'  
}  
  
{  
  name: 'Anu'  
}  
  
db.companies.find({}, {name:1, package:1})  
  
{  
  _id: ObjectId('6a32be1e75088adb2805fe4b'),  
  name: 'TCS',  
  package: 6.5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4c'),  
  name: 'Infosys',  
  package: 5  
}  
  
{  
  _id: ObjectId('6a32be3175088adb2805fe4e'),  
  name: 'Accenture',  
  package: 7  
}
```

Atlas atlas-hc32rj-shard-0 [primary] placement_db