## Modules

- In TypeScript you can use modules to organize your code, avoid polluting the global space, and expose functionalities for others to use.
- Multiple modules can be defined in the same file. However, it makes more sense to keep on module per file
- If you want, you can split a single module across multiple files
- If you decide to split a module across different files, this is how you would do it:
  - Create the module file: mymodule.ts and declare your module there: module MyModule {}
  - Create another file: mymodule.ext1.ts and on top of the file add: /// <reference path="mymodule.ts" /> . Then in the file, you can use the same name of the module and add more stuff to it: module MyModule { // other stuff... }
  - Then in your main file, you need two things on top of the file:
    - | /// <reference path="mymodule.ts" />
      | /// <reference path="mymodule.ext1.ts" />
  - Then, you can use the name of your module to refer to the symbols defined: MyModule.something, MyModule.somethingElse
- TypeScript has two system: one used internally and the other used externally
- External modules are used if your app uses CommonJS or AMD modules. Otherwise, you can use TypeScript's internal module system
- Using TypeScript's internal module system, you can:
  - use the module keyword to define a module: module MyModule { ... }
  - split modules into different files that contribute to a single module
  - use the /// <reference path="File.ts" /> tag to tell the compiler how files are related to each other when modules are split across files
- Using TypeScript's external module system:
  - you cannot use the module keyword. The module keyword is used only by the

internal module system.

- instead of the **reference** tag, you can use the **import** keyword to define the relationship between modules
- you can import symbols using the file name:

```
import mymodule = require('mymodule')
```