

Log Report

2024-08-28 19:35:22,548 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:35:24,865 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 19:35:28,089 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating PDF report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 359

2024-08-28 19:36:24,373 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:36:38,829 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 19:36:41,386 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched successfully.

2024-08-28 19:38:15,870 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:44:26,343 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:44:32,401 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating log report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 406

2024-08-28 19:44:35,674 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating PDF report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 362

2024-08-28 19:47:26,371 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:47:28,181 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour New Tour.

2024-08-28 19:47:34,224 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:47:36,073 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour New Tour.

2024-08-28 19:47:38,295 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:47:39,398 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour New Tour.

2024-08-28 19:47:40,958 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: 23503: update or delete on table "Tour" violates foreign key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the connection string to include this information.

Npgsql.PostgresException (0x80004005): 23503: update or delete on table "Tour" violates foreign key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the connection string to include this information.

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.
System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, Cancellation_token

cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlanner_Rafael_elias.Repository.TourRepository.DeleteTour(Tour tour) in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 148

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 278

Exception data:

Severity: ERROR

SqlState: 23503

MessageText: update or delete on table "Tour" violates foreign key constraint
"TourLog_Tour_ID_fkey" on table "TourLog"

Detail: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the
connection string to include this information.

SchemaName: public

TableName: TourLog

ConstraintName: TourLog_Tour_ID_fkey

File: ri_triggers.c

Line: 2621

Routine: ri_ReportViolation

2024-08-28 19:47:49,340 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour Urban Exploration.

2024-08-28 19:47:51,228 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error
deleting tour: 23503: update or delete on table "Tour" violates foreign key constraint
"TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the
connection string to include this information.

Npgsql.PostgresException (0x80004005): 23503: update or delete on table "Tour" violates foreign
key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the
connection string to include this information.

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)
at
System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.
System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)
at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationToken cancellationToken)
at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationToken cancellationToken)
at Npgsql.NpgsqlDataReader.NextResult()
at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationToken cancellationToken)
at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationToken cancellationToken)
at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, CancellationToken cancellationToken)
at Npgsql.NpgsqlCommand.ExecuteNonQuery()
at RoutePlanner_Rafael_elias.Repository.TourRepository.DeleteTour(Tour tour) in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 148
at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 278

Exception data:

Severity: ERROR

SqlState: 23503

MessageText: update or delete on table "Tour" violates foreign key constraint
"TourLog_Tour_ID_fkey" on table "TourLog"

Detail: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the
connection string to include this information.

SchemaName: public

TableName: TourLog

ConstraintName: TourLog_Tour_ID_fkey

File: ri_triggers.c

Line: 2621

Routine: ri_ReportViolation

2024-08-28 19:47:55,074 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 19:47:55,407 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour New Tour.

2024-08-28 19:47:58,382 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log deleted successfully.

2024-08-28 19:48:01,701 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in

F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 282

2024-08-28 19:48:08,381 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - File access error: The process cannot access the file

'F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

System.IO.IOException: The process cannot access the file

'F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

at Microsoft.Win32.SafeHandles.SafeFileHandle.CreateFile(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options)

at Microsoft.Win32.SafeHandles.SafeFileHandle.Open(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.OSFileStreamStrategy..ctor(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.FileStreamHelpers.ChooseStrategyCore(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.StreamReader.ValidateArgsAndOpenPath(String path, Encoding encoding, Int32 bufferSize)

at System.IO.File.ReadAllLines(String path, Encoding encoding)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in

F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael

_elias\ViewModels\MainViewModel.cs:line 415

2024-08-28 19:48:13,670 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error generating PDF report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 362

2024-08-28 19:48:16,314 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - File access error: The process cannot access the file

'F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

System.IO.IOException: The process cannot access the file

'F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

at Microsoft.Win32.SafeHandles.SafeFileHandle.CreateFile(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options)

at Microsoft.Win32.SafeHandles.SafeFileHandle.Open(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.OSFileStreamStrategy..ctor(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.FileStreamHelpers.ChooseStrategyCore(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.StreamReader.ValidateArgsAndOpenPath(String path, Encoding encoding, Int32

bufferSize)

at System.IO.File.ReadAllLines(String path, Encoding encoding)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 415

2024-08-28 19:48:59,296 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:49:02,289 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-28 19:49:03,078 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 19:49:03,445 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 19:49:33,083 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:49:34,234 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour milano to münchen.

2024-08-28 19:50:01,733 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour milano to münchen.

2024-08-28 19:50:01,735 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour milano to münchen.

2024-08-28 19:50:06,791 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log deleted successfully.

2024-08-28 19:50:09,747 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 282

2024-08-28 19:50:45,966 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating PDF report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use

BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 362

2024-08-28 19:50:48,260 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - File access error: The process cannot access the file

'F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

System.IO.IOException: The process cannot access the file

'F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

at Microsoft.Win32.SafeHandles.SafeFileHandle.CreateFile(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options)

at Microsoft.Win32.SafeHandles.SafeFileHandle.Open(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.OSFileStreamStrategy..ctor(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.FileStreamHelpers.ChooseStrategyCore(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.StreamReader.ValidateArgsAndOpenPath(String path, Encoding encoding, Int32 bufferSize)

at System.IO.File.ReadAllLines(String path, Encoding encoding)

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 415

2024-08-28 19:51:14,830 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours

loaded successfully.

2024-08-28 19:51:17,012 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - File access error: The process cannot access the file

'F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

System.IO.IOException: The process cannot access the file

'F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\bin\Debug\net8.0-windows\log-file.txt' because it is being used by another process.

at Microsoft.Win32.SafeHandles.SafeFileHandle.CreateFile(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options)

at Microsoft.Win32.SafeHandles.SafeFileHandle.Open(String fullPath, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.OSFileStreamStrategy..ctor(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.Strategies.FileStreamHelpers.ChooseStrategyCore(String path, FileMode mode, FileAccess access, FileShare share, FileOptions options, Int64 preallocationSize, Nullable`1 unixCreateMode)

at System.IO.StreamReader.ValidateArgsAndOpenPath(String path, Encoding encoding, Int32 bufferSize)

at System.IO.File.ReadAllLines(String path, Encoding encoding)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in

F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 415

2024-08-28 19:53:15,114 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:53:17,866 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating log report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels>MainViewModel.cs:line 417

2024-08-28 19:53:20,698 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error
generating PDF report: Unknown PdfException.

IText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or
com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use
BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in
F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels>MainViewModel.cs:line 362

2024-08-28 19:56:16,816 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours
loaded successfully.

2024-08-28 19:56:19,411 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error
generating log report: Unknown PdfException.

IText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or
com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use
BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIDigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateLogReport() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 417

2024-08-28 19:56:21,391 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error generating PDF report: Unknown PdfException.

iText.Kernel.Exceptions.PdfException: Unknown PdfException.

---> System.NotSupportedException: Either com.itextpdf:bouncy-castle-adapter or
com.itextpdf:bouncy-castle-fips-adapter dependency must be added in order to use
BouncyCastleFactoryCreator

at iText.Bouncycastleconnector.BouncyCastleDefaultFactory.CreateIdigest(String hashAlgorithm)

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

--- End of inner exception stack trace ---

at iText.Kernel.Pdf.SmartModePdfObjectsSerializer..ctor()

at iText.Kernel.Pdf.PdfWriter..ctor(Stream os, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename, WriterProperties properties)

at iText.Kernel.Pdf.PdfWriter..ctor(String filename)

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.GenerateTourReport() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 362

2024-08-28 19:58:02,466 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:58:06,246 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-28 19:58:08,534 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log report generated successfully.

2024-08-28 19:59:26,106 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 19:59:29,075 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs

loaded for tour luxemparis.

2024-08-28 19:59:31,367 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched successfully.

2024-08-28 20:04:13,202 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:04:16,594 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:04:18,960 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched successfully.

2024-08-28 20:04:28,699 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log report generated successfully.

2024-08-28 20:04:37,020 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-28 20:05:09,156 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:05:11,109 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:05:16,011 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log report generated successfully.

2024-08-28 20:05:57,168 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:06:03,666 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched successfully.

2024-08-28 20:06:07,832 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log report generated successfully.

2024-08-28 20:06:09,605 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-28 20:10:49,792 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:10:51,961 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:10:52,314 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:10:55,162 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route

data fetched and tour updated successfully.

2024-08-28 20:12:01,582 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:12:05,498 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-28 20:12:07,660 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error fetching route data: 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

Npgsql.PostgresException (0x80004005): 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.
System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlaner_Rafael_elias.Repository.TourRepository.UpdateTour(Tour tour) in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 131

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.FetchRouteData() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 153

Exception data:

Severity: ERROR

SqlState: 42703

MessageText: column "Distance" of relation "Tour" does not exist

Position: 202

File: analyze.c

Line: 2527

Routine: transformUpdateTargetList

2024-08-28 20:12:34,752 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:12:37,642 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-28 20:12:39,568 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error fetching route data: 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

Npgsql.PostgresException (0x80004005): 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.
System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, CancellationToken cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlanner_Rafael_elias.Repository.TourRepository.UpdateTour(Tour tour) in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 131

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.FetchRouteData() in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 153

Exception data:

Severity: ERROR

SqlState: 42703

MessageText: column "Distance" of relation "Tour" does not exist

Position: 202

File: analyze.c

Line: 2527

Routine: transformUpdateTargetList

2024-08-28 20:12:49,127 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:12:52,286 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error fetching route data: 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

Npgsql.PostgresException (0x80004005): 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1. System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationToken cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlanner_Rafael_elias.Repository.TourRepository.UpdateTour(Tour tour) in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 131

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.FetchRouteData() in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 153

Exception data:

Severity: ERROR

SqlState: 42703

MessageText: column "Distance" of relation "Tour" does not exist

Position: 202

File: analyze.c

Line: 2527

Routine: transformUpdateTargetList

2024-08-28 20:14:47,469 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:14:49,858 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:14:50,948 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Error updating tour in database: 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

Npgsql.PostgresException (0x80004005): 42703: column "Distance" of relation "Tour" does not exist

POSITION: 202

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.

System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationToken cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationToken cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationToken cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationToken cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, CancellationToken cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlanner_Rafael_elias.Repository.TourRepository.UpdateTour(Tour tour) in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 131

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.FetchRouteData() in F:\GIT\SWEN\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 165

Exception data:

Severity: ERROR

SqlState: 42703

MessageText: column "Distance" of relation "Tour" does not exist

Position: 202

File: analyze.c

Line: 2527

Routine: transformUpdateTargetList

2024-08-28 20:16:30,284 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours

loaded successfully.

2024-08-28 20:16:33,421 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:16:35,082 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:16:36,388 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:20:40,884 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:20:43,107 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:20:45,116 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error updating tour in database: 42703: column "id" does not exist

POSITION: 261

Npgsql.PostgresException (0x80004005): 42703: column "id" does not exist

POSITION: 261

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.
System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, Cancellation_token cancellationToken)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, Cancellation_token cancellationToken)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlaner_Rafael_elias.Repository.TourRepository.UpdateTour(Tour tour) in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 129

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.FetchRouteData() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 165

Exception data:

Severity: ERROR

SqlState: 42703

MessageText: column "id" does not exist

Position: 261

File: parse_relation.c

Line: 3722

Routine: errorMissingColumn

2024-08-28 20:21:50,740 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:21:52,830 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:21:53,809 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:21:55,037 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:21:57,893 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-28 20:22:00,131 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:22:01,731 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:22:02,654 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:22:05,444 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:22:46,554 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:22:51,477 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:22:52,738 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:22:53,619 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:24:14,644 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:24:15,705 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 20:24:16,877 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:24:18,330 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:27:32,985 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:27:35,759 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 20:27:37,993 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:27:39,039 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:29:02,009 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:29:04,875 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 20:29:06,110 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:29:07,169 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:29:18,262 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-28 20:29:37,258 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:29:40,148 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:29:41,250 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:29:42,418 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:29:43,741 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:29:44,757 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:29:48,211 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-28 20:31:49,494 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:36:05,968 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:36:13,458 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:36:43,574 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:36:48,659 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-28 20:36:52,730 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:37:06,766 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:42:23,545 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:43:07,909 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:43:09,665 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:43:15,980 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:47:10,903 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:47:13,554 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 20:47:14,053 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:47:19,090 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:47:20,132 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:47:25,596 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:47:28,414 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:47:29,017 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:47:55,288 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:47:59,395 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:48:00,184 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 20:48:00,495 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:48:02,842 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:48:03,528 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:48:07,931 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:50:40,647 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:50:44,096 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 20:50:46,773 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:50:54,489 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:51:00,570 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:51:07,266 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:51:11,068 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:51:12,712 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:51:14,374 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:51:35,741 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:51:37,058 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:51:38,036 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:51:39,140 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:54:10,031 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:54:13,296 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 20:54:17,352 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:54:18,614 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:54:19,584 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:54:34,424 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:55:23,786 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:55:28,181 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:56:18,662 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:56:20,776 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 20:56:22,916 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:56:24,135 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 20:56:46,375 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:57:52,822 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:58:11,838 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 20:58:17,439 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour france.

2024-08-28 20:58:19,661 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 20:58:20,701 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 21:17:19,020 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Failed to load tours: Column 'Distance' is null.

System.InvalidCastException: Column 'Distance' is null.

at Npgsql.ThrowHelper.ThrowInvalidCastException_NoValue(FieldDescription field)

at Npgsql.NpgsqlDataReader.DbNullValueOrThrow[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDouble(Int32 ordinal)

at RoutePlaner_Rafael_elias.Repository.TourRepository.GetAllTours() in F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 30

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 356

2024-08-28 21:19:05,565 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel -
Failed to load tours: Column 'Distance' is null.

System.InvalidCastException: Column 'Distance' is null.

at Npgsql.ThrowHelper.ThrowInvalidCastException_NoValue(FieldDescription field)

at Npgsql.NpgsqlDataReader.DbNullValueOrThrow[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDouble(Int32 ordinal)

at RoutePlaner_Rafael_elias.Repository.TourRepository.GetAllTours() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 30

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in
F:\GIT\SWEN\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 356

2024-08-28 21:22:25,309 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours
loaded successfully.

2024-08-28 21:22:29,274 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour luxemparis.

2024-08-28 21:22:37,950 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours
loaded successfully.

2024-08-28 21:22:58,515 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour luxemparis.

2024-08-28 21:23:00,655 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour
updated successfully in the database.

2024-08-28 21:23:01,663 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route
data fetched and tour updated successfully.

2024-08-28 21:23:18,312 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour testtour.

2024-08-28 21:23:19,065 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour luxemparis.

2024-08-28 21:23:23,412 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours
loaded successfully.

2024-08-28 21:23:29,279 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour france.

2024-08-28 21:23:29,985 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 21:23:30,346 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 21:23:30,676 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 21:23:31,816 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 21:23:32,888 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 21:41:50,162 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 21:41:52,741 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 21:42:40,344 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 21:42:45,794 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour france.

2024-08-28 21:42:51,006 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 21:42:51,436 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 21:42:52,979 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour testtour.

2024-08-28 21:42:53,920 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 21:46:40,480 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 21:46:44,175 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 21:47:03,927 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 21:47:08,071 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 21:47:08,493 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour luxemparis.

2024-08-28 21:47:12,883 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 21:47:14,299 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 21:52:16,832 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 21:52:25,070 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-28 21:52:25,362 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 21:56:15,442 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:01:02,120 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:02:17,375 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-28 22:02:19,854 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:02:21,437 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure.

2024-08-28 22:03:45,079 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log report generated successfully.

2024-08-28 22:06:21,178 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:06:46,865 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Milano drive Vienna.

2024-08-28 22:06:48,602 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:06:51,878 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 222.

2024-08-28 22:06:53,032 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:06:53,752 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 222.

2024-08-28 22:06:54,047 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 22.

2024-08-28 22:06:54,384 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 2.

2024-08-28 22:06:54,772 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 222.

2024-08-28 22:06:56,317 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:06:57,226 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Adventure 222.

2024-08-28 22:21:45,046 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:21:56,938 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-28 22:22:18,417 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:22:28,182 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-28 22:26:08,392 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:26:43,679 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:42:33,669 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:42:42,561 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:42:49,041 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-28 22:42:52,101 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:42:59,082 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:42:59,084 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Exploration 343.

2024-08-28 22:43:06,465 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-28 22:43:07,634 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-28 22:46:15,104 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-29 15:17:59,342 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-29 15:18:05,673 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-29 15:18:08,351 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-29 15:18:13,432 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-29 15:19:01,160 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-29 15:19:02,779 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Testlauf.

2024-08-29 15:19:19,147 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Testlauf.

2024-08-29 20:01:16,485 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-29 20:01:27,799 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TourWithLogs.

2024-08-29 20:01:31,560 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TourWithLogToDelete.

2024-08-29 20:01:35,346 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-29 20:01:35,890 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-29 20:02:05,570 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-29 20:02:06,312 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-29 20:02:06,950 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-29 20:02:51,838 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-29 20:02:53,341 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour cxyxcx.

2024-08-29 20:02:57,893 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 521

2024-08-29 20:03:09,005 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-29 20:03:13,724 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-29 20:03:40,927 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-29 20:07:39,049 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-29 20:07:46,693 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: 23503: update or delete on table "Tour" violates foreign key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the connection string to include this information.

Npgsql.PostgresException (0x80004005): 23503: update or delete on table "Tour" violates foreign key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

DETAIL: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the connection string to include this information.

at Npgsql.Internal.NpgsqlConnector.ReadMessageLong(Boolean async, DataRowLoadingMode

dataRowLoadingMode, Boolean readingNotifications, Boolean isReadingPrependedMessage)

at

System.Runtime.CompilerServices.PoolingAsyncValueTaskMethodBuilder`1.StateMachineBox`1.

System.Threading.Tasks.Sources.IValueTaskSource<TResult>.GetResult(Int16 token)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlDataReader.NextResult(Boolean async, Boolean isConsuming, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlDataReader.NextResult()

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteReader(Boolean async, CommandBehavior behavior, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteNonQuery(Boolean async, CancellationTokens cancellationTokens)

at Npgsql.NpgsqlCommand.ExecuteNonQuery()

at RoutePlanner_Rafael_elias.Repository.TourRepository.DeleteTour(Tour tour) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 301

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 517

Exception data:

Severity: ERROR

SqlState: 23503

MessageText: update or delete on table "Tour" violates foreign key constraint "TourLog_Tour_ID_fkey" on table "TourLog"

Detail: Detail redacted as it may contain sensitive data. Specify 'Include Error Detail' in the connection string to include this information.

SchemaName: public

TableName: TourLog

ConstraintName: TourLog_Tour_ID_fkey

File: ri_triggers.c

Line: 2621

Routine: ri_ReportViolation

2024-08-29 20:08:17,563 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Log deleted successfully.

2024-08-29 20:08:20,971 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in

C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 521

2024-08-29 20:17:42,812 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-29 20:17:44,482 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-29 20:17:45,588 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-29 20:17:46,702 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-29 20:17:47,748 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-29 20:17:48,793 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-30 13:54:33,455 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 13:54:43,491 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 13:54:45,764 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour D.

2024-08-30 13:54:47,994 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 13:54:48,826 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 13:54:49,971 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour updated successfully in the database.

2024-08-30 14:05:25,395 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Route data fetched and tour updated successfully.

2024-08-30 14:06:14,292 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:06:16,796 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-30 14:06:28,639 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:06:29,913 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour d.

2024-08-30 14:06:52,017 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour d.

2024-08-30 14:06:52,018 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour d.

2024-08-30 14:07:01,006 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 521

2024-08-30 14:12:11,837 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:12:14,218 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 14:12:27,185 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 521

2024-08-30 14:12:30,957 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 14:12:55,522 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 14:12:56,085 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 14:12:56,412 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 14:12:56,704 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-30 14:12:57,022 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:12:58,106 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-30 14:13:04,151 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Error deleting tour: Object reference not set to an instance of an object.

System.NullReferenceException: Object reference not set to an instance of an object.

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.DeleteTour() in
C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels>MainViewModel.cs:line 521

2024-08-30 14:17:11,663 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:17:48,361 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 14:17:52,334 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Attempting to delete tour: Forest Trek

2024-08-30 14:17:53,404 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour deleted successfully.

2024-08-30 14:17:54,896 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:17:55,337 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 14:24:23,251 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:24:31,943 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 177

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:24:41,976 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:24:43,722 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:24:51,875 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:25:09,244 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:25:15,061 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType

postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlaner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 177

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:25:44,473 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:27:35,577 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:27:43,363 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 177

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:37:11,179 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:37:22,048 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Column 'Distance' is null.

System.InvalidCastException: Column 'Distance' is null.

at Npgsql.ThrowHelper.ThrowInvalidCastException_NoValue(FieldDescription field)

at Npgsql.NpgsqlDataReader.DbNullValueOrThrow[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDouble(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 177

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:39:57,586 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:40:01,279 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:40:01,279 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:40:15,870 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Forest Trek.

2024-08-30 14:40:15,870 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:40:37,055 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:40:54,702 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:40:54,702 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:41:00,666 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:41:00,666 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:44:18,881 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:44:25,282 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 14:44:25,282 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:44:28,338 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:44:28,338 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 14:46:54,822 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:46:59,392 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:46:59,392 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:47:03,509 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 14:47:05,078 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:47:09,331 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 14:47:09,331 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:47:14,363 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:47:14,363 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:47:16,721 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:47:16,721 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 14:48:19,610 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:48:19,610 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:29,010 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:48:29,010 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:30,303 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 14:48:44,793 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:49,256 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:52,864 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:53,920 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:54,288 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:54,673 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:48:57,320 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:48:57,320 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 14:48:59,124 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:49:02,813 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-30 14:49:03,394 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:49:06,593 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:49:10,946 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:49:10,946 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:51:43,908 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:51:48,955 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlaner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:56:34,090 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:56:43,050 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlaner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\RoutePlaner_Rafael_elias.ViewModels\MainViewModel.cs:line 725

2024-08-30 14:57:08,424 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:57:11,939 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:57:15,767 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:57:46,679 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:57:51,948 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:57:58,771 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter& converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:58:39,329 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:58:42,978 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search execution failed: Reading as 'System.Decimal' is not supported for fields having

DataTypeName 'double precision'

System.InvalidCastException: Reading as 'System.Decimal' is not supported for fields having
DataTypeName 'double precision'

at

Npgsql.Internal.AdoSerializerHelpers.<GetTypeInfoForReading>g__ThrowReadingNotSupported|
0_0(Type type, String displayName, Exception inner)

at Npgsql.Internal.AdoSerializerHelpers.GetTypeInfoForReading(Type type, PostgresType
postgresType, PgSerializerOptions options)

at Npgsql.BackendMessages.FieldDescription.<GetInfo>g__GetInfoSlow|50_0(Type type,
ColumnInfo& lastColumnInfo)

at Npgsql.BackendMessages.FieldDescription.GetInfo(Type type, ColumnInfo& lastColumnInfo)

at Npgsql.NpgsqlDataReader.<GetInfo>g__Slow|133_0(ColumnInfo& info, PgConverter&
converter, Size& bufferRequirement, Boolean& asObject, <>c__DisplayClass133_0&)

at Npgsql.NpgsqlDataReader.GetFieldValueCore[T](Int32 ordinal)

at Npgsql.NpgsqlDataReader.GetDecimal(Int32 ordinal)

at RoutePlanner_Rafael_elias.Repository.TourRepository.SearchTours(String searchQuery) in
C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\
RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 178

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.ExecuteSearch() in
C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\
RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 725

2024-08-30 14:59:02,903 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours
loaded successfully.

2024-08-30 14:59:05,839 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour Mountain Hike.

2024-08-30 14:59:05,840 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search
executed successfully.

2024-08-30 14:59:11,720 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour City Bike Tour.

2024-08-30 14:59:11,720 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search
executed successfully.

2024-08-30 14:59:17,130 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs
loaded for tour City Bike Tour.

2024-08-30 14:59:17,130 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search

executed successfully.

2024-08-30 14:59:18,844 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 14:59:27,698 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour City Bike Tour.

2024-08-30 14:59:31,016 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:59:31,016 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:59:36,231 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 14:59:36,231 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 14:59:39,353 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 14:59:39,353 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 15:05:50,060 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 15:05:54,530 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 15:05:54,530 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 15:05:56,956 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Coastal Walk.

2024-08-30 15:05:57,431 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Urban Exploration.

2024-08-30 17:49:04,005 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Failed to load tours: Failed to connect to 127.0.0.1:5432

Npgsql.NpgsqlException (0x80004005): Failed to connect to 127.0.0.1:5432

---> System.Net.Sockets.SocketException (10061): Es konnte keine Verbindung hergestellt werden, da der Zielcomputer die Verbindung verweigerte.

at Npgsql.Internal.NpgsqlConnector.Connect(NpgsqlTimeout timeout)

at Npgsql.Internal.NpgsqlConnector.Connect(NpgsqlTimeout timeout)

at Npgsql.Internal.NpgsqlConnector.RawOpen(SslMode sslMode, NpgsqlTimeout timeout, Boolean async, CancellationToken cancellationToken, Boolean isFirstAttempt)

at Npgsql.Internal.NpgsqlConnector.<Open>g__OpenCore|213_1(NpgsqlConnector conn, SslMode sslMode, NpgsqlTimeout timeout, Boolean async, CancellationToken cancellationToken, Boolean isFirstAttempt)

at Npgsql.Internal.NpgsqlConnector.Open(NpgsqlTimeout timeout, Boolean async, CancellationToken cancellationToken)

at Npgsql.PoolingDataSource.OpenNewConnector(NpgsqlConnection conn, NpgsqlTimeout timeout, Boolean async, CancellationToken cancellationToken)

at Npgsql.PoolingDataSource.<Get>g__RentAsync|34_0(NpgsqlConnection conn, NpgsqlTimeout timeout, Boolean async, CancellationToken cancellationToken)

at Npgsql.NpgsqlConnection.<Open>g__OpenAsync|42_0(Boolean async, CancellationToken cancellationToken)

at Npgsql.NpgsqlConnection.Open()

at RoutePlanner_Rafael_elias.Repository.TourRepository.GetAllTours() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 23

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 584

2024-08-30 17:49:55,689 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 17:49:57,829 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 17:50:09,417 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Mountain Hike.

2024-08-30 17:50:09,417 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 17:50:23,939 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 17:50:28,117 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour q.

2024-08-30 17:50:28,117 INFO RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 18:26:18,386 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel -

Failed to load tours: The type initializer for 'Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.Mapping.NpgsqlBigIntegerTypeMapping' threw an exception.

System.TypeInitializationException: The type initializer for 'Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.Mapping.NpgsqlBigIntegerTypeMapping' threw an exception.

---> System.TypeLoadException: Method 'get_ConstructorExpression' in type 'JsonBigIntegerReaderWriter' from assembly 'Npgsql.EntityFrameworkCore.PostgreSQL, Version=9.0.0.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7' does not have an implementation.

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.Mapping.NpgsqlBigIntegerTypeMapping..ctor()

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.Mapping.NpgsqlBigIntegerTypeMapping..cctor()

--- End of inner exception stack trace ---

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.Mapping.NpgsqlBigIntegerTypeMapping.get_Default()

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource..ctor(TypeMappingSourceDependencies dependencies, RelationalTypeMappingSourceDependencies relationalDependencies, ISqlGenerationHelper sqlGenerationHelper, INpgsqlSingletonOptions options)

at System.RuntimeMethodHandle.InvokeMethod(Object target, Void** arguments, Signature sig, Boolean isConstructor)

at System.Reflection.MethodBaseInvoker.InvokeDirectByRefWithFewArgs(Object obj, Span`1 copyOfArgs, BindingFlags invokeAttr)

at System.Reflection.MethodBaseInvoker.InvokeWithFewArgs(Object obj, BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at System.Reflection.RuntimeConstructorInfo.Invoke(BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(ServiceIdentifier serviceIdentifier, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at

Microsoft.Extensions.DependencyInjection.NpgsqlServiceCollectionExtensions.<>c.<AddEntityFrameworkNpgsql>b__1_1(IServiceProvider p)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitFactory(FactoryCallSite factoryCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC

allSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(ServiceIdentifier serviceIdentifier, ServiceProviderEngineScope serviceProviderEngineScope)

at Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at Microsoft.EntityFrameworkCore.DbContext.get_DbContextDependencies()

at Microsoft.EntityFrameworkCore.DbContext.get_ContextServices()

at Microsoft.EntityFrameworkCore.DbContext.get_Model()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityType()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.CheckState()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityQueryable()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.System.Linq.IQueryable.get_Provider()

at Microsoft.EntityFrameworkCore.EntityFrameworkQueryableExtensions.Include[TEntity,TProperty](IQueryable`1 source, Expression`1 navigationPropertyPath)

at RoutePlanner_Rafael_elias.Repository.TourRepository.GetAllTours() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 20

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 584

2024-08-30 18:36:29,633 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel - Failed to load tours: Could not load type 'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping' from assembly 'Npgsql, Version=8.0.3.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.

System.TypeLoadException: Could not load type 'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping' from assembly 'Npgsql, Version=8.0.3.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.SetupEnumMappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource dataSource)

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.LoadUserDefinedTypeMappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource dataSource)

at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource..ctor(TypeMappingSourceDependencies dependencies, RelationalTypeMappingSourceDependencies relationalDependencies, ISqlGenerationHelper sqlGenerationHelper, INpgsqlSingletonOptions options)

at System.RuntimeMethodHandle.InvokeMethod(Object target, Void** arguments, Signature sig, Boolean isConstructor)

at System.Reflection.MethodBaseInvoker.InvokeDirectByRefWithFewArgs(Object obj, Span`1 copyOfArgs, BindingFlags invokeAttr)

at System.Reflection.MethodBaseInvoker.InvokeWithFewArgs(Object obj, BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at System.Reflection.RuntimeConstructorInfo.Invoke(BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(Service

ceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor

or(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at

Microsoft.Extensions.DependencyInjection.NpgsqlServiceCollectionExtensions.<>c.<AddEntityFrameworkNpgsql>b__1_1(IServiceProvider p)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitFactory(FactoryCallSite factoryCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S

erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC
allSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstruct
or(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(Servi
ceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S
erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC
allSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstruct
or(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(Servi
ceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S
erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at Microsoft.EntityFrameworkCore.DbContext.get_DbContextDependencies()

at Microsoft.EntityFrameworkCore.DbContext.get_ContextServices()
at Microsoft.EntityFrameworkCore.DbContext.get_Model()
at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityType()
at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.CheckState()
at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityQueryable()
at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.System.Linq.IQueryable.get_Provider()
at
Microsoft.EntityFrameworkCore.EntityFrameworkQueryableExtensions.Include[TEntity,TProperty](
IQueryable`1 source, Expression`1 navigationPropertyPath)
at RoutePlanner_Rafael_elias.Repository.TourRepository.GetAllTours() in
C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\
RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 20
at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in
C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\
RoutePlanner_Rafael_elias\ViewModels\MainViewModel.cs:line 584
2024-08-30 18:36:42,054 ERROR RoutePlanner_Rafael_elias.ViewModels.MainViewModel -
Failed to load tours: Could not load type 'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping'
from assembly 'Npgsql, Version=8.0.3.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.
System.TypeLoadException: Could not load type
'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping' from assembly 'Npgsql, Version=8.0.3.0,
Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.
at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.SetupEnum
Mappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource dataSource)
at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.LoadUser
DefinedTypeMappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource
dataSource)
at
Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource..ctor(Type
MappingSourceDependencies dependencies, RelationalTypeMappingSourceDependencies
relationalDependencies, ISqlGenerationHelper sqlGenerationHelper, INpgsqlSingletonOptions
options)
at InvokeStub_NpgsqlTypeMappingSource..ctor(Object, Span`1)
at System.Reflection.MethodBaseInvoker.InvokeWithFewArgs(Object obj, BindingFlags

invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at System.Reflection.RuntimeConstructorInfo.Invoke(BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(Serv

iceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at

Microsoft.Extensions.DependencyInjection.NpgsqlServiceCollectionExtensions.<>c.<AddEntityFrameworkNpgsql>b__1_1(IServiceProvider p)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitFactory(FactoryCallSite factoryCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstructor(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S

erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC
allSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstruct
or(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(Servi
ceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S
erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC
allSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitConstruct
or(ConstructorCallSite constructorCallSite, RuntimeResolverContext context)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(Servi
ceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(S
erviceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope
serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitScopeCa
che(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at Microsoft.EntityFrameworkCore.DbContext.get_DbContextDependencies()

at Microsoft.EntityFrameworkCore.DbContext.get_ContextServices()

at Microsoft.EntityFrameworkCore.DbContext.get_Model()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityType()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.CheckState()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityQueryable()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.System.Linq.IQueryable.get_Provider()

at

Microsoft.EntityFrameworkCore.EntityFrameworkQueryableExtensions.Include[TEntity,TProperty](IQueryable`1 source, Expression`1 navigationPropertyPath)

at RoutePlanner_Rafael_elias.Repository.TourRepository.GetAllTours() in

C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 20

at RoutePlanner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in

C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\

RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 584

2024-08-30 18:37:38,132 ERROR RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Failed to load tours: Could not load type 'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping' from assembly 'Npgsql, Version=8.0.3.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.

System.TypeLoadException: Could not load type 'Npgsql.Internal.TypeMapping.IUserEnumTypeMapping' from assembly 'Npgsql, Version=8.0.3.0, Culture=neutral, PublicKeyToken=5d8b90d52f46fda7'.

at

Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.SetupEnumMappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource dataSource)

at

Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource.LoadUserDefinedTypeMappings(ISqlGenerationHelper sqlGenerationHelper, NpgsqlDataSource dataSource)

at

Npgsql.EntityFrameworkCore.PostgreSQL.Storage.Internal.NpgsqlTypeMappingSource..ctor(TypeMappingSourceDependencies dependencies, RelationalTypeMappingSourceDependencies relationalDependencies, ISqlGenerationHelper sqlGenerationHelper, INpgsqlSingletonOptions options)

at InvokeStub_NpgsqlTypeMappingSource..ctor(Object, Span`1)

at System.Reflection.MethodBaseInvoker.InvokeWithFewArgs(Object obj, BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at System.Reflection.RuntimeConstructorInfo.Invoke(BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitRootCache(ServiceCallSite callSite, RuntimeResolverContext context)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(Serv

iceCallSite callSite, ServiceProviderEngineScope scope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at

Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at

Microsoft.Extensions.DependencyInjection.NpgsqlServiceCollectionExtensions.<>c.<AddEntityFrameworkNpgsql>b__1_1(IServiceProvider p)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceC

allSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope serviceProviderEngine, RuntimeResolverLock lockType)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSiteMain(ServiceCallSite callSite, TArgument argument)

at

Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.VisitCache(ServiceCallSite callSite, RuntimeResolverContext context, ServiceProviderEngineScope

serviceProviderEngine, RuntimeResolverLock lockType)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteVisitor`2.VisitCallSite(ServiceCallSite callSite, TArgument argument)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.CallSiteRuntimeResolver.Resolve(ServiceCallSite callSite, ServiceProviderEngineScope scope)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.DynamicServiceProviderEngine.<>c__DisplayClass2_0.<RealizeService>b__0(ServiceProviderEngineScope scope)

at Microsoft.Extensions.DependencyInjection.ServiceProvider.GetService(Type serviceType, ServiceProviderEngineScope serviceProviderEngineScope)

at
Microsoft.Extensions.DependencyInjection.ServiceLookup.ServiceProviderEngineScope.GetService(Type serviceType)

at
Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService(IServiceProvider provider, Type serviceType)

at
Microsoft.Extensions.DependencyInjection.ServiceProviderServiceExtensions.GetRequiredService[T](IServiceProvider provider)

at Microsoft.EntityFrameworkCore.DbContext.get_DbContextDependencies()

at Microsoft.EntityFrameworkCore.DbContext.get_ContextServices()

at Microsoft.EntityFrameworkCore.DbContext.get_Model()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityType()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.CheckState()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.get_EntityQueryable()

at Microsoft.EntityFrameworkCore.Internal.InternalDbSet`1.System.Linq.IQueryable.get_Provider()

at
Microsoft.EntityFrameworkCore.EntityFrameworkQueryableExtensions.Include[TEntity,TProperty](IQueryable`1 source, Expression`1 navigationPropertyPath)

at RoutePlanner_Rafael_elias.Repository.TourRepository.GetAllTours() in
C:\Users\Elias\Documents\GitHub\RoutePlanner_SWEN2_Elias_Rafael\RoutePlanner_Rafael_elias\RoutePlanner_Rafael_elias\Repository\TourRepository.cs:line 20

at RoutePlaner_Rafael_elias.ViewModels.MainViewModel.LoadTours() in
C:\Users\Elias\Documents\GitHub\RoutePlaner_SWEN2_Elias_Rafael\RoutePlaner_Rafael_elias\
RoutePlaner_Rafael_elias\ViewModels\MainViewModel.cs:line 584

2024-08-30 19:08:58,294 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:10:29,522 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:10:36,711 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:10:48,465 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:11:01,881 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:12:04,451 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:12:14,707 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:28:29,921 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:36:25,076 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:40:37,562 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:47:26,395 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:56:15,178 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:56:17,204 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 19:56:41,937 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:56:42,842 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 19:57:16,404 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 19:57:17,483 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 19:57:18,049 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 19:57:19,331 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 19:57:24,831 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Attempting to delete tour: Test2

2024-08-30 19:57:26,045 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tour deleted successfully.

2024-08-30 19:57:37,898 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 19:57:46,883 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 19:57:47,954 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:09:37,990 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:10:00,223 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:10:01,789 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:10:58,383 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:11:34,389 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:11:34,389 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 20:11:37,853 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 20:11:41,483 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:11:41,483 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 20:11:42,487 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:12:07,369 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:12:07,370 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:12:09,884 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:12:28,016 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:12:28,017 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:12:29,535 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:12:29,877 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:48:29,446 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:48:32,498 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:48:52,250 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:48:52,251 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:51:01,189 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 20:55:42,963 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:55:50,884 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 20:55:51,922 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test3.

2024-08-30 20:56:16,342 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test3.

2024-08-30 20:59:42,598 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 20:59:44,033 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:00:09,652 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:00:21,608 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 21:00:23,942 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:00:39,506 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:03:58,400 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 21:04:00,065 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:04:38,378 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:04:38,380 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:04:41,143 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 21:08:57,240 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 21:09:03,602 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - PDF report generated successfully.

2024-08-30 21:10:52,669 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 21:10:52,670 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 21:10:55,846 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 21:10:55,846 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 21:11:00,124 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 21:11:00,124 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 21:11:02,588 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour TestTour.

2024-08-30 21:11:02,588 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 21:11:03,881 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 21:11:03,881 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - All tours loaded successfully.

2024-08-30 21:11:08,187 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:11:11,949 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Logs loaded for tour Test2.

2024-08-30 21:11:11,949 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Search executed successfully.

2024-08-30 21:16:07,984 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.

2024-08-30 21:19:08,775 INFO RoutePlaner_Rafael_elias.ViewModels.MainViewModel - Tours loaded successfully.