



**SILVER OAK  
UNIVERSITY**  
**EDUCATION TO INNOVATION**

# Silver Oak University

**SILVER OAK COLLEGE OF COMPUTER APPLICATION  
DEPARTMENT OF BACHELOR OF SCIENCE**

**HTML Markup for Web Designers**

**Course Code: 4040243136  
1st semester**

## Laboratory Manual

Collage Name :	Silver oak university
Enroll. No. / Roll No. :	24040300400157
Name of Student:	Nayi OM Yogeshbhui
Branch :	BSC . CS (IT)
Semester :	Y6t
Division:	B



# SILVER OAK UNIVERSITY

---

EDUCATION TO INNOVATION

## CERTIFICATE

*This is to certify that*

Mr. /Ms NAYI OM YOGESHBHAI

With enrollment no 2406030400157 from

Semester 4<sup>St</sup> Div. B has Successfully

completed his/her laboratory experiments in the **Html markup**

for web designers (4040243136) from the department of

BSC - CS - IT during the

academic year 2024 -2025.

Date of Submission: 20/11/24

Staff In charge: \_\_\_\_\_

Head of Department



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 1

Aim: Create and save simple HTML document & modifying the

1. background of HTML
2. Webpage with different colors.

Description:

In this practical, we created a basic HTML document and applied CSS to change the background color of the webpage. Additionally, we used CSS properties to modify the color of different webpage elements like headers and paragraphs. This demonstrates the basic concept of styling HTML elements using CSS.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title> webpage</title>
<style>
    body {background-color: red;}
    h1 {color: green;}
    p {color: blue;}
</style>
</head>
<body>
    <h1> This is an heading </h1>
    <p> This is an paragraph </p>
</body>
```




</body>  
</html>

# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Conclusion:



### Post Practical Question:

1. How can you apply different background images instead of a color to your webpage?

Ans: Body {

Background : image : url('')

2. How would you change the colors dynamically using JavaScript?

Ans:

You can change the background color of an element dynamically using JavaScript has many part the DOM and CSS style.

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 2

Aim: Demonstrate use of

1. subscript,
2. super script,
3. align tag and
4. Format the text by using formatting tags like bold and italic.

Description:

In this practical, we demonstrated how to use:

1. Subscript (`<sub>`) and superscript (`<sup>`) tags to format text in mathematical and chemical notations.
2. Align attribute to control text alignment (center, right).
3. Formatting tags like bold (`<b>`) and italic (`<i>`) to emphasize specific parts of the text.

Procedure:

`<html>`

`<head>`

~~`<title> webpage </title>`~~

~~`</head>`~~

~~`<body>`~~

~~`H<sub>2</sub>O`~~

~~`*<sup>2</sup> &<sup>2</sup>`~~

~~`<p style="text-align: center;"> Centered text </p>`~~

~~`<p style="text-align: right;"> Right-aligned text </p>`~~

~~`<p> This is <b>Bold</b> text </p>`~~

~~`<p> This is <i>italic</i> text </p>`~~

`</body>`


`</html>`



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION



### Post Practical Question:

1. Which tag is used to display text as a subscript in HTML?

- a) `<sup>`
- b) `<sub>`
- c) `<script>`
- d) `<small>`

Answer: b) `<sub>`

2. Which of the following tags is used to display text as superscript in HTML?

- a) `<sub>`
- b) `<i>`
- c) `<sup>`
- d) `<u>`

Ans = `<sup>`



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Answer:

~~(X) (A)~~

3. What is the correct way to align text to the center in a paragraph using HTML?

- a) `<p align="right">This is centered text</p>`
- b) `<p align="center">This is centered text</p>`
- c) `<p style="center">This is centered text</p>`
- d) `<p text-align="center">This is centered text</p>`

Answer:

b) <p align="center">This is Centered text</p>

4. Which tag is used to make text bold in HTML?

- a) `<b>`
- b) `<i>`
- c) `<u>`
- d) `<strong>`

Answer:

~~(X) (B)~~

5. What is the purpose of the `<i>` tag in HTML?

- a) To underline the text
- b) To make the text bold
- c) To italicize the text
- d) To strike through the text

Answer:

~~(C) To italicize the text~~

6. Which tag is used to underline text in HTML?

- a) `<i>`
- b) `<b>`
- c) `<u>`
- d) `<sub>`

Answer:

~~(C) <u>~~



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

7. Which of the following attributes is used to align text within a <p> tag?

- a) text-align
- b) align
- c) style
- d) font-align

Ans: a) text-align

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 3

Aim: Draw the table as given format

Description:

In this exercise, a table is created using the `<table>`, `<tr>`, `<th>`, and `<td>` tags. The table structure was enhanced with attributes like borders, cell padding, and cell spacing. This demonstrates the creation of structured data presentation using tables in HTML.

Procedure:

```
<html>
<head>
    <title> table </title>
</head>
<body>
    <h2> Sample Table </h2>
    <table border="1" cellpadding="10" cellspacing="0">
        <tr>
            <td> 1 </td>
            <td> 2 </td>
            <td> 3 </td>
        </tr>
        <tr>
            <td> 4 </td>
            <td> 5 </td>
            <td> 6 </td>
        </tr>
        <tr>
            <td> 7 </td>
            <td> 8 </td>
            <td> 9 </td>
        </tr>
    </table>

```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

(1)  
(2)  
(3)  
(4)

Conclusion:

Row, 1	Cell 1	Row 1	Cell 2
Row, 2	Cell 2	Row2	Cell 2

Post Practical Question:

1. Which tag is used to create a table in HTML?

- a) <table>
- b) <tab>
- c) <tr>
- d) <td>

Answer:

a) <table>

2. What does the <tr> tag represent in an HTML table?

- a) A table cell
- b) A table row
- c) A table header
- d) A table caption

Answer:

b) A table row

3. Which tag is used to define a header cell in a table?

- a) <td>
- b) <th>
- c) <headers>
- d) <cell>

Answer: b) <th>



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

4. What attribute is used to add a caption to a table?

- a) <caption>
- b) <tablecaption>
- c) title
- d) description

Answer:

a) <caption>

5. Which attribute would you use to specify the border of a table in HTML?

- a) border
- b) border-style
- c) frame
- d) cellpadding

Answer:

a) border

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 4

Aim: Create web page using metadata & `<!DOCTYPE html>` tag.

Description:

This practical demonstrates the use of the `<!DOCTYPE html>` declaration to specify the HTML version. It also covers the use of metadata tags like `<meta>` to define the character set, description, keywords, and other important information for the webpage. Metadata is essential for SEO and webpage responsiveness.

Procedure:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Experiment - metadata and DOCTYPE in HTML">
    <meta name="keywords" content="HTML, metadata, DOCTYPE, SEO">
    <title>Experiment - metadata and DOCTYPE</title>
  </head>
  <body><h1>Welcome <span>Experiment - 4</span></h1>
    <p>This page demonstrate the use of metadata type and</p>
  </body>
</html>
```

Conclusion:

Post Practical Question:



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 5

Aim: Create a Web page to display basic your resume

Description:

In this practical, a simple webpage was created to showcase a basic resume layout. HTML tags such as `<h1>`, `<p>`, `<ul>`, and `<table>` are used to structure sections like personal details, education, skills, and contact information. This is useful for creating personal portfolios or professional resumes online.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title> My Resume </title>
</head>
<body>
    <h1> My Resume </h1>
    <h2> B. Nagi OM </h2>
    <h3> Personal Details </h3>
    <p> <b> Email: </b> nagiom81@gmail.com </p>
    <p> <b> Phone: </b> 7600000014 </p>
    <p> <b> Address: </b> 24, Kesar - 30 - house, Ruhligarh, Ahmedabad, Gujarat, India </p>
    <h3> Education </h3>
    <table border="1">
        <tr>
            <td> B.Sc CS IT </td>
            <td> Silver Oak University </td>
        </tr>
        <tr>
            <td> 2024 - Present </td>
            <td> </td>
        </tr>
        <tr>
            <td> </td>
            <td> </td>
        </tr>
        <tr>
            <td> </td>
            <td> </td>
        </tr>
    </table>
```



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Ch3 Skills Ch3  
(UI)  
(HTML CSS Ch1)  
(JavaScript Ch1)  
(UI)  
(HTML Ch1)  
Conclusion: Head (Baby)

Post Practical Question:

My Resume

My Resume

NAMI OM

Person Details

Email - Nujish811@ymail.com

Phone: 9223456789

Add - 1234

education

ECGIV	St. M. P. G. I.	2024
COHPTI	St. M. P. G. I.	2024
High School	St. M. P. G. I.	2024

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 6

Aim: Show the use of all tags and attributes of

1. ordered list
2. unordered list.

#### Description:

This exercise demonstrates the use of ordered (`<ol>`) and unordered (`<ul>`) lists in HTML. The `<li>` tag is used for list items. Attributes like `type`, `start`, and `reversed` for ordered lists, and bullet styling for unordered lists, are explored to enhance list formatting.

#### Procedure:


```
<!DOCTYPE HTML>
<HTML>
<Head>
    <title> list </title>
</Head>
<Body>
    <h2> ordered list </h2>
    <ol type = "1" start = "3" reversed>
        <li> 3 </li>
        <li> 2 </li>
        <li> 1 </li>
    </ol>
    <h2> Unordered list </h2>
    <ul type = "circle">
        <li> first </li>
        <li> Second </li>
        <li> Third </li>
    </ul>
</Body>
</HTML>
```



# SILVER OAK UNIVERSITY

---

EDUCATION TO INNOVATION



→ ordered and unorderd  
list output

Conclusion:

Post Practical Question:

1. Which tag is used to create an unordered list in HTML?

- a) <ol>
- b) <ul>
- c) <li>
- d) <list>

Answer:

b) ul)

2. What is the purpose of the <li> tag in both ordered and unordered lists?

- a) To define the list itself
- b) To represent each item within a list
- c) To create a heading for the list
- d) To style the list items

Answer: b) To represent each item within a list

3. Which attribute can be used to specify the type of bullet in an unordered list?



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

- a) style
- b) type
- c) bullet
- d) list-style-type

Answer:

4. What tag is used to create an ordered list in HTML?

- a) <ul>
- b) <li>
- c) <ol>
- d) <list>

Answer:

०६।)

5. Which attribute can you use to change the numbering style of an ordered list?

- a) style
- b) type
- c) numbering
- d) format

Answer: b) type

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 7

Aim: Create webpage which shows the use of hyperlink.

Description:

In this practical, hyperlinks were created using the `<a>` tag. The `href` attribute was used to link to external and internal web pages, while the `target` attribute was used to control how the linked page opens (e.g., in a new tab). This exercise is key in learning how to navigate between web pages.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title> Links </title>
</head>
<body>
<h1> Using Hyperlinks </h1>
<p> Visit an external website: </p>
<a href="https://www.google.com" target="blank"> go </a>
<a href="#Section1"> go to section 1 </a>
<a href="#Section2"> go to section 2 </a>
<h2> id = "Section1" </h2>
<p> This is section 2 </p>
</body>
</html>
```

Conclusion:

Post Practical Question:



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

1. What are the security implications of using hyperlinks that open in a new tab (i.e., using the `target="blank"`?  
Ans Using `target="blank"` without `rel="noopener noreferrer"` can expose the original page to a tab nuking attack, allowing the new page to manipulate us to redirect it.

2. How would you create an anchor link that scrolls to a specific section of the same webpage?  
Ans `<a href="#section1" class="anchor-link">`

`<html>`  
`<head>`  
`<body>`  
`<h2 id="section1">This is a section 1</h2>`  
`<a href="#section1" class="anchor-link">`

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 8

Aim: Show the use of all tags related to images.

Description:

This practical demonstrates the use of the `<img>` tag to display images on a webpage. Attributes like `src` (source), `alt` (alternative text), `height`, and `width` are explored to control the display of images. It also covers image alignment and linking an image to another page using the `<a>` tag.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
    <title> Image </title>
</head>
<body>
    <h2>Image</h2>
    <img src = "Image/link" alt = "Image" width = 300 height = 200>
    <h2>Image</h2>
    <h2>Image as a link</h2>
    <a href = "https://www.google.com"><img src = "google@photo" alt = "google" width = 250 height = 150/></a>
</body>
</html>
```

Conclusion:



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

**Post Practical Question:**

1. Which tag is used to embed an image in an HTML document?

- a) <img>
- b) <picture>
- c) <image>
- d) <src>

**Answer:**

c) <img>

2. What attribute is essential for the <img> tag to specify the image source?

- a) source
- b) src
- c) href
- d) title

**Answer:**

b) src

3. What attribute is used in the <img> tag to provide alternative text for an image?

- a) alt
- b) title
- c) description
- d) text

**Answer:** a) alt

4. How do you specify a caption for an image using HTML?

- a) Using the <figcaption> tag inside the <img> tag
- b) Using the <caption> tag
- c) Using the alt attribute
- d) Using the <label> tag

**Answer:** a) Using the <figcaption> tag inside the <img> tag

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 9

Aim: Create a webpage and use the following TAG to perform operation.

1. Create a simple table with at least three rows and three columns.
2. Use the `<table>`, `<tr>`, `<th>`, and `<td>` tags.
3. Add a caption to the table created above using the `<caption>` tag.
4. Add a border to your table using the `border` attribute in the `<table>` tag.
5. Align the content of your table cells using the `align` and `vAlign` attributes.
6. Change the background color of your table and its cells using the `bGCOLOR` attribute.
7. Use the `cellpadding` and `cellspacing` attributes to adjust the spacing inside and between the table cells.
8. Create a nested table by inserting one table inside another table's cell.

Description:

This practical focuses on creating a table with at least three rows and three columns using the `<table>`, `<tr>`, and `<td>` tags. Features such as captions, borders, alignment, background colors, `cellpadding`, and `cellspacing` were demonstrated. Additionally, a nested table was created by placing one table inside a table cell.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title>Table </title>
</head>
<body>
<table border="1" cellpadding="10" cellspacing="5" bGCOLOR="red">
<tr> by 60px > "blue"
<th> align="center" > Name </th>
<th> align="center" > ID </th>
<th> align="center" > Age </th>
</tr>
<tr>
<td> bg color="blue">
<td> align="center" > C1d>
<td> align="center" > Alice </td>
<td> align="center" > 21 </td>
</tr>
```



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Cable borders "1"

C10 bg color = "yellow"

Chalign = "center" > subheadings

Chalign = "center" > all other < H1>

C10

Ctable

C10

C10

Ctable

C10

C10

### Conclusion:

ID	Name	Age
1	Alice	22
2	Raj	35 Age A1

Red Color

Yellow Color

### Post Practical Question:

- What are the benefits of using CSS to style tables instead of inline HTML attributes?

Ans: Using CSS to style tables allows for cleaner, more maintainable code and provides greater flexibility and control over alignment.

- How would you handle large tables with many rows and columns to improve readability and usability?

Ans: Use features like fixed headers, row highlighting, pagination, and horizontal scrolling.

Signature with Date of  
Completion

Marks out of 10



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 10

Aim: Create a webpage and use the following TAG to perform operation.

1. Use the <frameset> tag to create a webpage with two frames.
2. Use the <frame> tag to define the content of each frame.
3. Specify different attributes like border, frameborder, framespacing, and marginwidth for the frames.
4. Set the width and height of the frames using the cols and rows attributes in the <frameset> tag.
5. Create a navigation menu in one frame and display the corresponding content in another frame using the target attribute in the <a> tag.

#### Description:

This practical shows the use of the <frameset> and <frame> tags to create a webpage with two frames. The webpage includes a navigation menu in one frame and displays related content in another frame using the target attribute. Attributes like border, frameborder, framespacing, and marginwidth are also demonstrated to control the appearance and spacing of frames.

#### Procedure:

index.html

```
<!DOCTYPE html>
<html>
<frameset rows="20%, 80%" border="1">
<frame src="menu.html" name="menu">
<frame src="content.html" name="content">
</frameset>
</html>
```

#### menu.html

```
<!DOCTYPE html>
<html>
<body>
<h2>Navigation</h2>
<ul>
<li><a href="page1.html" target="content">Page 1</a>
<li><a href="page2.html" target="content">Page 2</a>
<li><a href="page3.html" target="content">Page 3</a>
</ul>
</body>
</html>
```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Output

This code creates a website with:

Conclusion:

- Header with title
- Navigation menu
- Main Content with sections for news
- Footer with copyright information

Post Practical Question:

1. What are the drawbacks of using frames in modern web development, and what alternatives exist?  
Ans:

Drawbacks

- Product image zoom
- 360-degrees view.
- Shopping cart utilization

CSS Animations

- Hover effects
- Loading animation
- Product Sliders

2. How can you handle issues related to frame security and browser compatibility?  
Ans: Make your shopping website responsive for mobile devices

- HTML/CSS media queries
- Bootstrap Foundation
- Mobile first design
- Responsive images/videos/etc

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 11

Aim: Create a webpage for online Jewellery shopping.

1. Display Menu in left frame.
2. Clicking on menu should display related webpage in right frame.
3. Keep header and footer frames to display related information.

Description:

In this exercise, a webpage is designed using frames to create a simple online jewelry shopping interface. The left frame displays the menu, and clicking on the items in the menu displays the related content in the right frame. Additionally, a header and footer are used to display additional information.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
    <title> Jewelry Shop </title>
    <link rel="stylesheet" href="style.css" />
</head>
<body>
    <div>
        <a href="#">Necklaces</a>
        <a href="#">Earrings</a>
        <a href="#">Ring</a>
    </div>
    <div id="main">
        <h2> Necklaces </h2>
    </div>
</body>
</html>
```




# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Conclusion:

- Header with title
- Navigation menu
- Main content with sections
- Footer with copyright information and menu.



### Post Practical Question:

1. How would you enhance the user experience by integrating JavaScript or CSS animations in your jewelry shopping website?

Ans:

- JavaScript
- Product image zoom
- 360 design view
- Shopping cart animation

CSS Animation

- Hover effects
- Icons animation
- Product sliders

2. How can you make your shopping website responsive for mobile and tablet devices?

Ans:

- HTML/CSS3 media
- Bootstrap/Foundation
- Mobile first design
- Responsive images/videos/etc.

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 12

Aim: Create web page for register online exam form filling process.

Description:

This practical involves creating a form for registering for an online exam. The form uses various form elements like `<input>`, `<select>`, `<textarea>`, and buttons for user input. The exercise highlights form validation, data submission, and user interaction on a webpage.

Procedure: `<!DOCTYPE html>`  
`<html>`

`<head> <title>onlineexam</title>`

`<style>`

`<body> { font-family: Arial; }`

`</style>`

`<head>`

`</body>`

`<h1>online exam</h1>`

`<label> full name <label>`

`<input type="text" name="name" <br>`

`<label> Email ID: <label>`

`<input type="email" name="email" required <br>`

`<label> exam <label>`

`<select name="exam"> <option></option> <option>`

`<label> password <label>`

`<input type="password" <br> <br>`

`<input type="submit" value="register" >`

`</form>`

`</body>`

`</html>`



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Conclusion: **Output**

Online Exam Registration for m

Full Name: _____	Password: _____
Email ID: _____	
Phone No: _____	
Exam No: _____	<b>Register</b>

Post Practical Question:

1. Which HTML tag is used to create a form in a webpage?

- a) <input>
- b) <form>
- c) <register>
- d) <fieldset>

**Answer:** b) <form>

2. What attribute is used to specify the method of form submission in HTML?

- a) action
- b) method
- c) submit
- d) enctype

**Answer:**

b) method

3. Which input type would you use for a text field where users can enter their names?

- a) <input type="number">
- b) <input type="text">
- c) <input type="email">
- d) <input type="password">

**Answer:**

b) <input type="text">



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

4. Which CSS property would you use to change the background color of the form?

- a) color
- b) background
- c) bgcolor
- d) background-color

Answer:

d) background -color

5. What is the purpose of the <label> tag in a form?

- a) To create a text input
- b) To provide a clickable area for form controls
- c) To define a form section
- d) To display error messages

Answer: b) To provide a clickable area for form controls

6. Which CSS property is used to adjust the spacing between the form fields?

- a) margin
- b) padding
- c) border
- d) spacing

Answer:

a) margin

7. How can you make a field required in a form?

- a) By adding the required attribute to the input tag
- b) By using the mandatory attribute
- c) By adding required="true" in the form tag
- d) By setting the validate attribute to true

Answer: a) By adding the required attribute to the input tag.



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 13

Aim: Create a Web page to display your resume.

<h1> your name </h1>

<p> Email: youname@example.com phone = +23 - 456 - 789

<h2> header

<section id = "summary">

<h2> summary </h2>

<p> brief summary about yourself and job coded details

<p>

<h2> section

<section id = "experience">

<h2> Experience </h2>

<div class = "job">

<h3> Job Title company name </h3>

<p> Month yyyy - Present </p>

<ul>

<li> Responsibility or achievement </li>

<li> Responsibility or achievement </li>

<li> Responsibility or achievement </li>

<h2> skills </h2>

<h2> skills </h2>

<ul>



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Description:

This practical involves creating a more detailed and formatted resume using HTML. Sections like personal details, education, work experience, and skills are presented using appropriate tags like `<h1>`, `<p>`, `<ul>`, and `<table>`. This showcases how HTML can be used to create professional online resumes.

### Procedure:

```
<li> skill 1 </li>
<li> skill 2 </li>
<li> skill 3 </li>
<li> skill 4 </li>
<li> skill 5 </li>
</ul>
<section>
<footer>
<@2023 your name(ip)>
</footer>
</body>
</html>
```

### Conclusion:

The provide HTML and CSS encies a simple structured webpage to display course featuring sections for personal information, education and branding.

### Post Practical Question:

Resume	
My Details	
Name: Mugilom	
Personal details	
E-mail: mugilom814@gmail.com	
Phone: 9090223	
Address: DR-1234, Patelchandrapur	
Date: 10/10/2023	
Page No.	1/1



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

- What enhancements can you add to make the resume more interactive, such as using modal windows or downloadable sections?

Ans: To enhance the resume in interactivity you could add modal windows to display detailed information in depth along withouth cluttering the main page. Implementing downloadable sections such as a ~~portion~~ of the resume allows users to easily save or print copy.

- How would you update your resume in the future while maintaining consistency and formatting across devices?

Ans: To update your resume in the future, maintain consistency and formatting across devices by webdesign techniques to adapt the layout for different screen sizes. Implement CSS and Bootstrap to maintain consistency and ease of updates. Additionally utilize a version control system like Git to track changes and efficiently maintain over time.

Signature with Date of Completion	
Marks out of 10	10



# SILVER OAK UNIVERSITY

---

EDUCATION TO INNOVATION

## EXPERIMENT NO: 14

Aim: Show the use of all tags and attributes of ordered list and unordered list.

Description:

In this practical, ordered and unordered lists were created using `<ol>` and `<ul>` tags. Different attributes of lists were explored, such as the `type` attribute for ordered lists (e.g., numbers, letters) and various bullet styles for unordered lists. This practical highlights how to create and style lists on a webpage.

Procedure:

CUD  
`<ul>`  
`<li>item-1</li>`  
`<li>item-2</li>`  
`<li>item-3</li>`  
`</ul>`

`<li>Step-1</li>`  
`<li>Step-2</li>`  
`<li>Step-3</li>`

Conclusion:

- Use a responsive webdesign technique to adapt the layout for various devices
- Implement a CSS framework like Bootstrap to consistency and ease of updates
- Use a version control system like git to track changes and maintain a formal
- Use responsive webdesign techniques for layout adaptability
- Implement a CSS framework like Bootstrap for consistent appearance.



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Post Practical Question:

1. Which tag is used to create an ordered list in HTML?

- a) <ul>
- b) <li>
- c) <ol>
- d) <list>

Answer:

c) <ol>

2. What attribute can you use to specify the starting number of an ordered list?

- a) start
- b) type
- c) value
- d) number

Answer:

c) start

3. Which of the following tags is used to define each item in a list?

- a) <item>
- b) <list-items>
- c) <li>
- d) <element>

Answer:

c) <li>

4. What is the default bullet style for an unordered list created with the <ul> tag?

- a) Square
- b) Circle
- c) Disc
- d) None

Answer:

c) Disc



# UNIVERSITY

---

## EDUCATION TO INNOVATION

5. Which attribute can be used with the <ol> tag to change the numbering style of the list?

- a) start
- b) type
- c) style
- d) numbering

Answer: b) type.

(A large red circle is drawn around the answer 'b) type.' A large red 'X' is drawn over the entire question and answer area.)

Signature with Date of Completion	
Marks out of 10	

(A large red signature is written across the bottom left corner of the table, and a large red 'X' is drawn over the entire table area.)