SE 3XA3: Software Requirements Specification PasswordProtectionProgram

Team 28, Tuples1 Shabana Dhayananth dhayanas Suhavi Sandhu sandhs11 Joseph Lu luy89

October 7, 2017

Contents

| 1 | $\operatorname{Pro}_{\cdot}$ | ject Drivers 1 |
|---|------------------------------|---|
| | 1.1 | The Purpose of the Project |
| | 1.2 | The Stakeholders |
| | 1.3 | Mandated Constraints |
| | | 1.3.1 Solution Constraints |
| | | 1.3.2 Partner or Collaborative Applications |
| | | 1.3.3 Off-the-Shelf Software |
| | | 1.3.4 Budgeting Constraints |
| | | 1.3.5 Schedule Constraints |
| | 1.4 | Naming Conventions and Terminology |
| | 1.5 | Relevant Facts and Assumptions |
| 2 | Fun | ctional Requirements 4 |
| | 2.1 | The Scope of the Work and the Product |
| | | 2.1.1 The Context of the Work |
| | | 2.1.2 Individual Product Use Cases |
| | 2.2 | Functional Requirements |
| 3 | Non | -functional Requirements 7 |
| | 3.1 | Look and Feel Requirements |
| | 3.2 | Usability and Humanity Requirements |
| | 3.3 | Performance Requirements |
| | 3.4 | Operational and Environmental Requirements |
| | 3.5 | Maintainability and Support Requirements |
| | 3.6 | Security Requirements |
| | 3.7 | Cultural Requirements |
| | 3.8 | Legal Requirements |
| | 3.9 | Health and Safety Requirements |
| 4 | Pro | ject Issues |
| | 4.1 | Open Issues |
| | 4.2 | Off-the-Shelf Solutions |
| | 4.3 | New Problems |
| | 4.4 | Tasks |
| | 4.5 | Migration to the New Product |
| | 4.6 | Risks |
| | 4.7 | Costs |
| | 4.8 | User Documentation and Training |
| | 4.9 | Waiting Room |
| | | Ideas for Solutions |

List of Tables

| 1 | Revision History | |
|-----------------|---------------------------|---|
| 2 | Terminology | 3 |
| 3 | Functional Requirements | |
| 4 | Off-the-Shelf Solutions | 1 |
| 5 | Deliverables | 2 |
| 6 | Implementation Breakdown | 2 |
| \mathbf{List} | of Figures | |
| 1 | Use Case Diagram | 5 |
| 2 | Business Data Model | 5 |
| 3 | 2 Factor Authentication ? | 4 |

Table 1: Revision History

| Date | Version | Notes |
|-------------|---------|----------------------------------|
| Oct 6, 2017 | 1.0 | section 1, 2, 5 |
| Oct 7, 2017 | 1.1 | section 3, 4, 6, tables, figures |

This document describes the requirements for PasswordProtectionProgram. The template for the Software Requirements Specification (SRS) is a subset of the Volere template?

1 Project Drivers

1.1 The Purpose of the Project

The purpose of this project is to implement an encrypted password manager, PasswordProtectionProgram (PPP) wherein a person can safely store and access all of the passwords they use with a single master password. Through working on this project the software team also hopes to learn about encryption methods and the development process.

1.2 The Stakeholders

The stakeholders of this project are:

- Users of online services that want a place to store their passwords safely and generate stronger passwords
- Services for which the passwords are created as they have to deal with security threats and users that forget their passwords
- Identity thieves since they are able to breach users personal information due to weak passwords and weak encryption methods
- The development team, as they are the students attempting to solve the problem at hand

1.3 Mandated Constraints

1.3.1 Solution Constraints

Description: The product shall operate on all Operating Systems with python installed. (i.e. Windows, OSX, Linux) through a gui app.

Rationale: The client will use all of these operating systems

Fit criterion: The product shall be approved by testing groups of each operating system.

1.3.2 Partner or Collaborative Applications

The product does not have any direct partner or collaborative applications. This product is fully built on python and MariaDB and will be able to be executed in the desktop.

1.3.3 Off-the-Shelf Software

The off-the-shelf software required for this product to be implemented:

- Python
- MariaDB
- Tkinter (python library)

All the software that is required is open source and can be found on the internet.

1.3.4 Budgeting Constraints

The budget of our project is zero dollars so no further purchases are required.

1.3.5 Schedule Constraints

There is a deadline in December for the project to be completed.

1.4 Naming Conventions and Terminology

Table 2: Terminology

| Term | Definition |
|----------------|---|
| AES | Abbreviation for the Advanced Encryption Standard, a |
| | symmetric cipher that is implemented in the cryptography |
| | library that we will be using |
| Authentication | The process of verifying the identity of the user account |
| | holder |
| Crypographic | A means of altering data from a readable form to a pro- |
| Algorithm | tected form (and vice-versa) |
| cryptography | Python library that will be used to encrypt and decrypt |
| | passwords |
| Dictionary | A hacking technique that tries to bypass internet security |
| Attack | by determining passwords or encryption keys using a very |
| | large number of likely possibilities |
| Encryption | The process of converting information or data into a code, |
| | especially to prevent unauthorized access |
| Hash | A value returned by a cryptographic hash function, a math- |
| | ematical algorithm that maps data of arbitrary size to a bit |
| | string of a fixed size decreasing the likelihood of a dictio- |
| | nary attack |
| Key | A piece of information that determines the output of a |
| | cryptographic algorithm |
| MariaDB | A community-developed fork of the MySQL relational |
| | database management system which will be used to locally |
| | store usernames and databases |
| Padlock | The original password management software |
| PW | Abbreviation for password |
| Salt | A random piece of data used to enhance the one-way func- |
| | tion that hashes a password, thereby decreasing the likeli- |
| | hood of dictionary attacks |
| Symmetric | The specific cipher that will be used for encryption, the key |
| Cipher | that it employs for going from readable form to protected |
| | form is the same |
| Tkinter | Python module that is going to be used to create a graphi- |
| | cal user interface, known as Pythons standard GUI package |

1.5 Relevant Facts and Assumptions

Some relevant facts regarding this project are that the original program has 29850 lines of code. The program has a GNU General Public Licence v3.0 licence and can be run on Windows, Unix and Linux operating systems as well as iOS and Android mobile devices. The team will be using symmetric encryption from the cryptography library, which implements AES with a 128-bit key for encryption. AES is chosen by the U.S. government to protect classified information throughout the world to encrypt sensitive data. A relevant fact about passwords that has to do with the project is that passwords are easily hacked because humans follow similar patterns. For instance, the numbers 1 and 2 are common and capital letters are often used at the beginning of passwords. Lastly, it should be noted that the original product implemented AES and used PBKDF2, a key derivation function that reduces the chance of brute force attacks.

Some assumptions made the developers are that the cryptography library will be enough for our needs and does not need to be tested for its encryption since that would require executing brute force attacks. Also, it is assumed that there is a need for users to store their usernames and passwords safely. Lastly, it is assumed that Python code can run on Windows, Unix and Linux environments.

2 Functional Requirements

2.1 The Scope of the Work and the Product

We will be re-implementing the original open source software (Padlock) as an offline, desktop application, suitable for Windows, Macintosh or Unix environments. This is due to time constraints set by the project deadline as well as further security by not having the product online. Also, the Python cryptography library will be used for the encryption as the development team does not have experience creating secure encryption methods.

2.1.1 The Context of the Work

Almost all services provided to consumers, including banking, health records and social media, stores sensitive personal information in a password protected account. However, strong passwords are often easy to forget and therefore, people usually opt for weaker passwords or use the same one for multiple accounts. This makes them more susceptible to security threats.

2.1.2 Individual Product Use Cases




Figure 1: Use Case Diagram




Figure 2: Business Data Model

2.2 Functional Requirements

Table 3: Functional Requirements

| Name | Description | Rationale | Fit Criterion |
|-------|---|--------------------------------------|--|
| FR1 | The executaable | To allow user to use | Run application |
| | Python code will | the application | |
| | create a user interface | | |
| DD0 | window | TD 11 41 | |
| FR2 | Upon execution, the | To allow the program to store user- | Create a new entry and check if it shows |
| | program will have a connection to a local | names and encrypted | up on DB |
| | database | passwords | up on DD |
| FR3 | The user must be able | To ensure that only | When opening the app |
| | to create a master | the user can access the | for the first time, cre- |
| | password | data | ate master password |
| | | | and use it |
| FR4 | The user must be able | To access and create | Enter correct PW and |
| | to enter a master pass- | passwords and user- | incorrect PW |
| DD. | word | names | |
| FR5 | The new user must be | To allow the user to | Create new entry, |
| | able to add a new entry | store a new username and password | close app and verify it exists in DB |
| FR6 | The user should be | To allow for a stronger | Generate multiple |
| 1100 | able to generate a ran- | password | PWs and verify |
| | dom password | r | randomness |
| FR7 | The user interface | To aid the user in us- | Manual link should |
| | must have a link to | ing the software | take user to manual |
| | the user manual | | |
| FR8 | After one minute of in- | To protect the users | Keep app running for |
| | activity, the applica- | data | 1 minute |
| | tion should go to the | | |
| FR9 | home screen The application | To allow user to easily | Copy existing pass- |
| 1.100 | should have buttons | | |
| | to directly copy user- | or passwords | it pastes onto various |
| | name and password | | text inputters |
| FR10 | The user should be | To allow the user to | Update PW from Set- |
| | able to change their | regularly update PW | tings and verify that |
| | master password | | new PW works and |
| | | | old one does not |

3 Non-functional Requirements

3.1 Look and Feel Requirements

• Requirement Number: NFR1

The product shall have separate sections to hold the users account authorizations and the creation of new user account usernames and passwords.

Rationale: The Main functions of the product should be displayed to follow NFR6.

Fit Criterion: Users are able to access the main functions immediately.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR2

The product shall have separate sections to hold the users account authorizations and the creation of new user account usernames and passwords.

Rationale: The Main functions of the product should be displayed to follow NFR6.

Fit Criterion: Users are able to access the main functions immediately.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR3

The product shall have separate sections to hold the users account authorizations and the creation of new user account usernames and passwords.

Rationale: The Main functions of the product should be displayed to follow NFR6.

Fit Criterion: Users are able to access the main functions immediately.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR4

The product will have a minimalistic aesthetic that is easy for users to find their way around the application.

Rationale: User should be able to understand how the product performs.

Fit Criterion: There should be no more than 5 active functions that the user can see and perform at once.

Priority: MED

History: Created October 6, 2017

• Requirement Number: NFR5

The Google Material Style of the Product will create a modern and functional feel for the product.

Rationale: The user must want to use this app.

Fit Criterion: Googles Material Design Constraints will be followed.

Priority: LOW

History: Created October 6, 2017

3.2 Usability and Humanity Requirements

• Requirement Number: NFR6

The product shall be intuitive and easy to understand and use.

Rationale: Users must be able to use this product.

Fit Criterion: Majority of Users are able to store a password onto the program

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR7

The product shall allow for the user to be able to categorize their passwords based on the service that it is used for.

Rationale: Intended users have multiple accounts that may span many different parts

of their lives

Fit Criterion: Users create sections in the application

Priority:LOW

History: Created October 6, 2017

• Requirement Number: NFR8

The user shall be able to navigate their computer.

Rationale: Intended users are expected to understand how to copy and paste simple

text.

Fit Criterion: Intended users are able to use the application that meets application

requirements.

Priority: LOW

History: Created October 6, 2017

• Requirement Number: NFR9

The product shall use symbols and words that are naturally understandable by the

user community.

Rationale: The user must easily understand how to use the program as per NFR6.

Fit Criterion: Majority of users who use the program are able to save their username

and password and generate them too.

Priority: LOW

History: Created October 6, 2017

• Requirement Number: NFR10

The product shall hide the details of its construction to the user.

Rationale: To follow NFR6, the product shall reveal more functions as users execute

more processes.

Fit Criterion: The options for processes that have prerequisites are not shown on the

UI until they are fulfilled

Priority: HIGH

History: Created October 6, 2017

3.3 Performance Requirements

• Requirement Number: NFR11

The product shall respond to user input within PROCESSING-TIME when all require-

ments are fulfilled

Rationale: Latency disrupts User Experience

Fit Criterion: The requirements are fulfilled under PROCESSING-TIME for majority

of users.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR12

The application shall be responsive and when not all requirements for a process are met, it will display a notification or error message within ERROR-TIME.

Rationale: Latency disrupts the user experience of the application and renders compromises its ease of use.

Fit Criterion: The notification or error message is displayed in under ERROR-TIME

for USER-TEST-PERCENTAGE of users.

Priority: HIGH

History: Created October 6, 2017

3.4 Operational and Environmental Requirements

• Requirement Number: NFR13

The Program shall run on Windows, OSX and Linux OS

Rationale: Users of our product will have devices on Windows, OSX and Linux.

Fit Criterion: The product will be approved by the testing groups of each OS and

coded in a cross platform language.

Priority: LOW

History: Created October 6, 2017

3.5 Maintainability and Support Requirements

• Requirement Number: NFR14

The product will be available as open source.

Rationale: As all of the code will be available publicly, it will be easy to update and

maintain.

Fit Criterion: Project will be uploaded on GitLab.

Priority: LOW

History: Created October 6, 2017

3.6 Security Requirements

• Requirement Number: NFR15

The product shall only store usernames and encrypted passwords.

Rationale: Unencrypted passwords will not be stored, all passwords will be encrypted

when added to database.

Fit Criterion: The encrypted password is displayed to the user

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR16

The product shall be able to change their master password only if they are already logged into their accounts.

Rationale: There will not be an email associated with the account to facilitate a reset password option on the log in page.

Fit Criterion: The change password option is only shown when the user is logged in already.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR17

The product shall contain security measures in order to prevent the data from being accessed directly from the users machine by people other than the user.

Rationale: The user may unknowingly leave their computer unattended for a long period of time.

Fit Criterion: The application logs out after a certain duration of inactivity.

Priority: HIGH

History: Created October 6, 2017

• Requirement Number: NFR18

The product shall not distribute the users personal information to third parties.

Rationale: The purpose of the software is to secure the clients personal information.

Fit Criterion: The personal information will not be distributed.

Priority: HIGH

History: Created October 6, 2017

3.7 Cultural Requirements

There are none applicable to this project

3.8 Legal Requirements

There are none applicable to this, as all referenced software is open source on github and there are no plans of liscencing the project.

3.9 Health and Safety Requirements

• Requirement Number: NFR18

This application shall not contain any imagery or animation that can be harming to any human's health

Rationale: User satisfaction will be greatly decreased if the product may pose a threat to their health in any way.

Fit Criterion: Application does not contain potential visual health risks.

Priority: HIGH

History: Created October 6, 2017

4 Project Issues

4.1 Open Issues

Actions to be taken in the cases in which the user has lost access to their passwords or has lost all of their information due to hardware problems have not yet been explored. Also, the product will be implemented on a Windows operating system as that is the operating system used by all team members. It is intended that the software will work on Linux and Unix operating systems as well so but testing on those environments has not been discussed.

4.2 Off-the-Shelf Solutions

Prod-Existing Key Features net Padlock Template open source software upon which the product (temsoftware) plate will be based, Chrome and mobile application available Encryptr? Cloud-based password manager KeePass? Password database is locked with a master key or key file, encrypted with AES and Twofish RatticDB? Intended for tracking shared passwords among a group of employees, no application level encryption

Table 4: Off-the-Shelf Solutions

4.3 New Problems

If users solely on this product to store all of their passwords, there is potential for them to lose all of their saved data due to a hashing issue, hardware issue or in the theft or loss of their computer. The product requires that the user to enter their current master password in order to change it which could cause issues in the case that they forget it.

4.4 Tasks

Deliverables as outlined by SFWRENG 3XA3 courseware:

Table 5: Deliverables

| Deilverable | Deadline |
|----------------------------|--------------------------|
| Requirements Document | October 6, 2017 |
| (Revision 0) | |
| Proof of Concept Demon- | October 16, 2017 (week) |
| stration | |
| Test Plan (Revision 0) | October 27, 2017 |
| Design and Document (Re- | November 10, 2017 |
| vision 0) | |
| Demonstration (Revision 0) | November 13, 2017 (week) |
| Final Demonstration (Revi- | November 27, 2017 (week) |
| sion 1) | |
| Final Documentation | December 6, 2017 |

Implementation Breakdown:

Table 6: Implementation Breakdown

| Task | Intended Completion Date |
|-----------------------------|--------------------------|
| System Design | October 12, 2017 |
| User Interface | October 18, 2017 |
| Prototype 1 | October 18, 2017 |
| Test 1 | October 26, 2017 |
| Test 1 Fixes | October 30, 2017 |
| Encryption | November 7, 2017 |
| Prototype 2 | November 13, 2017 |
| Test Plan Revision (Test 2) | November 16, 2017 |
| Test 2 Fixes | November 23, 2017 |
| User Guide | December 1, 2017 |

The team will be implementing and testing non-functional requirements based on their priority.

4.5 Migration to the New Product

The final product will be run and installed via an executable Python file. As MariaDB will be used to store the usernames and passwords, the database will have to be converted before the product is released. It also needs to be tested on all intended operating systems.

4.6 Risks

Security is the main concern for this project as the team is not explicitly testing the strength of the encryption method under the assumption that the cryptography library is reliable. The probability of this becoming a problem is unlikely as the product will be offline and will not be a target of many attacks. If the problem does occur, the team will look into a more complex encryption method.

4.7 Costs

Not applicable in the case that all required dependencies are open-source or free.

4.8 User Documentation and Training

There will be a concise and useful manual that provides instructions on how to use the product. To make the product easier to use, the team will be testing for the GUIs user-friendliness and receiving feedback from others.

4.9 Waiting Room

Ideally, there would be a backup data option for the user to use as a precaution in the case of hardware failure and loss of data.

To improve the user interface, it would be nice to provide support for multiple languages (other than only English).

Passwords can be organized by service in the database, so based on that there can be different levels of security provided. For example, bank passwords and library account passwords dont need the same level of security.

4.10 Ideas for Solutions

Instead of storing passwords, another solution is 2 factor authentication (2FA). This eliminates the need to download a password management software and instead the user can do a phone verification after typing their password or a fingerprint scanner for mobile devices.




Figure 3: 2 Factor Authentication ?

References

dreichl. Keepass password safe, 2003-2017. URL https://keepass.info/.

FileCloud. Two factor authentication, 2016. URL https://www.getfilecloud.com/supportdocs/pages/viewpreviousversions.action?pageId=10191111.

MaKleSoft. padlock, 2017. URL https://github.com/MaKleSoft/padlock.

James Robertson and Suzanne Robertson. Volere Requirements Specification Template. Atlantic Systems Guild Limited, 16 edition, 2012.

SpiderOak. Encryptr, 2017. URL https://github.com/SpiderOak/Encryptr.

tildaslash. Ratticweb, 2015. URL https://github.com/tildaslash/RatticWeb/wiki/RatticDB-and-Encryption.