HOMIAK FINANCE

Phase 2

by Homiak Team

HomiakFinance #7

[PHASE 2] Автоматизовані тести

HomiakFinance #8

[PHASE 2] Розробити та виконати ручні тести

HomiakFinance #9

[PHASE 2] Розробити та виконати ручні тести (UI)

HomiakFinance #10

[PHASE 2] Інтегрувати автоматизовані тести у CI/CD pipeline

HomiakFinance #11

[PHASE 2] Виявити та задокументувати дефекти (bugs) з описом

HomiakFinance #12

[PHASE 2] Presentation of phase 2

BOARD

AUTOMATION TESTS



- pytest
- pytest_asyncio
- httpx
- unittest
- sqlite

77 tests

INTEGRATION TESTS

```python
class TestUserIntegration:  vitaliiyatskiv

    @pytest.mark.asyncio  vitaliiyatskiv
    async def test_create_user_persisted(self, db):                    # 44
        user = User(
            username="integ_user1",
            email="integ1@example.com",
            hashed_password=hash_password("Pass1!xx"),
            default_currency=Currencies.USD.value,
            capital=0.0,
        )
        db.add(user)
        await db.commit()
        await db.refresh(user)

        result = await db.execute(select(User).where(User.email == "integ1@example.com"))
        found = result.scalar_one_or_none()
        assert found is not None
        assert found.username == "integ_user1"
```

API TESTS

```python
10  async def _create_goal(client, headers, payload=None):  8 usages  vitaliiyatskiv
11      payload = payload or VALID_GOAL
12      return await client.post("/api/goals", json=payload, headers=headers)
13
14
15  @pytest.mark.asyncio  vitaliiyatskiv
16  class TestGoalCreate:
17
18      async def test_create_goal_returns_201(self, client, auth_headers, test_user):
19          r = await _create_goal(client, auth_headers)
20          assert r.status_code == 201
21          body = r.json()
22          assert body["name"] == "New Laptop"
23          assert body["summ"] == 2000.0
24
25      async def test_create_goal_requires_auth(self, client):
26          r = await client.post("/api/goals", json=VALID_GOAL)
27          assert r.status_code == 401
28
29      async def test_create_goal_missing_name(self, client, auth_headers):
30          r = await client.post("/api/goals",
31                                json={"summ": 500.0, "saved": 0.0},
32                                headers=auth_headers)
33          assert r.status_code == 422
```

UNIT TESTS

```python
class TestCheckPasswordStrength:  vitaliiyatskiv

    def _run(self, password: str, pwned: bool = False):  6 usages  vitaliiyatsk
        mock_resp = MagicMock()
        mock_resp.text = "" if pwned else "AAAAA:1"
        with patch( target: "requests.get", return_value=mock_resp):
            from src.auth.auth_services import check_password_strength
            return check_password_strength(password)

    def test_strong_password_no_errors(self):
        errors = self._run("StrongPass1!")
        assert errors == []

    def test_too_short(self):
        errors = self._run("Ab1!")
        assert any("8 characters" in e for e in errors)

    def test_no_uppercase(self):
        errors = self._run("weakpass1!")
        assert any("uppercase" in e for e in errors)
```

MANUAL TESTS

80 TESTS

https://github.com/Nazarii1444/HomiakFinance/blob/main/Modern%20Technologies%20For%20Software%20Development/phase2_14_04/MANUAL_TESTS.md

№	Title	Preconditions	Steps
26	Створення income	Авторизований, `capital` = `0.0`, курс USD є	1. POST `/api/transactions` 2. Body: `{"name":"Salary","amount":1000.00,"kind":1,"category_name":"food","currency":"USD"`
27	Створення expense	Авторизований, `capital` = `1000.0`, курс USD є	1. POST `/api/transactions` 2. Body: `{"name":"Groceries","amount":150.00,"kind":0,"category_name":"food","currency":"US`
28	Конвертація валют UAH→USD	`default_currency` = `"USD"`, `capital` = `0.0`, UAH rate= `41.0`	1. POST `/api/transactions` 2. Body: `{"name":"Freelance","amount":4100.00,"kind":1,"category_name":"food","currency":"U`

SMOKE TESTS 15 TESTS

https://github.com/Nazarii1444/HomiakFinance/blob/main/Modern%20Technologies%20For%20Software%20Development/phase2_14_04/SMOKE_TESTS.md

Автентифікація

№	Title	Steps	Expected Result	Priority
S-04	Реєстрація нового користувача	POST `/api/auth/signup` з `{"username":"smokeuser","email":"smoke@test.com","password":"Smoke1!Pass"}`	200; тіло містить `access_token` та `refresh_token`	Critical
S-05	Логін зареєстрованого користувача	POST `/api/auth/login` з `{"email":"smoke@test.com","password":"Smoke1!Pass"}`	200; тіло містить `access_token` та `refresh_token`	Critical
S-06	Захищений ендпоінт без токена	GET `/api/users/me` без заголовка `Authorization`	401 Unauthorized	Critical
S-07	Захищений ендпоінт з валідним токеном	GET `/api/users/me` з `Authorization: Bearer <token>` з тесту S-05	200; тіло містить поле `email` = `"smoke@test.com"`	Critical

UI TESTS

20 TESTS

https://github.com/Nazarii1444/HomiakFinance/blob/main/Modern%20Technologies%20For%20Software%20Development/phase2_14_04/UI_TESTS.md

1 · Роутинг та навігація

№	Назва	Передумови	Кроки	Очікуваний результат	Фактичний результат	Пріоритет
UI-01	Редирект `/` → `/dashboard`	Авторизований користувач	1. Відкрити `http://localhost:5173/`	Автоматичний редирект на `/dashboard`; відображається компонент `Dashboard`	Редирект працює, dashboard відкривається	🔴 High
UI-02	Захищений роут без токена	Redux store не містить `accessToken`; `persistor` очищено	1. Відкрити `http://localhost:5173/dashboard` без авторизації	`ProtectedLayout` перенаправляє на `/login`; сторінка Dashboard НЕ відображається	Редирект на логін, доступ обмежено	🔴 High

DEFECTS

https://github.com/Nazarii1444/HomiakFinance/blob/main/Modern%20Technologies%20For%20Software%20Development/phase2_14_04/DEFECTS.md

ID	Тест №	Severity	Назва	Опис	
DEF-001	71	Critical	Транзакція з невідомою валютою повертає 500 замість 4xx	При створенні транзакції з валютою, відсутньою в таблиці `currencies`, сервер повертає 500 Internal Server Error замість інформативної помилки 400/422. `ValueError` з `currency_converter.py` не перехоплюється в `transaction_router.py` і пробивається до глобального error handler FastAPI	1. Авторизуватися 2. POST `/api/transactions` 3. Тіло: `{"name":"Test","amount":1`

CI/CD

https://github.com/Nazarii1444/HomiakFinance/blob/main/.github/workflows/ci.yml



CI/CD

```yaml
on:
  push:
    paths:
      - "backend/**"
      - ".github/workflows/ci.yml"
  pull_request:
    paths:
      - "backend/**"
      - ".github/workflows/ci.yml"
```

CI/CD

```yaml
jobs:
  test:
    name: pytest (Python ${{ matrix.python-version }})
    runs-on: ubuntu-latest

    strategy:
      fail-fast: false
      matrix:
        python-version: ["3.13"]

    defaults:
      run:
        working-directory: backend
```

CI/CD

```yaml
jobs:
  test:
    env:
      POSTGRES_USER: postgres
      POSTGRES_PASSWORD: postgres
      DB_HOST: localhost
      DB_PORT: 5432
      DB_NAME: homiakdb

      SECRET_KEY: ${{ secrets.SECRET_KEY || 'ci-test-secret-key-not-for-production' }}
      ALGORITHM: HS256
      ACCESS_TOKEN_EXPIRE_MINUTES: 30
      REFRESH_TOKEN_EXPIRE_DAYS: 7

      NBU_API_URL: https://bank.gov.ua/NBUStatService/v1/statdirectory/exchange?json
      GOOGLE_CLIENT_ID: ${{ secrets.GOOGLE_CLIENT_ID || 'dummy-google-client-id' }}
      GOOGLE_CLIENT_SECRET: ${{ secrets.GOOGLE_CLIENT_SECRET || 'dummy-google-client-secret' }}
      GITHUB_CLIENT_ID: ${{ secrets.GITHUB_CLIENT_ID || 'dummy-github-client-id' }}
      GITHUB_CLIENT_SECRET: ${{ secrets.GITHUB_CLIENT_SECRET || 'dummy-github-client-secret' }}
```

змінні середовища

CI/CD

```yaml
steps:
  - name: Checkout repository
    uses: actions/checkout@v4

  - name: Set up Python ${{ matrix.python-version }}
    uses: actions/setup-python@v5
    with:
      python-version: ${{ matrix.python-version }}
      cache: pip
      cache-dependency-path: backend/requirements.txt

  - name: Install dependencies
    run: pip install -r requirements.txt

  - name: Run tests with coverage
    timeout-minutes: 5
    run: |
      pytest \
        --cov=src \
        --cov-report=term-missing \
        --cov-report=xml:coverage.xml \
        --cov-report=html:htmlcov \
```

встановлюємо залежності

запускаємо pytest

CI/CD


Nazarii1444 / HomiakFinance
Type / to search
Code
Issues 1
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Actions
New workflow
All workflows
CI – Backend Tests
Management
Caches
Attestations
Runners
Usage metrics
Performance metrics
CI – Backend Tests
ci.yml
Filter workflow runs
1 workflow run
Event
Status
Branch
Actor
update app.py
CI – Backend Tests #2: Commit ae12397 pushed by Nazarii1444
main
now
In progress

CI/CD

Nazarii1444 / HomiakFinance

Type / to search

Code | Issues 1 | Pull requests | Agents | Actions | Projects | Wiki | Security and quality | Insights | Settings

← CI – Backend Tests

update app.py #2

Re-run all jobs

Summary

All jobs

pytest (Python 3.13)

Run details

Usage

Workflow file

Triggered via push now	Status	Total duration	Artifacts
Nazarii1444 pushed ae12397 main	Success	39s	2

ci.yml

on: push

Matrix: test

1 job completed

Show all jobs

Annotations

1 warning and 1 notice

pytest (Python 3.13)

Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4, actions/setup-python@v5, actions/upload-artifact@v4. …

Show more

CI/CD

https://github.com/Nazarii1444/HomiakFinance/actions

← CI – Backend Tests

update app.py #2

Re-run all jobs

Summary

All jobs

pytest (Python 3.13)

Run details

Usage

Workflow file

Annotations
1 warning and 1 notice

pytest (Python 3.13)
succeeded now in 34s

Search logs

Set up job	1s
Checkout repository	1s
Set up Python 3.13	1s
Install dependencies	17s
Run tests with coverage	7s
Upload XML coverage report	1s
Upload HTML coverage report	1s
Coverage summary (job annotation)	0s
Post Set up Python 3.13	2s
Post Checkout repository	0s
Complete job	0s



folder with docs for phase 2



github board

HOMIAK FINANCE

ДЯКУЮ ЗА УВАГУ!