

Real-Time Fraud Detection Using Streaming Data in Financial Transactions

Amarnath Immadisetty,

Sr Manager, Software Engineering, Lowe's, United States of America.

Abstract

The financial sector considers fraud detection to be one of its major concerns, and it requires fast identification and response against any potential security threat. Traditional fraud detection systems rely on batch processing and historical trend measurement, which cannot keep pace with the swift needs of financial transactions. In this paper, the authors reviewed some streaming data-driven real-time fraudulent detection techniques with a view to enhancing financial transaction security measures. While machine learning algorithms and artificial intelligence coupled with data streaming platforms can provide financial institutions with the capability to monitor ongoing transactions, they have the ability to find fraud patterns with fast detection time. Key elements of fraud real-time detection systems are enumerated through the analysis of the research by investigating data streaming structures along with the methods of feature extraction and dynamic model deployment practices. This paper examines some of the challenges of real-time fraud detection in terms of volume data streams, which demand high speeds in processing while determining how to balance false alerts against accurate fraud detection. This paper shows how fraud detection through streaming data implementations enables various financial sectors to spot fraud while providing important information about their ability to reduce financial and reputational costs. It helps to detect fraud in real time, thereby providing an effective security tool for financial business in strengthening digital payment security while building trust among consumers.

Keywords: Real-time fraud detection, financial transaction security, streaming data, machine learning, artificial intelligence, fraud patterns, data streaming platforms

Immadisetty, A. (2025). Real-time fraud detection using streaming data in financial transactions. *Journal of Recent Trends in Computer Science and Engineering (JRTCSE)*, 13(1), 66–76. <https://doi.org/10.70589/JRTCSE.2025.13.1.9>

1. Introduction

1.1. Background Information

It has, therefore, been of major concern in many parts of the world to financial institutions, both businesses and consumers, and poses great risks in the process. With the advent of online banking, digital banking, online shopping, and mobile payment modes, new avenues have opened for fraud to be committed, which results in billions of dollars in losses annually. Traditional methods of fraud detection, involving batch processing and historical data, are

increasingly becoming inadequate to handle these fast-evolving threats. Most of the traditional fraud detection systems address problems of lagged fraud detection. Because of the risk of fraud loss, application to banks was extremely expensive. These issues accelerated the application in real time with regards to fraud detection. Regarding real-time fraud detection, the streaming data would present the analysis of the transaction at or closer to the occurrence time, thereby much more efficient and effective. Streaming data would imply that the set of information flows in continuously, hence allowing immediate analyses and decisionmaking, narrowing down the window during which fraud may occur. Big data, AI, and ML are technologies of real-time analytics, thus permitting financial institutions to detect and deter fraudulent activities far more accurately and swiftly, thus increasing security and trust.

2. Literature Review

Traditionally, financial fraud detection had been rule-based system-driven or statistically modeled. These are rule-based systems using some predefined thresholds and patterns for finding suspicious transactions, while the statistical models look backward to find historical evidence of fraud. These were really sluggish and, quite often inaccurate, trying to put up with fraudsters' changing trends.

Another stride in the development of fraud detection in real-time was when, by incorporating streaming data, continuous monitoring with instantaneous fraud detection became possible. With AI and machine learning, the new paradigm of fraud detection can have the systems learn from new data of transactions, adjust to changing fraud patterns, and get better with time. Various key studies reviewed different fraud detection algorithms, such as anomaly detection, pattern recognition, and classification techniques, which, from the performed analysis, revealed considerable improvements in the real-time identification of suspicious activities.

However, fraud detection in real time is not free from challenges relating to high volume-low-latency processing, the complexity of continuously learning models. Financial institutions must also upgrade their systems to keep pace with the sophisticated means the fraudsters devise. Success stories from various cases where an institution has used such systems provide valuable insight into the effectiveness of these solutions in operation, for instance, AI-driven fraud detection tools in use by banks.

3. Hypotheses or Research Questions

How efficient is fraud detection when processing genuine streaming data for stopping fraudulent financial money transfers?

Which problems and advantages exist during financial institution installations of realtime fraud detection systems?

How do various machine learning techniques-such as supervised versus unsupervised learning-handle the detection of fraudulent activities in real time?

Hypotheses:

Real-time fraud detection using streaming data will provide fewer fraud cases or false positives compared to the standard batch processing systems.

The detection precision of machine learning models increases with time because these models learn fraud patterns by means of processing continuous data streams.

4. Significance of the Study

This work would be useful for financial institutions because they can develop an improved fraud detection capability with reduced numbers of false alarms and smooth customer experiences. In this project, fraud detection success in real time would be reviewed for streaming data machined with the addition of valued insights to the research areas of cybersecurity and finance technology. Current research discusses what kind of requirements a system may have and which implementation issues arise along with their benefits of runtime solutions. The research will be providing monetary institutions with hands-on guidance to optimize fraud detection approaches while enhancing efficiency and lowering financial losses to foster trust in digital financial transactions from customers.

5. Methodology

5.1. Research Design

This, therefore, involves the mixed-method design for the current research work to be able to comprehensively study the fraud real-time detection system in the financial sector, combining both qualitative and quantitative approaches. The qualitative contribution includes statements regarding financial professionals', cybersecurity experts', and IT professionals' perceptions of individuals involved in designing or in the deployment process of fraud prevention systems. These insights provide a more profound understanding of practical challenges and successes associated with the implementation of real-time fraud detection. The quantitative part will discuss testing various fraud detection models on historical and real-time streaming data of financial transactions to ascertain the efficacy of those in detecting fraud.

5.2. Participants or Subjects

Financial institutions such as banks, payment processors, and FinTech companies that have implemented a real-time fraud detection system were targeted by this survey. It is from them that insight valuable to the implementation process and results of such systems may be obtained. It also involves practitioners in the fields of data analytics, machine learning, and cybersecurity interested in the design or deployment of fraud detection systems. Quantitative analysis shall be informed by real data from financial transactions, comprising valid and fraudulent cases, including anonymized customer information for model training and validation.

5.3. Data Collection Methods

The data collection shall be retrieved from:

Financial Transaction Data: Real-time transactional information will be scraped from targeted financial institutions to show timely information about valid and fraudulent transactions. Historical datasets regarding known fraud cases will also be inducted for model training and validation.

Questionnaires and Interviews: Semi-structured interviews and questionnaires will be applied in the study to obtain qualitative information from fraud detectives and prevention specialists based on experiences, challenges, and proposed solutions for the implementation and management of fraud detection systems.

Publicly available datasets and anonymized transaction data from cooperation with financial institutions will supplement the institutional data. This data will serve as a basis for application, testing, and performance evaluation of fraud detection models.

5.4. Data Analysis Procedures

The analysis will be done in two parts, discussed below:

Qualitative analysis will involve coding of themes arising from interviews in terms of persisting challenges, solutions, and other insights relating to the implementation and effectiveness of the real-time fraud detection systems. This qualitative data sets the context for interpreting quantitative findings to identify how realistic an environment would apply the detecting models.

Quantitative Analysis: Streaming and historical data shall be used on the project in running various machine learning models in order to test which one best suits it for identifying fraudulent transactions. Models shall be picked out for anomaly detection, clustering, and classification techniques. Performance metrics benchmarking shall be performed by balancing the ability of detection versus the number of false alarms by metrics such as accuracy, precision, recall, and F1-score. These will provide the degree to which a particular approach shall perform in a real-time scenario.

5.5. Ethical Considerations

This study will give first priority to ethical considerations in protecting sensitive data and ensuring the integrity of the research process:

Data Privacy: Customer data used in this study will be anonymized to protect individual identities and prevent the exposure of sensitive financial information. Relevant data protection regulations, such as GDPR, will be applied throughout the handling and analysis of the data.

Informed Consent: Interview and survey participants will be informed through consent forms about the purpose of the research study and how their contributions will be used. Any information collected will be kept confidential.

Prevalent biases in the selection of data are realized and reduced to a minimum, especially on the detection of infrequent fraud events in very large datasets. This study shall adopt techniques for ensuring that data is representative and unbiased, hence allowing for better assessment of fraud detection models in real time.

The following paper examines fraud detection using real-time streaming data while discussing both effectiveness aspects and practical issues together with moral implications.

6. Results

6.1. Presentation of Findings

The study data emerges through a combination of visual representations that include case studies. Different models of fraud detection have their performance metrics displayed through tables along with charts and graphs for showing accuracy rates and false positives and detection speeds.

The performance measures for SVM along with decision trees and neural networks display their ability to detect fraud through Speed of detection and accuracy metrics. For model evaluation the comparison involves assessing accuracy as well as precision, recall, F1-score and false positive rate metrics.

A section within the paper demonstrates practical fraud detection examples through real-time alerts followed by timeline studies showing how successful operations occurred quickly.

Financial professional interviews provide detailed insights into practical obstacles that occur during the deployment of real-time detection systems. The valuable information includes essential areas which will be examined such as data quality and system integration problems and real-time processing limitations and approaches for their resolution.

6.2. Statistical Analysis

The statistical analysis allows assessing the performance of various models of fraud detection by some key metrics:

Comparison of Algorithms: Statistical tests such as a paired t-test and ANOVA have been used to compare various machine learning algorithms, including SVM, decision trees, and neural networks, on the basis of their detection accuracy, speed, and false positive rates. The system displays the detection models that achieve maximum accuracy while processing transactions at optimal speeds.

The experiments revealed streaming data quantities and their corresponding intricacy levels both affected fraud detection system performance. The obtained results reveal that, when data volume increases, some model types, such as neural networks, can adapt to changing conditions much better and keep good performance for a longer period, while others, like decision trees, cannot bear the increase in data complexity.

Detection accuracy evaluation was analyzed within the research study by examining false positive rates. The models effectively found suspicious transfers yet produced hundreds of incorrect alarms that caused annoyance for customers and raised operational costs.. Among the key findings is the fact that models should be finetuned to keep false positives low without compromising the detection capability.

6.3. Summary of Key Results Without Interpretation

Some examples of quantitative findings include: the percentage of fraudulent transactions found by each model, neural networks giving the highest percent correct. The accuracy metrics show significant enhancement over conventional batch processing systems because real-time

systems allow for faster and more precise fraud detection. Specific algorithms achieve faster detection in real-time yet they sacrifice a minimal level of accuracy because of their operating requirements. Multiple consistent findings surfaced through the conducted interviews according to qualitative analysis.

The system faces two main obstacles stemming from massive streaming data flow while obtaining system integration between modern fraud detection tools and existing legacy platforms followed by real-time data handling to prevent service experience interruptions.

Continuous training of models through new datasets represents the most important success factor for these systems along with their integration of advanced machine learning methods and their adaptive abilities to detect new emerging fraud types. Available data processing systems holding big transaction volumes combined with adaptable machine learning frameworks allow live fraud detection capabilities. Such research results demonstrate operational effectiveness of live fraud detection solutions while addressing the implementation difficulties which financial organizations experience when using these technologies.

7. Discussion

7.1. Interpretation of Results

Results indeed prove that, in the case of fraudulent transactions with minimal alarms, streaming data-based fraud detection in real time is much effective, efficient, and fast. Most of the machine learning models, mainly neural networks, showed excellent results in the task of quick detection of fraudulent transactions. However, one important observation was the fact that a higher detection accuracy of models normally has a price that is to be paid in false positive rates-high accuracy with flagged legitimate transactions.

Variants of machine learning techniques performed differently in real time:

Neural Networks showed robust performance, adapting to the evolution of fraud patterns over time, though at the cost of increased computational demands.

Support Vector Machines gave a balanced approach: offering a good trade-off between speed and accuracy but struggled with bigger transaction volumes.

Decision Trees were faster in their processing but struggled to handle the complexity of the evolving fraud patterns, hence returning more false positives.

Among the various factors that contributed to successful real-time fraud detection systems are transaction volume, data quality, and fraud patterns. The high volume of transactions, especially those financial institutions that cover many countries around the world, makes it very demanding to use highly scalable models to maintain accuracy in detecting fraud without introducing latency. Data quality, such as clean and relevant transaction data, directly affects model performance. Besides, the fraud tactics are continuously changing, and systems have to adapt to new behavior patterns fast, which means continuous model updates are significant.

7.2. Comparison with Existing Literature

These findings are in line with the current literature on the shift to real-time fraud detection from batch processing. Most traditional systems based on batch have suffered severe delays in finding fraudulent transactions, with fraud usually happening long before the detection of fraud. These real-time streaming-based systems-those forming the basis of this work-offer immediate insight into helping financial firms act on fraudulent transactions before significant damage may be realized.

This research also extends available literature on the application of more advanced machine learning methods, including neural networks, and their comparison with traditional techniques such as decision trees and SVMs in real-world, real-time settings. While available literature has pointed out the benefits of real-time fraud detection, our findings further explain the subtlety of algorithm performance at high volumes and fast speeds.

7.3. Implications of Findings

The results provide crucial practical implications for financial institutions in the following lines:

Machine Learning Recommended: Deep learning models, especially, remain recommended for an optimum performance. This is simply because most cases involve high-volume transaction environments that have to deal with evolving fraud patterns. Whatever the case may be, all costs are supposed to be evaluated against computational benefits arising, considering smaller institutions having very minimal means.

System Architectures: A hybrid system combining machine learning models with human oversight can help balance the two significant factors of detection accuracy and false positive rates. Though the models are good at identifying patterns in real time, human intervention can serve as a backup for edge cases or highly complex fraud schemes.

Reduced Financial Loss: Real-time fraud detection can enable prompt action by a financial institution and, hence, reduce financial loss resulting from fraudulent transactions. This capability increases customer trust and provides a more secure transaction environment-pretty important in the highly competitive financial services market.

Implementing automated fraud detection systems leads to decreased operational costs which Banks use for fraud evaluations and customer service thus their operational efficiency improves.

Real-time fraud detection systems do not succeed in eliminating every possible operational challenge that arrives in their space.

Complex modeling techniques with their extensive calculation needs drive financial institutions to spend higher amounts on infrastructure investments. Continuous Model Updates: Fraud is a dynamic process, and the detection system should learn anew continuously. Thus, some really big challenges appear in data acquisition and model management. Reduction of False Positives: Whereas the real-time models provide greater velocity, the associated trade-off of this comes within increased false positives, and there financial institutions have to balance between fraudulent detection and disturbing minimal legitimate clients.

8. Limitation of the study

The performances above look very promising, but there are a couple of considerations: first, one would be very lucky to outperform the GBT model presented here.

Overfitting Models: With the as-good-for-fraud-detection models, there persists the possibility of overfitting on historical fraud data in such ways that these generalize to new, emerging techniques.

Data Availability: Only historical data could be used in fraud detection, which by itself requires a lot of labeled data; the data which can definitely be inapplicable for most use cases or instances in case some fresh tactic is used.

Generalisability: The findings cannot be generalised to other financial institutions, more so for those with relatively smaller transactional volumes or transactions of a different nature. This needs further research across other sectors to ascertain how effective these models are across environments.

9. Recommendations for Future Research

Advanced Algorithmic Capabilities: This is in respect to conducting more research on various advanced machine learning techniques that would include deep learning and reinforcement learning in fraud detection systems, so as to allow adaptation even better in real time.

Hybrid Models: Integration of machine learning with human judgment on hybrid models should ideally bring down the cases of false positives, and improve fraud detection systems even more. The payoff will be an improved capability of fraud detection at edge cases with novel patterns of fraud.

Ethical Issues: Future research should take into consideration ethical issues regarding fraud detection systems in real time, mainly in terms of privacy and customer consent. Since the nature of data in financial transactions is sensitive, customers should be fully informed about the ways in which their data will be used for fraud-detection processes.

Evolution Detection in Fraud: Such longitudinal studies can indeed confirm how fraud detection models change over time, generalize to detect new kinds of fraud that may emerge when fraudsters become smarter.

The following issues stand out with respect to algorithm performance issues, false positive incidents, system scalability, among many others that could still, and would eventually have to do in the way of fraud detection by using streaming real-time data: Much is needed in front from the side of the machine learning model aspects-data quality-ethics-and privacy for substantial improved systems.

10. Conclusion

10.1. Summary of Findings

The results of this study underline the tremendous efficiency of the real-time Fraud Detection Systems using streaming data combined with machine learning algorithms in spotting

fraudulent financial transactions. This clearly shows that machine learning models, especially neural networks and decision trees, outperform their traditional fraud-detection counterparts by a big margin, with higher speed and accuracy and added advantages in a real-world environment. Indeed, these have provided quantitative and qualitative values regarding reduced fraud losses, increasing trust of customers, high computational costs involved, and the continuous adaptation of models against emerging new patterns of fraud. In relation to this, the study puts light on the role that such systems can play in strengthening fraud detection despite low alarm cases due to some challenges related to resource allocation and false positives.

10.2. Conclusion

The need for fraud detection systems to be real-time will be quite immediate in ensuring secure financial ecosystems, while digital transactions continue unabated. Real-time fraud detection enables finance institutions to battle fraud well in time to avoid or minimize the financial and reputational damage that it could entail. However, every season sees some new tactics, which would need upgrades for an out-of-the-box system to work on state-of-the-art machine learning, data processing, and architecture.

Financial Institutions: This keeps fraudsters in the dark by constant renovation of capabilities around fraud detection for the ever-changing challenges that pose themselves.

10.3. Recommendations

From here, some recommendations based on the findings for any financial institution willing to implement or improve a real-time fraud detection system are as follows:

Technology Selection: The scalable models of machine learning, able to process highvolume data with velocity and high accuracy, are advisable for an institution to adopt. It is also possible to consider a hybrid system that puts together the best of several algorithms-like Decision Trees, Neural Networks-giving the best possible trade-offs between speed and detection accuracy.

Data Management Practices: High-quality, up-to-date data forms the backbone for training machine learning models. Because of this, financial institutions have to invest in mechanisms that are necessary for collecting the data, which will ensure the accuracy and cleanliness of transaction data. In addition, sound data privacy and security practices will be required contingent on demand for regulatory necessity.

Regular System Updates: Models that would be able to detect fraudulent schemes need continuous updated input based on incoming, new fraudulent schemes. Model training with more or less live real-life transactions data in time will ensure that the systems keep up with modern changes.

It means the integration into the wider cybersecurity framework should be such that real-time fraud detection systems should form part of broader frameworks of cybersecurity to engender integrated fights against financial fraud. This helps ensure a thought for every potential vulnerability, and the detection systems are coordinated with other security measures.

Advanced AI techniques should form the basis for fraud detection in the future, building on state-of-the-art developments in AI like deep learning and reinforcement learning, which

guarantee a high degree of accuracy, reduction of false positives, and quick adaptation to fraud tactics that are newly developed.

Finally, while real-time fraud detection systems have indeed been game-changing tools in fighting financial fraud, this requires further improvement, innovation, and integration into broader efforts on cybersecurity to stay ahead of the bad guys and provide sustainable security with confidence in digitizing financial transactions. It therefore follows that such systems need further adaption and investment by financial institutions in order to keep customers out of the reach of emerging fraud risks.

References

- Rajeshwari, U., & Babu, B. S. (2016, July). Real-time credit card fraud detection using streaming analytics. In 2016 2nd International Conference on Applied and Theoretical Computing and Communication Technology (iCATccT) (pp. 439-444). IEEE.
- Tanvir Rahman, A., Md Sultanul Arefin, S., & Md Shakil, I. (2024). Investigating Innovative Approaches to Identify Financial Fraud in Real-Time. *American Journal of Economics and Business Management*, 7(11), 1262-1265.
- Manoharan, G., Dharmaraj, A., Sheela, S. C., Naidu, K., Chavva, M., & Chaudhary, J. K. (2024, May). Machine learning-based real-time fraud detection in financial transactions. In 2024 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI) (pp. 1-6). IEEE.
- Hanae, A. B. B. A. S. S. I., Abdellah, B. E. R. K. A. O. U. I., Saida, E. L. M. E. N. D. I. L. I., & Youssef, G. A. H. I. (2023). End-to-End Real-time Architecture for Fraud Detection in Online Digital Transactions. *International Journal of Advanced Computer Science and Applications*, 14(6).
- Bello, O. A., Ogundipe, A., Mohammed, D., Adebola, F., & Alonge, O. A. (2023). AI-Driven Approaches for Real-Time Fraud Detection in US Financial Transactions: Challenges and Opportunities. *European Journal of Computer Science and Information Technology*, 11(6), 84-102.
- Bello, H. O., Ige, A. B., & Ameyaw, M. N. (2024). Adaptive machine learning models: concepts for real-time financial fraud prevention in dynamic environments. *World Journal of Advanced Engineering Technology and Sciences*, 12(02), 021-034.
- Carcillo, F., Dal Pozzolo, A., Le Borgne, Y. A., Caelen, O., Mazzer, Y., & Bontempi, G. (2018). Scarff: a scalable framework for streaming credit card fraud detection with spark. *Information fusion*, 41, 182-194.
- Thennakoon, A., Bhagyan, C., Premadasa, S., Mihiranga, S., & Kuruwitaarachchi, N. (2019, January). Real-time credit card fraud detection using machine learning. In 2019 9th International Conference on Cloud Computing, Data Science & Engineering (Confluence) (pp. 488-493). IEEE.

- John, S. N., Anele, C., Kennedy, O. O., Olajide, F., & Kennedy, C. G. (2016, December). Realtime fraud detection in the banking sector using data mining techniques/algorithm. In 2016 international conference on computational science and computational intelligence (CSCI) (pp. 1186-1191). IEEE.
- Litty, A. (2024). Real-Time Fraud Detection in Financial Transactions: Leveraging Machine Learning and Stream Processing for Dynamic Risk Assessment.
- Edge, M. E., Sampaio, P. R. F., & Choudhary, M. (2007, September). Towards a proactive fraud management framework for financial data streams. In Third IEEE International Symposium on Dependable, Autonomic and Secure Computing (DASC 2007) (pp. 55-64). IEEE.
- Alam, M. A., Nabil, A. R., Minto, A. A., & Islam, A. (2024). Real-Time Analytics In Streaming Big Data: Techniques And Applications. Journal of Science and Engineering Research, 1(01), 104-122.
- Singla, A., & Jangir, H. (2020, February). A comparative approach to predictive analytics with machine learning for fraud detection of realtime financial data. In 2020 International Conference on Emerging Trends in Communication, Control and Computing (ICONC3) (pp. 1-4). IEEE.
- Quah, J. T., & Sriganesh, M. (2008). Real-time credit card fraud detection using computational intelligence. Expert systems with applications, 35(4), 1721-1732.
- Bello, H. O., Ige, A. B., & Ameyaw, M. N. (2024). Deep learning in highfrequency trading: conceptual challenges and solutions for real-time fraud detection. World Journal of Advanced Engineering Technology and Sciences, 12(02), 035-046.
- Khurana, R. (2020). Fraud detection in ecommerce payment systems: The role of predictive ai in real-time transaction security and risk management. International Journal of Applied Machine Learning and Computational Intelligence, 10(6), 132.
- Kodmalwar, P., Maheshwari, A., Palav, M. R., Priya, S., Purusothaman, N., & Namdeo, A. K. (2025). Real-Time Fraud Detection Using AI and Signal Processing. In Role of Internet of Everything (IOE), VLSI Architecture, and AI in Real-Time Systems (pp. 121-136). IGI Global Scientific Publishing.
- Dangi, N. (2020). Real time fraud detection using streaming batches & implementation of a real time data warehouse subtitle: a combined approach to machine learning & data storage (Doctoral dissertation, Dublin Business School).