ITEM	BRAND	Model	DESCRIPTION	Selling Price Vat Exc	Vat	Sslling Price Vat Inc
2,	AQUASTRONG	4SAm2/9	150- 240V/50HZ,0.37kw,0.5HP,brass outlet,plastic impeller,coppr winding, with control box,with 1.5m cable,201,24months warranty	R 2 034,41	305,16	R 2 339,57
2	AQUASTRONG	4SAm2/12	150- 240V/50HZ,0.55kw,0.75HP,brass outlet,plastic impeller,coppr winding, with control box,with 1.5m cable,201,24months warranty	R 2 211,12	331,67	R 2 542,79
2.	AQUASTRONG	4SAm2/15	150- 240V/50HZ,0.75kw,1HP,brass outlet,plastic impeller,coppr winding, with control box,with 1.5m cable,201,24months warranty	R 2 408,63	361,29	R 2 769,92
2	AQUASTRONG	4SAm2/21	150- 240V/50HZ,1.1kw,1.5HP,brass outlet,plastic impeller,coppr winding, with control box,with 1.5m cable,201,24months warranty	R 2 803,04	420,46	R 3 223,50
2,	AQUASTRONG	4SAm2/28	150-240V/50HZ,1.5kw,2HP,brass outlet,plastic impeller,coppr winding, with control box,with 1.5m cable,201,24months warranty	R 3 364,67	504,70	R 3 869,37
#224 #59 #2244 #C #2	AQUASTRONG	3.5SAm2/9KC	150-240V/50HZ,0.37KW,cast Iron outlet,24 month warranty, DN=1.5",with control box.	R 1 832,45	274,87	R 2 107,31
3.59A-KC	AQUASTRONG	3.5SAm2/13K0	150-240V/50HZ,0.55KW,cast Iron outlet,24 month warranty, DN=1.5",with control box	R 2 059,35	308,90	R 2 368,26
4 4 to 1 to 1 to 1	AQUASTRONG	3.5SAm2/16K0	150-240V/50HZ,0.75KW,cast Iron outlet,24 month warranty, DN=1.5",with control box	R 2 312,99	346,95	R 2 659,94
3.58A-KC	AQUASTRONG	3.5SAm2/18K0	150-240V/50HZ,0.75KW,cast Iron outlet,24 month warranty, DN=1.5",with control box	R 2 446,05	366,91	R 2812,95

	AQUASTRONG	AQUA 25	250W,160-260V/50HZ,1m cable with Euro plug,24month warranty	R 1 721,07	258,16	R 1 979,23
	AQUASTRONG	AQUA35	450W,160-260/50HZ,1m cable with Euro plug,24 month warranty	R 1 833,93	275,09	R 2 109,02
	AQUASTRONG	AQUA45	750W,160-260V/50HZ,1m cable with Euro plug,24mnth warranty	R 2 074,50	311,18	R 2 385,68
	AQUASTRONG	AQUA50	850W,160-260V/50HZ.,1m cable with Euro plug,24month warranty	R 2 223,00	333,45	R 2 556,45
	AQUASTRONG	2ECM25/160B	2HP,180-220V/50HZ,SS shaft,1 1/2"X1",copper winding, all cast iron parts are with E-coating,18 month warranty	R 3 108,06	466,21	R 3 574,27
0	AQUASTRONG	AQUA SMART1	Max.Power:96W Max.Head:16m Max.Flow:1.5m3/h Max.Suction:0m Starting flow:1.5L/min Max.Speed:1500-10000rpm Liquid Temperature:2~90°C Ambient Temperature:2~55°C Max.operation pressure:10bar IP57 24 months guarantee	R 1 629,00	244,35	R 1873,35
	AQUASTRONG	AQUA SMART4:	Max.Head:45m Max.Flow:5m3/h Rated Power:550W Max.Suction:8m Max.Speed:4820-5200rpm Inlet&Outlet :G1" FluidTemperature:4~80°C Ambient Temperature:4~55°C Max.operation pressure:10bar IPX5 24 months guarantee	R 9 440,10	1 416,02	R10 856,12
Î	AQUASTRONG	3.5EBPm2/ 11-0.37	0.5HP,220V/50HZ,1.25"outlet ,with control box,18 month warranty	R 1 835,71	275,36	R 2 111,07
	AQUASTRONG	3.5EBPm2/ 14-0.55	0.75HP,220V/50HZ,1.25"outl et,with control box,18 month warranty	R 1 995,20	299,28	R 2 294,48

•						
	AQUASTRONG	3.5EBPm2/ 17-0.75	1HP,220V/50HZ,1.25"outlet, with control box,18 month warranty	R 2 171,32	325,70	R 2 497,02
	AQUASTRONG	3.5EBPm2/ 25-1.1	1.5HP,220V/50HZ,1.25"outlet ,with control box,18 month warranty	R 2 550,29	382,54	R 2 932,84
	AQUASTRONG	3.5EBPm2/ 33-1.5	2HP,220V/50HZ,1.25"outlet, with control box,18 month warranty	R 3 024,90	453,74	R 3 478,64
	AQUASTRONG	4STm0513	0.5HP,220V/50HZ,1.25"outlet ,with control box,18 month warranty,pump body and motor to be connected and packed together	R 3 146,67	472,00	R 3 618,67
	AQUASTRONG	4STm0519	0.75HP,220V/50HZ,1.25"outlet,with control box,18 month warranty,pump body and motor to be connected and packed together	R 3 598,11	539,72	R 4 137,83
	AQUASTRONG	4STm0526	1HP,220V/50HZ,1.25"outlet, with control box,18 month warranty,pump body and motor to be connected and packed together	R 4 046,58	606,99	R 4 653,57
	AQUASTRONG	4EBPm3/18- 1.1	1.5HP,220V/50HZ,1.25"outlet ,with control box,18 month warranty	R 2 649,49	397,42	R 3 046,92
	AQUASTRONG	4EBPm2/28- 1.5	2HP,220V/50HZ,1.25"outlet, with control box,18 month warranty	R 3 188,55	478,28	R 3 666,83
	AQUASTRONG	4EBPm2/37- 2.2	3HP,220V/50HZ,1.25"outlet, with control box,18 month warranty	R 4 144,59	621,69	R 4 766,28
	AQUASTRONG	EKSm350A	0.47HP,1"x1",180- 220V/50HZ,brass shaft,SS insert,brass impeller,copper winding,18 month warranty	R 1 305,27	195,79	R 1 501,06
	AQUASTRONG	EKSm550A	0.75HP,1"x1",180- 220V/50HZ,brass shaft,SS insert,brass impeller,copper winding,18 month warranty	R 1 626,03	243,90	R 1 869,93
	AQUASTRONG	EKSm750A	1HP,1"x1",180- 220V/50HZ,brass shaft,SS insert,brass impeller,copper winding,18 month warranty	R 1 759,68	263,95	R 2 023,63
	AQUASTRONG	EKm60-1	0.5HP,180- 220V/50HZ,1"x1",SS shaft, brass impeller,SS insert ,copper winding,e-coating for all cast iron parts,18month	R 791,46	118,72	R 910,18

ı		1	IN OLID 40N			
	AQUASTRONG	EKm70-1	0.8HP,180- 220V/50HZ,1"x1",SS shaft, brass impeller,SS insert ,copper winding,e-coating for all cast iron parts,18month	R 1 198,35	179,75	R 1 378,10
	AQUASTRONG	ECm158	1HP,1"x1",180- 220V/50HZ,SS shaft, SS impeller,copper winding 18month warranty	R 1 727,01	259,05	R 1 986,06
1	AQUASTRONG	ECm170M- 1	1.5HP,180-220V/50HZ,1 1/4"x1",SS shaft, SS impeller,copper winding,e-coating for all cast iron parts,18month warranty	R 2 326,95	349,04	R 2 675,99
	AQUASTRONG	2ECm25/16 0B	shaft,1 1/2"X1",copper winding, all cast iron parts are with E-coating,18 month	R 3 108,06	466,21	R 3 574,27
	AQUASTRONG	EJm81C	0.8HP,180-220V/50HZ,SS shaft,1"X1",copper winding, all cast iron parts are with E-coating,18 month warranty	R 1 533,96	230,09	R 1 764,05
	AQUASTRONG	EKJ-801IA	800W,220V/50HZ,1"x1",alumi nium winding,with 24L tank,18month warranty	R 1 937,88	290,68	R 2 228,56
	AQUASTRONG	EKS-750P	750W,220V/50HZ,plastic impeller,aluminium winding,with float switch,with 10m cable and South African plug,12 month warranty	R 960,75	144,11	R 1 104,86
	AQUASTRONG	EKS- 750PW	750W,220V/50HZ,plastic impeller,aluminium winding,with float switch,with 10m cable and South African plug,12 month warranty	R 972,63	145,89	R 1 118,52
	AQUASTRONG	EKP804	800W,220V/50HZ, copper winding, plastic impeller, 12 month warranty	R 1 949,76	292,46	R 2 242,22
	AQUASTRONG	EKP1104	1100W,220V/50HZ, copper winding, plastic impeller, 12 month warranty	R 2 071,53	310,73	R 2 382,26
01	AQUASTRONG	ERP15- 60/130		R 788,49	118,27	R 906,76

		-				
	AQUASTRONG	ERP15- 90A/160	123W,230V/50HZ,cast iron pump body,copper winding,with connector,18month warranty	R 942,93	141,44	R 1 084,37
	AQUASTRONG	EKB7000E	230V/50HZ, RATED POWER:6KW, MAX OUTPUT POWER:6.5KW,ENGINEE DISPLACEMENT 420CC,FUEL CAPACITY: 28L,WITH ELECTRICAL STARTING,WITH HAND AND WHEELS, 3 HOLE SA SOCKET	R11 973,51	1 796,03	R13 769,54
	AQUASTRONG	EPS-01	220-240V/50HZ,Max.Power 1.1KW,1.5BAR,1.5m South African Plug with 45cm cable,18months warranty	R 568,71	85,31	R 654,02
	Aquastrong	EGP20-H	6.5 HP 2 inch gasoline pump	R 3 351,60	502,74	R 3 854,34
	Aquastrong	EGP30-W	6.5 HP 3 inch gasoline pump	R 4 450,50	667,58	R 5 118,08
	Aquastrong	6EBPS60/3-5.5	5.5 kw 7.5HP,380V/50HZ,3"outlet,with control box,18 month warranty	R11 578,50	1 736,78	R13 315,28
	Aquastrong	6EBPS60/4-7.5	7.5 kw 10HP,380V/50HZ,3"outlet,with control box,18 month warranty	R12 944,70	1 941,71	R14 886,41
	Aquastrong	6EBPS60-5/9.2	9.2 kw 12.5HP,380V/50HZ,3"outlet,with control box,18 month warranty	R14 637,60	2 195,64	R16 833,24
3 3 5	Aquastrong	6EBPS46/4-5.5	5.5 kw 7.5HP,380V/50HZ,3"outlet,with control box,18 month warranty	R12 321,00	1 848,15	R14 169,15
design of manager	Aquastrong	6EBPS46/5-7.5	7.5 kw 10HP,380V/50HZ,3"outlet,with control box,18 month warranty	R13 687,20	2 053,08	R15 740,28
	Aquastrong	6EBPS46/6-9.2	9.2 kw 12.5HP,380V/50HZ,3"outlet,with control box,18 month warranty	R15 350,40	2 302,56	R17 652,96
	Taifu Pump	3TSS 0,76-55-	3TSS 0,76-55-24/120	R 8 430,30	1 264,55	R 9 694,85
n :	Taifu Pump	24/120 3TSS 1.25-80-	3TSS 1.25-80-36/210	R 8 875,80	1 331,37	R10 207,17
	Taifu Pump	36/210 3TSS 1.4-100-	3TSS 1.4-100-48/500	R 9 321,30	1 398,20	R10 719,50
	Taifu Pump	48/500 4TSS 2,5-70- 48/500	4TSS 2,5-70-48/500	R 9 588,60	1 438,29	R11 026,89
:	Taifu Pump	47SS 2,5-140- 110/1000	4TSS 2,5-140-110/1000	R11 934,90	1 790,24	R13 725,14
	Taifu Pump	4TSSC5.5-90- 110/1000	4TSSC5.5-90-110/1000	R13 716,90	2 057,54	R15 774,44
	Taifu Pump	4TSC8-117- 220/2200	4TSC8-117-220/2200	R16 152,30	2 422,85	R18 575,15
	Shimge	4SDP2/20	Solar Pump	R17 473,95	2 621,09	R20 095,04
TRACT OF PRINTING AND THE PRINTING OF PRINTING AND THE PRINTING OF PRINTING	Taifu	4TSSC4-300- 300/3000	4TSSC4-300-300/3000	R19 211,40	2 881,71	R22 093,11

	T .	1			T	1
Stor years PENCPLE OF OPERATION For years of the code, 1 or 3, 50, and the years; 1 or 3 for years of the code, 1 or 3, 50, and 1 or 3,	Taifu	4TSC5-225- 300/3000	4TSC5-225-300/3000	R15 914,70	2 387,21	R18 301,91
Doloty on Dephalance on Angeles	Taifu	3TSS0.5-28- 12/80	3TSS0.5-28-12/80	R 8 073,90	1 211,09	R 9 284,99
Solar purp controller Barlory control amounted according to such air formers! CO States Puring	Taifu	3TSS0.76-55- 24/120 system	3TSS0.76-55-24/120 system	R16 211,70	2 431,76	R18 643,46
	Taifu	5TSC30-60- 300/3000	5TSC30-60-300/3000	R19 181,70	2 877,26	R22 058,96
	Taifu	4CW0.37-4/30	4CW0.37-4/30	R12 915,00	1 937,25	R14 852,25
	Taifu	4CW0.55-4/54	4CW0.55-4/54	R12 915,00	1 937,25	R14 852,25
	Taifu	4CW0.75-7/48	4CW0.75-7/48	R12 915,00	1 937,25	R14 852,25
_		4000.70 7740	10000.10 1/10			
	Taifu	TSSP12-14- 48/500	500 watts Pool Pump	R 8 875,80	1 331,37	R10 207,17
	Taifu	TSSP15-14- 48/600	600 watts pool pump	R 9 677,70	1 451,66	R11 129,36
	Taifu	TSSP25-15- 110/1000	1000 watts pool pump	R17 399,70	2 609,96	R20 009,66
	Shimge	3.5SGm2/10	220V/50Hz,0.37kW/0.5HP,1.5m lead out cable	R 2 065,59	309,84	R 2 375,43
# T	Shimge	3.5SGm2/13	220V/50Hz,0.55kW/0.75HP,1.5m lead out cable	R 2 276,46	341,47	R 2 617,93
	Shimge	3.5SGm2/15	220V/50Hz,0.75kW/1HP,1.5mlead out cable	R 2 404,17	360,63	R 2 764,80
	Shimge	4SGm3/9	220V/50Hz,0.55kW/0.75HP,1.5m lead out cable	R 1 954,81	293,22	R 2 248,03
	Shimge	4SGm3/13	220V/50Hz,0.75kW/1HP,1.5mlead out cable	R 2 215,58	332,34	R 2 547,91
	Shimge	4SGm3/17	220V/50Hz,1.1kW/1.5HP,2.3m lead out cable	R 2 624,25	393,64	R 3 017,88
- Chromin	Shimge	4SGm2/28	220V/50Hz,1.5kW/2HP,2.3mlead out cable	R 3 214,98	482,25	R 3 697,23
	Shimge	4SGm2/38	220V/50Hz,2.2kW/3HP,2.3mlead out cable	R 3 895,11	584,27	R 4 479,38
	Shimge	4SE2/80	7.5kW/10HP,380V/50Hz	R12 499,20	1 874,88	R14 374,08
	-					
		1				
	Shimge	CPm158	220V/50Hz,0.75W,1HP	R 1 296,36	194,45	R 1 490,81
	Shimge	CPm170	220V/50Hz,1.1kW,1.5HP	R 1 991,93	298,79	R 2 290,72
	Shimge	JET750G1	220V/50Hz,0.75kW/1HP,0.3m	R 1 688,40	253,26	R 1 941,66
	shimge		220V/50Hz,0.75kW/1HP,0.3m	R 1 391,40	208,71	R 1 600,11
	Sillinge	SGJW75	220 V/301 12,0.7 3N V V / 111 F,0.3111	11 1 001,40	200,71	13 1 000,11

	shimge	PW250Z	Automatic Pressure	R 1 379,52	206,93	R 1 586,45
	shimge	PW370Z	Automatic Pressure	R 1 435,95	215,39	R 1 651,34
	shimge	PW550Z	Automatic Pressure	R 1 655,73	248,36	R 1 904,09
	shimge	PW750Z	Automatic Pressure	R 1 827,99	274,20	R 2 102,19
	shimge	6SS46/3	5.5 KW MAX HEAD 40 METERS	R 8 637,31	1 295,60	R 9 932,91
A	shimge	6SS46/5	7.5 KW MAX HEAD 66	R10 079,24	1 511,89	R11 591,13
	shimge	6SS46/6	9.2 KW MAX HEAD 79	R11 092,01	1 663,80	R12 755,82
	shimge	6SS46/7	11 KW MAX HEAD 92	R12 068,85	1 810,33	R13 879,17
494	shimge	6SS46/9	15 KW MAX HEAD 106	R14 006,77	2 101,02	R16 107,79
	shimge	6SE30/9-9.2	9.2kW/12.5HP,380V/50Hz	R12 796,20	1 919,43	R14 715,63
	shimge	6SE30/7-7.5	7.5kW/10HP,380V/50Hz	R10 717,20	1 607,58	R12 324,78
	shimge	6SE30/16-18.5	18.5kW/25HP,380V/50Hz	R17 399,70	2 609,96	R20 009,66
	shimge	6SE30/5-5.5	5.5kW/7.5HP,380V/50Hz	R 9 707,40	1 456,11	R11 163,51
				R 144,00	21,60	R 165,60
	shimge	WQ20-75/3-9.2	380V/50Hz, 9.2kW/11HP	R14 370,30	2 155,55	R16 525,85
	shimge	WQ20-120/4-15	380V/50Hz, 15kW/20HP	R20 607,30	3 091,10	R23 698,40
	shimge	QX12.5-60-5.5-A	380V/50Hz, 5.5kW/7.5HP	R 7 004,70	1 050,71	R 8 055,41
	Shimge	SGK1B-18.5	Control Box	R 2 217,06	332,56	R 2 549,62
	Shimge	CTL5.5kW	Control Box	R 922,14	138,32	R 1 060,46
	Shimge	CTL7.5kW	Control Box	R 922,14	138,32	R 1 060,46
	Shimge	CTL9.2kW	Control Box	R 1 088,46	163,27	R 1 251,73