Ndeye Diegui Diedhiou L2GLSIA

Lab 1

Etape 1 : Installer les outils

Installation des outils

1.1. Node.js et npm :




```
PS C:\Windows\system32> docker pull node:24-alpine
24-alpine: Pulling from library/node
1862879ffc38: Pull complete
ae83e149ede8: Pull complete
7b6b6a4c1d27: Pull complete
589002ba0eae: Pull complete
0ff513d4f705: Download complete
29af2696eb3a: Download complete
Digest: sha256:01743339035a5c3c11a373cd7c83aeab6ed1457b55da6a69e014a95ac4e4700b
Status: Downloaded newer image for node:24-alpine
docker.io/library/node:24-alpine
PS C:\Windows\system32>
```

```
PS C:\Users\DELL> docker run -it --rm --entrypoint sh node:24-alpine
/ # node -v
v24.14.1
/ #
```

```
/ # npm -v
11.11.0
/ #
```

1.2. Visual Studio Code:





1.3. Git

```
Windows PowerShell

Windows PowerShell
Copyright (C) Microsoft Corporation. Tous droits réservés.

Installez la dernière version de PowerShell pour de nouvelles
s

PS C:\Users\DELL> git --version
git version 2.50.0.windows.1
PS C:\Users\DELL>
```

2. Creation du projet SenTransport

2.1. Creation du projet react

```
C:\Windows\System32\cmd.e

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.

Success! Created sentransport at C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd sentransport
  npm start

Happy hacking!

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION>cd sentransport

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

2.2. Compréhension de la structure



2.3 Lancement du projet avec **npm start**



3. Le premier composant : modifier App.js

3.1 Comprendre App.js



3.2 Ajout du style



4. Création du composant Header

4.1 Le principe : un chier = un composant

4.2 Création de Header.js

```
import './ Header .css ';
function Header () {
return (
    < header className =" header ">
< h1 className ="header - titre "> SenTransport </ h1 >
<p className ="header - soustitre ">
Votre guide du transport en commun a Dakar
</p >
</ header >
) ;
}
export default Header ;
```

4.3 Création de Header.css

```
.header {
background-color : #0a6e31 ;
color : white ;
padding : 20px ;
text-align : center ;
}
.header-titre {
margin : 0;
font-size : 2 rem ;
}
.header-soustitre {
margin : 5px 0 0 0;
font-size : 1 rem ;
opacity : 0.9;
}
```

4.4 Utilisation de Header dans App



5. Git : sauvegarde du travail

5.1 Pourquoi Git ?

5.2 Initialiser le dépôt

```
warning: could not open directory 'Documents/Mes images/': Permission denied
warning: could not open directory 'Documents/Mes vidéos/': Permission denied
warning: could not open directory 'Local Settings/': Permission denied
warning: could not open directory 'Menu Démarrer/': Permission denied
warning: could not open directory 'Mes documents/': Permission denied
warning: could not open directory 'Modèles/': Permission denied
warning: could not open directory 'Recent/': Permission denied
warning: could not open directory 'SendTo/': Permission denied
warning: could not open directory 'Voisinage d'impression/': Permission denied
warning: could not open directory 'Voisinage réseau/': Permission denied
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    ../../../GDP/samatutor1.2/.eslintrc.json
        deleted:    ../../../GDP/samatutor1.2/.github/workflows/ci.yml
        deleted:    ../../../GDP/samatutor1.2/.gitignore
        deleted:    ../../../GDP/samatutor1.2/.nojekyll
        deleted:    ../../../GDP/samatutor1.2/.prettierrc.json
        deleted:    ../../../GDP/samatutor1.2/DEPLOYMENT.md
        deleted:    ../../../GDP/samatutor1.2/Dockerfile
        deleted:    ../../../GDP/samatutor1.2/INSTALL-OLLAMA.md
        deleted:    ../../../GDP/samatutor1.2/Install-Ollama.ps1
        deleted:    ../../../GDP/samatutor1.2/OLLAMA-TEST.md
        deleted:    ../../../GDP/samatutor1.2/PRODUCTION.md
        deleted:    ../../../GDP/samatutor1.2/README.md
        deleted:    ../../../GDP/samatutor1.2/TYPST-GUIDE.md
        deleted:    ../../../GDP/samatutor1.2/TYPST-USAGE.md
        deleted:    ../../../GDP/samatutor1.2/css/style.css
        deleted:    ../../../GDP/samatutor1.2/docker-compose.yml
        deleted:    ../../../GDP/samatutor1.2/docs/app.js
        deleted:    ../../../GDP/samatutor1.2/docs/index.html
        deleted:    ../../../GDP/samatutor1.2/docs/style.css
        deleted:    ../../../GDP/samatutor1.2/index.html
        deleted:    ../../../GDP/samatutor1.2/install-ollama.bat
        deleted:    ../../../GDP/samatutor1.2/install-typst.bat
        deleted:    ../../../GDP/samatutor1.2/js/app.js
        deleted:    ../../../GDP/samatutor1.2/netlify.toml
        deleted:    ../../../GDP/samatutor1.2/package.json
        deleted:    ../../../GDP/samatutor1.2/quick-test.js
        deleted:    ../../../GDP/samatutor1.2/server/.env.example
        deleted:    ../../../GDP/samatutor1.2/server/README.md
        deleted:    ../../../GDP/samatutor1.2/server/index.js
        deleted:    ../../../GDP/samatutor1.2/server/package.json
        deleted:    ../../../GDP/samatutor1.2/server/test-typst.js
        deleted:    ../../../GDP/samatutor1.2/server/test/proxy.test.js
        deleted:    ../../../GDP/samatutor1.2/server/typst-generator.js
        deleted:    ../../../GDP/samatutor1.2/simple-test.js
        deleted:    ../../../GDP/samatutor1.2/test-api.js
        deleted:    ../../../GDP/samatutor1.2/test-full-setup.js
        deleted:    ../../../GDP/samatutor1.2/test-generation.js
        deleted:    ../../../GDP/samatutor1.2/test-ollama.js
        deleted:    ../../../GDP/samatutor1.2/tools/a11y-report.json
        deleted:    ../../../GDP/samatutor1.2/tools/a11y-scan.js
        deleted:    ../../../GDP/samatutor1.2/tools/smoke-test.js
        deleted:    ../../../GDP/samatutor1.2/vercel.json

Untracked files:
  (use "git add <file>..." to include in what will be committed)
```

```
        ../../../../../cv_de_ndeye_diegui.docx
        ../../../../../desktop.ini
        ../../../../../langagec.docx
        ../../../../../watt etincelle/
        ../../../../../../Saved Games/
        ../../../../../../Searches/
        ../../../../../../VirtualBox VMs/
        ../../../../../../edb_mtk.exe
        ../../../../../../edb_npgsql.exe
        ../../../../../../edb_pem_agent.exe
        ../../../../../../edb_pem_server.exe
        ../../../../../../edb_pgagent_pg17.exe
        ../../../../../../edb_pgbouncer.exe
        ../../../../../../edb_pgjdbc.exe
        ../../../../../../edb_psqlodbc.exe
        ../../../../../../edb_sqlprofiler_pg17.exe
        ../../../../../../edb_xdb_7.exe
        ../../../../../../iCloudDrive/
        ../../../../../../iCloudPhotos/
        ../../../../../../ntuser.dat.LOG1
        ../../../../../../ntuser.dat.LOG2
        ../../../../../../ntuser.ini
        ../../../../../../package-lock.json
        ../../../../../../package.json
        ../../../../../../pemhttpd.exe
        ../../../../../../postgis_3_5_pg17.exe
        ../../../../../../postgresql_16.exe
        ../../../../../../postgresql_17.exe
        ../../../../../../premier-projet/
        ../../../../../../tawfeex-map/
        ../../../../../../todo-app/

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

5.3 Faire un commit

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git add .
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/.gitignore', LF will be replaced by CRLF the nex
t time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/README.md', LF will be replaced by CRLF the next
 time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/package-lock.json', LF will be replaced by CRLF
the next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/package.json', LF will be replaced by CRLF the n
ext time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/index.html', LF will be replaced by CRLF
the next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/manifest.json', LF will be replaced by CR
LF the next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/robots.txt', LF will be replaced by CRLF
the next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.css', LF will be replaced by CRLF the ne
xt time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.js', LF will be replaced by CRLF the nex
t time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.test.js', LF will be replaced by CRLF th
e next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.css', LF will be replaced by CRLF the
 next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.js', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/index.css', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/index.js', LF will be replaced by CRLF the n
ext time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/reportWebVitals.js', LF will be replaced by
CRLF the next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/setupTests.js', LF will be replaced by CRLF
the next time Git touches it

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git commit -m " Setup initial SenTransport avec Header "
[main 59eaa2a]  Setup initial SenTransport avec Header
 20 files changed, 17587 insertions(+)
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/.gitignore
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/README.md
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/package-lock.json
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/package.json
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/favicon.ico
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/index.html
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/logo192.png
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/logo512.png
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/manifest.json
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/public/robots.txt
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.css
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.test.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.css
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/index.css
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/index.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/logo.svg
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/reportWebVitals.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/setupTests.js

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

5.4 Création du tag v0

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git tag v0

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

5.5 Pousser sur GitHub

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git remote set-url origin https://github.com/Ndeye-Diegui-Diedhiou/
sentransport.git

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git branch -M main

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git push -u origin main
Enumerating objects: 164, done.
Counting objects: 100% (164/164), done.
Delta compression using up to 4 threads
Compressing objects: 100% (129/129), done.
Writing objects: 100% (164/164), 275.36 KiB | 975.00 KiB/s, done.
Total 164 (delta 12), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (12/12), done.
To https://github.com/Ndeye-Diegui-Diedhiou/sentransport.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git push origin v0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ndeye-Diegui-Diedhiou/sentransport.git
 * [new tag]         v0 -> v0

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git log --oneline
59eaa2a (HEAD -> main, tag: v0, origin/main, origin/HEAD)  Setup initial SenTransport avec Header
65d3359 Merge branch 'main' of https://github.com/Ndeye-Diegui-Diedhiou/SAMATUTOR
1440051 Fix CORS preflight for API endpoints
289268d Fix: Redirection du bouton Commencer vers samatutor1.2
4316887 Fix: Redirection du bouton Commencer vers samatutor1.2
4d44617 Redirection du bouton Commencer vers samatutor1.2/index.html
5d07be0 Add .nojekyll to disable Jekyll
870c6ba Update API config for Railway
c6f6538 (master) Merge branch 'master' of https://github.com/Ndeye-Diegui-Diedhiou/SAMATUTOR
1da7a24 docs: Add GitHub Pages configuration with static assets
4b01f0a Add Deno CI workflow for linting and testing
b2c7848 Add Node.js CI workflow for testing and building
f463c84 Add GitHub Actions workflow for npm package publishing
9ccb347 feat: Complete SamaTutor platform with Typst PDF generation, Ollama IA, landing page and responsive design
f2a294b Ajout du dossier TODO APP

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```

6. Vérification :



7. Résumé

8. Exercices

- Exercice 1 : composant <Footer/>
- Src/Footer.js



- Src/Footer.css



- Exercice 2 : Date dans le header
- Src/Header.js modifié



- Ajout dans Header.css

```
.header {
background-color : #0a6e31 ;
color : white ;
padding : 20px ;
text-align : center ;
}
.header-titre {
margin : 0;
font-size : 2 rem ;
}
.header-soustitre {
margin : 5px 0 0 0;
font-size : 1 rem ;
opacity : 0.9;
}
.header-date {
margin : 10px 0 0 0;
font-size : 0.9 rem ;
opacity : 0.75;
}
```

- Exercice 3 : Composant <Statistique />
- **src/Statistique.js**

```
import './Statistique.css';

function Statistique() {
    return (
        <div className="statistique">
            <span className="stat-nombre">10</span>
            <span className="stat-label">lignes</span>
        </div>
    );
}

export default Statistique;
```

- **src/Statistique.css**



- App.js final



- App.css



d. Commit :

```
C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git add .
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.css', LF will be replaced by CRLF the ne
xt time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/App.js', LF will be replaced by CRLF the nex
t time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.css', LF will be replaced by CRLF the
 next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Header.js', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Footer.css', LF will be replaced by CRLF the
 next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Footer.js', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Statique.css', LF will be replaced by CRLF t
he next time Git touches it
warning: in the working copy of 'OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Statique.js', LF will be replaced by CRLF th
e next time Git touches it

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>git commit -m "Exercices Lab 1 : Footer, date Header, Statistique"
[main aea67bd] Exercices Lab 1 : Footer, date Header, Statistique
 8 files changed, 94 insertions(+), 19 deletions(-)
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Footer.css
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Footer.js
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Statique.css
 create mode 100644 OneDrive/Bureau/LICENCE2/Semestre2/IA_INTEGRATION/sentransport/src/Statique.js

C:\Users\DELL\OneDrive\Bureau\LICENCE2\Semestre2\IA_INTEGRATION\sentransport>
```