

[illegible]

[illegible]

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:test/api/complaint.test.ts,

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

MAJOR, Move function 'focusEditor' to the outer scope., juice-shop-scan:frontend/src/app/coding-challenge-

MAJOR, Move function 'blurEditor' to the outer scope., juice-shop-scan:frontend/src/app/coding-challenge-p

MAJOR, Use <section> instead of the region role to ensure accessibility across all devices., juice-shop-scan

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:frontend/src/app/challenge-solved-notifi

MINOR, arrow function is equivalent to `Boolean`. Use `Boolean` directly., juice-shop-scan:lib/startup/validat

MINOR, Prefer `globalThis` over `global`., juice-shop-scan:test/server/preconditionValidationSpec.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:lib/startup/validateConfig.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:lib/startup/validateConfig.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:lib/startup/validateConfig.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:lib/startup/validatePrecondit

MAJOR, Move async generator function 'contentStream' to the outer scope., juice-shop-scan:frontend/src/ap

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

MINOR, Prefer `globalThis` over `global`., juice-shop-scan:test/server/preconditionValidationSpec.ts,

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 31 to the 15 allowed., juice-shop-s

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

MAJOR, Move async generator function 'contentStream' to the outer scope., juice-shop-scan:frontend/src/ap

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

CRITICAL, Unexpected empty async generator function 'emptyStream'., juice-shop-scan:frontend/src/app/ch

MAJOR, Move async generator function 'emptyStream' to the outer scope., juice-shop-scan:frontend/src/app

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:frontend/src/app/chatbot/chat-conversa

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:frontend/src/app/chatbot/chat-welcome

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:frontend/src/app/chatbot/chat-welcome

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:routes/chat.ts,

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MAJOR, Use <button> or <input> instead of the button role to ensure accessibility across all devices., juice-

MAJOR, Provide multiple methods instead of using "isCheating" to determine which action to take., juice-sho

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 33 to the 15 allowed., juice-shop-s

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/antiCheat.

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/antiCheat.

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/antiCheat.

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 55 to the 15 allowed., juice-shop-s

MAJOR, Use a specific version tag for the image., juice-shop-scan:Dockerfile,

MAJOR, Remove this redundant "undefined", juice-shop-scan:frontend/src/app/product/product.component

BLOCKER, Revoke and change this password; as it is compromised., juice-shop-scan:server.ts,

MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/product/

MINOR, Prefer `node:fs` over `fs`., juice-shop-scan:test/server/challengeTagSpec.ts,

MINOR, Prefer `node:path` over `path`., juice-shop-scan:test/server/challengeTagSpec.ts,

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 17 to the 15 allowed., juice-shop-s

MAJOR, Unexpected constant nullishness on the left-hand side of a `??` expression., juice-shop-scan:lib/ch

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:routes/langua

MINOR, Unexpected negated condition., juice-shop-scan:routes/languages.ts,

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:routes/languages.ts,
MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:routes/languages.ts,
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/dataExport.ts,
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/dataExport.ts,
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/imageCaptcha.ts,
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/imageCaptcha.ts,
MAJOR, Move function 'calcPercentage' to the outer scope., juice-shop-scan:routes/languages.ts,
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/currentUser.ts,
MINOR, Prefer `Number.parseFloat` over `parseFloat`, juice-shop-scan:frontend/stylelint-plugin-spacing-fixer.js,
MINOR, Unexpected negated condition., juice-shop-scan:frontend/stylelint-plugin-spacing-fixer.mjs,
MINOR, Unexpected negated condition., juice-shop-scan:routes/securityQuestion.ts,
MAJOR, Add an "aria-label" or "aria-labelledby" attribute to this element., juice-shop-scan:frontend/src/app/
MAJOR, Add an "aria-label" or "aria-labelledby" attribute to this element., juice-shop-scan:frontend/src/app/
CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/
CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/
CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/
CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/
MINOR, This assertion is unnecessary since it does not change the type of the expression., juice-shop-scan/
MINOR, Use `new Array()` instead of `Array()`, juice-shop-scan:frontend/src/app/payment-method/payment/
MINOR, Use `new Array()` instead of `Array()`, juice-shop-scan:frontend/src/app/payment-method/payment/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this tag., juice-shop-scan:frontend/src/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <div> tag., juice-shop-scan:frontend/src/
CRITICAL, Refactor this function to reduce its Cognitive Complexity from 22 to the 15 allowed., juice-shop-s/
CRITICAL, Refactor this function to reduce its Cognitive Complexity from 22 to the 15 allowed., juice-shop-s/
MAJOR, Headings must have content and the content must be accessible by a screen reader., juice-shop-s/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-radio-button> tag., juice-shop-scan/
MAJOR, A form label must be associated with a control and have accessible text., juice-shop-scan:frontend/
MAJOR, A form label must be associated with a control and have accessible text., juice-shop-scan:frontend/
MAJOR, A form label must be associated with a control and have accessible text., juice-shop-scan:frontend/
MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/userProfile.ts,
MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/data-exp/
MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/complain/
MAJOR, Use <output> instead of the status role to ensure accessibility across all devices., juice-shop-scan:/
MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/change-/
MINOR, 'unknown' overrides all other types in this union type., juice-shop-scan:frontend/src/hacking-instruct/
MINOR, Expected a `for-of` loop instead of a `for` loop with this simple iteration., juice-shop-scan:server.ts,
MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/login/log/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-list-item> tag., juice-shop-scan:fron/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-list-item> tag., juice-shop-scan:fron/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-radio-button> tag., juice-shop-scan/
MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-row> tag., juice-shop-scan:frontend/
MAJOR, Unexpected duplicate selector ".mat-column-Address"; first used at line 68, juice-shop-scan:fronter/
MAJOR, Unexpected duplicate selector ".faq-container"; first used at line 48, juice-shop-scan:frontend/src/ap/
MAJOR, Unexpected duplicate selector ".mdc-card"; first used at line 81, juice-shop-scan:frontend/src/app/to/
MAJOR, Unexpected duplicate selector ".offer-container"; first used at line 96, juice-shop-scan:frontend/src/a/
MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:frontend/src/app/Services/basket.service/
MINOR, Prefer `Math.max()` to simplify ternary expressions., juice-shop-scan:frontend/src/app/accounting/a/
MINOR, Prefer `Math.max()` to simplify ternary expressions., juice-shop-scan:frontend/src/app/accounting/a/

MINOR, Use the "RegExp.exec()" method instead., juice-shop-scan:frontend/src/app/change-password/change-password.component.ts

MINOR, Prefer `Math.max()` to simplify ternary expressions., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MINOR, `challengeKeysWithCodeChallenges` should be a `Set`; and use `challengeKeysWithCodeChallenges` to get the challenge keys., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <div> tag., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 20 to the 15 allowed., juice-shop-scan:server.ts

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/deluxe.ts,

MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:routes/basket.ts,

MAJOR, Do not add `then` to an object., juice-shop-scan:test/server/verifySpec.ts,

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:routes/nftMint.ts,

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:routes/web3Wallet.ts,

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 19 to the 15 allowed., juice-shop-scan:routes/web3Wallet.ts

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:test/server/webhookSpec.ts,

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 23 to the 15 allowed., juice-shop-scan:test/server/webhookSpec.ts

MAJOR, Replace this character class by the character itself., juice-shop-scan:routes/userProfile.ts,

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:routes/likeProductReviews.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:routes/b2bOrders.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:data/datacreator.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/cypress/e2e/checkout.spec.ts

MINOR, Add a 'onKeyPress|onKeyDown|onKeyUp' attribute to this <mat-cell> tag., juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MINOR, Add an "alt" attribute to this image., juice-shop-scan:frontend/src/app/administration/administration.component.ts

MAJOR, Unexpected duplicate selector ".withdraw-container button"; first used at line 92, juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MAJOR, Unexpected duplicate selector ".faq-container"; first used at line 48, juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MAJOR, Unexpected duplicate selector "mat-toolbar"; first used at line 8, juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MAJOR, Unexpected duplicate selector "mat-form-field"; first used at line 14, juice-shop-scan:frontend/src/app/purchase-basket/purchase-basket.component.ts

MAJOR, Review this potentially hard-coded password., juice-shop-scan:frontend/src/app/login/login.component.ts

MINOR, `String.raw` should be used to avoid escaping `\\`, juice-shop-scan:frontend/src/app/two-factor-authentication/two-factor-authentication.component.ts

MAJOR, Remove duplicates in this character class., juice-shop-scan:frontend/src/app/password-strength/password-strength.component.ts

MINOR, Use concise character class syntax `\\d` instead of `[0-9]`, juice-shop-scan:frontend/src/app/password-strength/password-strength.component.ts

MINOR, arrow function is equivalent to `Boolean`. Use `Boolean` directly., juice-shop-scan:frontend/src/app/password-strength/password-strength.component.ts

MAJOR, Replace this character class by the character itself., juice-shop-scan:lib/startup/registerWebsocketEvents.ts

MAJOR, Replace this character class by the character itself., juice-shop-scan:lib/startup/registerWebsocketEvents.ts

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 17 to the 15 allowed., juice-shop-scan:lib/startup/registerWebsocketEvents.ts

MINOR, Unexpected negated condition., juice-shop-scan:routes/showProductReviews.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/trackOrder.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/hacking-instructor/helpers/helpers.ts

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/hacking-instructor/helpers/helpers.ts

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:data/datacreator.ts,

MINOR, Do not use an object literal as default for parameter `isEnvironmentFunctions`, juice-shop-scan:lib/startup/registerWebsocketEvents.ts

MINOR, The arrow function should be named., juice-shop-scan:routes/authenticatedUsers.ts,

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:routes/search.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/noUpdate.t

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/antiCheat.t

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/cus

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/cus

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:lib/startup/validateDependenciesBasic

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:lib/startup/validatePreconditions.ts,

MINOR, The async arrow function should be named., juice-shop-scan:data/datacreator.ts,

CRITICAL, Exporting mutable 'let' binding; use 'const' instead., juice-shop-scan:data/datacache.ts,

MINOR, Prefer `.find(...)` over `.filter(...) [0]`, juice-shop-scan:cypress.config.ts,

MINOR, Prefer `.find(...)` over `.filter(...) [0]`, juice-shop-scan:cypress.config.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:lib/config.types.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:test/cypress/e2e/scoreBoar

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/regi

MINOR, Prefer `globalThis` over `global`, juice-shop-scan:lib/startup/registerWebsocketEvents.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:routes/login.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/server/b2

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:routes/2fa.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:data/mongodb

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/antiCheat.t

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/insecurity.ts

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/startup/valid

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/utils.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:models/relation

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:models/relation

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:routes/showPr

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:server.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/server/ins

MINOR, Unexpected negated condition., juice-shop-scan:data/datacreator.ts,

MINOR, Unexpected negated condition., juice-shop-scan:data/datacreator.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/address.ts,

MINOR, Use the "RegExp.exec()" method instead., juice-shop-scan:routes/b2bOrder.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/b2bOrder.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/delivery.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/fileUpload.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/order.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/wallet.ts,

MINOR, Unexpected negated condition., juice-shop-scan:routes/wallet.ts,

MINOR, Unexpected negated condition., juice-shop-scan:test/cypress/support/commands.ts,

MINOR, Use the "RegExp.exec()" method instead., juice-shop-scan:test/cypress/support/commands.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_1

MINOR, '(from: number; length?: number | undefined): string' is deprecated., juice-shop-scan:data/static/cod

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_2

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_2

MINOR, '(from: number; length?: number | undefined): string' is deprecated., juice-shop-scan:data/static/cod

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_2

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_3

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:data/static/codefixes/web3SandboxChallenge_3

MINOR, '(from: number; length?: number | undefined): string' is deprecated., juice-shop-scan:data/static/cod

MINOR, Add an "alt" attribute to this image., juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.

MINOR, Unexpected negated condition., juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.co

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/web3-sandbox/web3-sandbox.

CRITICAL, Refactor this function to reduce its Cognitive Complexity from 16 to the 15 allowed., juice-shop-s

MINOR, `String.raw` should be used to avoid escaping ``, juice-shop-scan:test/cypress/e2e/profile.spec.ts,

MAJOR, 'If' statement should not be the only statement in 'else' block, juice-shop-scan:frontend/src/app/score

MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:frontend/src/app/score-board/filter-setting

MINOR, Prefer `Number.isNaN` over `isNaN`, juice-shop-scan:frontend/src/app/score-board/filter-settings/q

MINOR, Unexpected negated condition., juice-shop-scan:frontend/src/app/score-board/filter-settings/query-p

MINOR, Unexpected negated condition., juice-shop-scan:frontend/src/app/score-board/helpers/challenge-filt

MINOR, `trivialChallenges` should be a `Set`; and use `trivialChallenges.has()` to check existence or non-ex

MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/wallet-w

MAJOR, The accessible name should be part of the visible label., juice-shop-scan:frontend/src/app/wallet-w

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MAJOR, Remove this useless assignment to variable "txConfirmation", juice-shop-scan:frontend/src/app/wa

MAJOR, Remove this useless assignment to variable "txConfirmation", juice-shop-scan:frontend/src/app/wa

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/wallet-web3/wallet-web3.comp

MINOR, Add an "alt" attribute to this image., juice-shop-scan:frontend/src/app/faucet/faucet.component.html

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Add an "alt" attribute to this image., juice-shop-scan:frontend/src/app/faucet/faucet.component.html

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Prefer `globalThis` over `window`, juice-shop-scan:frontend/src/app/faucet/faucet.component.ts,

MINOR, Add an "alt" attribute to this image., juice-shop-scan:frontend/src/app/nft-unlock/nft-unlock.compone

MAJOR, 'If' statement should not be the only statement in 'else' block, juice-shop-scan:routes/checkKeys.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:data/static/codefixes/expose

MINOR, The arrow function should be named., juice-shop-scan:lib/is-heroku.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:lib/is-docker.ts,

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/accuracy.t

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/antiCheat.

MAJOR, Extract this nested ternary operation into an independent statement., juice-shop-scan:lib/antiCheat.

BLOCKER, Revoke and change this password; as it is compromised., juice-shop-scan:lib/insecurity.ts,

MAJOR, Replace this character class by the character itself., juice-shop-scan:lib/insecurity.ts,

BLOCKER, Revoke and change this password; as it is compromised., juice-shop-scan:lib/insecurity.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:lib/utils.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:server.ts,

MAJOR, Refactor this code to not use nested template literals., juice-shop-scan:server.ts,

MAJOR, Either remove this useless object instantiation of "ExifImage" or use it., juice-shop-scan:test/server/

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:test/server/blueprintSpec.ts,

MINOR, Prefer `node:util` over `util`, juice-shop-scan:test/server/challengeCountryMappingSpec.ts,

MINOR, Prefer `node:util` over `util`, juice-shop-scan:test/server/challengeTutorialSequenceSpec.ts,

MINOR, Use the "RegExp.exec()" method instead., juice-shop-scan:lib/codingChallenges.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:lib/codingChallenges.ts,

MINOR, Handle this exception or don't catch it at all., juice-shop-scan:lib/codingChallenges.ts,

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MINOR, Expected a `for-of` loop instead of a `for` loop with this simple iteration., juice-shop-scan:routes/sea

MINOR, Unexpected negated condition., juice-shop-scan:test/cypress/e2e/contact.spec.ts,

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:test/cypress/e2e/login.spec.ts,

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:test/cypress/e2e/login.spec.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/cypress/e

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/cypress/e

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:test/cypress/e2e/restApi.spe

MAJOR, Use the spread operator instead of '.apply()', juice-shop-scan:test/cypress/e2e/complain.spec.ts,

MINOR, Prefer `Date.now()` over `Date#getTime()`, juice-shop-scan:routes/verify.ts,

MINOR, `String.raw` should be used to avoid escaping ``, juice-shop-scan:frontend/src/app/contact/contact

MINOR, `String.raw` should be used to avoid escaping ``, juice-shop-scan:frontend/src/app/two-factor-auth

MAJOR, Remove this commented out code., juice-shop-scan:test/cypress/e2e/totpSetup.spec.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:test/cypress/e2e/basket.spe

MAJOR, Remove this commented out code., juice-shop-scan:test/cypress/e2e/profile.spec.ts,

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:test/cypress/e

MINOR, Unexpected negated condition., juice-shop-scan:test/cypress/support/commands.ts,

MINOR, Prefer `Date.now()` over `Date#getTime()`, juice-shop-scan:routes/order.ts,

MINOR, Use the "RegExp.exec()" method instead., juice-shop-scan:lib/insecurity.ts,

MINOR, Use concise character class syntax `d` instead of `[0-9]`, juice-shop-scan:lib/insecurity.ts,

BLOCKER, Revoke and change this password; as it is compromised., juice-shop-scan:lib/insecurity.ts,

MINOR, Prefer `Number.parseInt` over `parseInt`, juice-shop-scan:lib/insecurity.ts,

MINOR, Use concise character class syntax `d` instead of `[0-9]`, juice-shop-scan:lib/insecurity.ts,

BLOCKER, Make sure this private key gets revoked; changed; and removed from the code., juice-shop-scan

MAJOR, Prefer using an optional chain expression instead; as it's more concise and easier to read., juice-sh

MINOR, Don't use a zero fraction in the number., juice-shop-scan:frontend/src/hacking-instructor/helpers/he

MINOR, Don't use a zero fraction in the number., juice-shop-scan:frontend/src/hacking-instructor/helpers/he

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:data/datacreator

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:data/datacreator.ts,

MINOR, Expected a `for-of` loop instead of a `for` loop with this simple iteration., juice-shop-scan:routes/bas

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:routes/fileUplo

MINOR, Rename interface "displayCard" to match the regular expression `^\$?[A-Z][a-zA-Z0-9]*\$`., juice-shop

MINOR, Prefer `globalThis` over `global`., juice-shop-scan:routes/showProductReviews.ts,

MAJOR, Move function 'verifyPreLoginChallenges' to the outer scope., juice-shop-scan:routes/login.ts,

MAJOR, Move function 'verifyPostLoginChallenges' to the outer scope., juice-shop-scan:routes/login.ts,

MINOR, 'error' will use Object's default stringification format ('[object Object]') when stringified., juice-shop-s

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:routes/order.ts,

MINOR, Prefer `Number.parseFloat` over `parseFloat`., juice-shop-scan:routes/order.ts,

MAJOR, Move function 'endsWithAllowlistedFileType' to the outer scope., juice-shop-scan:routes/fileServer.

MAJOR, Move function 'verifySuccessfulPoisonNullByteExploit' to the outer scope., juice-shop-scan:routes/f

CRITICAL, Remove this use of the "void" operator., juice-shop-scan:routes/verify.ts,

MINOR, The signature '(from: number; length?: number | undefined): string' of 'locale.key.substr' is deprecate

MAJOR, Move function 'customizeChangeProductChallenge' to the outer scope., juice-shop-scan:data/datacreator

MAJOR, Move function 'makeRandomString' to the outer scope., juice-shop-scan:data/datacreator.ts,

INFO, Complete the task associated to this "TODO" comment., juice-shop-scan:lib/utils.ts,

MAJOR, Use `String#startsWith` method instead., juice-shop-scan:lib/utils.ts,

MINOR, `String.raw` should be used to avoid escaping ``\``., juice-shop-scan:lib/utils.ts,

CRITICAL, Refactor this code to not nest functions more than 4 levels deep., juice-shop-scan:routes/fileUplo

BLOCKER, token detected here; make sure this is not a hard-coded secret., juice-shop-scan:test/server/curren

MINOR, Pass a message to the `Error` constructor., juice-shop-scan:test/server/verifySpec.ts,

BLOCKER, authorization detected here; make sure this is not a hard-coded secret., juice-shop-scan:test/server

BLOCKER, authorization detected here; make sure this is not a hard-coded secret., juice-shop-scan:test/server

BLOCKER, authorization detected here; make sure this is not a hard-coded secret., juice-shop-scan:test/server

BLOCKER, authorization detected here; make sure this is not a hard-coded secret., juice-shop-scan:test/server

MINOR, Pass a message to the `Error` constructor., juice-shop-scan:test/server/verifySpec.ts,

MINOR, Pass a message to the `Error` constructor., juice-shop-scan:test/server/verifySpec.ts,

MINOR, Do not use an object literal as default for parameter `options`., juice-shop-scan:frontend/src/hacking

MAJOR, Remove this commented out code., juice-shop-scan:frontend/src/environments/environment.ts,

MINOR, Prefer `String.fromCodePoint()` over `String.fromCharCode()`., juice-shop-scan:frontend/src/app/ap

MINOR, Prefer `String.fromCodePoint()` over `String.fromCharCode()`., juice-shop-scan:frontend/src/app/ap

MAJOR, Take the required action to fix the issue indicated by this comment., juice-shop-scan:frontend/src/h

MINOR, `String.raw` should be used to avoid escaping ``\``., juice-shop-scan:frontend/src/hacking-instructor/c

MINOR, `String.raw` should be used to avoid escaping ``\``., juice-shop-scan:frontend/src/hacking-instructor/c

MINOR, `okLines` should be a `Set`; and use `okLines.has()` to check existence or non-existence., juice-sho

MAJOR, Remove this useless assignment to variable "dataString", juice-shop-scan:data/static/codefixes/db

MINOR, Expected a `for-of` loop instead of a `for` loop with this simple iteration., juice-shop-scan:data/static