

DAX MEASURES & CALCULATED METRICS DOCUMENTATION

Sample Superstore | Microsoft Power BI

PURPOSE

The project uses a simple single-table Power BI model. The following measures support KPI cards, product analysis, discount analysis and dashboard interactivity.

Measures

Total Sales

```
Total Sales = SUM('Sample-Superstore'[Sales])
```

Total revenue in current filter context.

Total Profit

```
Total Profit = SUM('Sample-Superstore'[Profit])
```

Total profit in current filter context.

Total Orders

```
Total Orders = DISTINCTCOUNT('Sample-Superstore'[Order ID])
```

Counts unique orders.

Total Customers

```
Total Customers = DISTINCTCOUNT('Sample-Superstore'[Customer ID])
```

Counts unique customers.

Average Sales

```
Average Sales = AVERAGE('Sample-Superstore'[Sales])
```

Average sales value per record.

Profit Margin

```
Profit Margin = DIVIDE([Total Profit], [Total Sales], 0)
```

Profit as a percentage of sales.

Average Discount

```
Average Discount = AVERAGE('Sample-Superstore'[Discount])
```

Average discount for the current context; used in scatter analysis.

Total Quantity

```
Total Quantity = SUM('Sample-Superstore'[Quantity])
```

Total units sold.

Supporting Calculated Column

```
Year = YEAR('Sample-Superstore'[Order Date])
```

Extracts year from Order Date when an explicit Year field is needed for grouping or filtering. No additional table or relationship is required.

DAX Concepts Applied

SUM aggregates numeric values; **AVERAGE** calculates a mean; **DISTINCTCOUNT** counts unique identifiers; **DIVIDE** performs safe division; **YEAR** extracts the year from a date

