

Frequency Queries ☆

Problem | Submissions | Leaderboard | Discussions | Editorial

You are given q queries. Each query is of the form two integers described below:

- **1 x** : Insert x in your data structure.
- **2 y** : Delete one occurrence of y from your data structure, if present.
- **3 z** : Check if any integer is present whose frequency is exactly z . If yes, print 1 else 0.

The queries are given in the form of a 2-D array *queries* of size q where *queries*[i][0] contains the operation, and *queries*[i][1] contains the data element. For example, you are given array *queries* = [(1, 1), (2, 2), (3, 2), (1, 1), (1, 1), (2, 1), (3, 2)]. The results of each operation are:

Operation	Array	Output
(1, 1)	[1]	
(2, 2)	[1]	
(3, 2)		0
(1, 1)	[1, 1]	
(1, 1)	[1, 1, 1]	
(2, 1)	[1, 1]	
(3, 2)		1

Return an array with the output: [0, 1].

Function Description

Complete the freqQuery function in the editor below. It must return an array of integers where each element is a **1** if there is at least one element value with the queried number of occurrences in the current array, or 0 if there is not.

freqQuery has the following parameter(s):

- queries: a 2-d array of integers

Input Format

The first line contains an integer q , the number of queries.

Each of the next q lines contains two integers denoting the 2-d array *queries*.

- Constraints**
- $1 \leq q \leq 10^5$
 - $1 \leq x, y, z \leq 10^9$
 - All *queries*[i][0] $\in \{1, 2, 3\}$
 - $1 \leq \text{queries}[i][1] \leq 10^9$

Output Format

Return an integer array consisting of all the outputs of queries of type **3**.

Sample Input 0

```
8
1 5
1 6
3 2
1 10
1 10
1 6
2 5
3 2
```

Sample Output 0

```
0
1
```

Explanation 0

For the first query of type **3**, there is no integer whose frequency is **2** (*array* = [5, 6]). So answer is **0**.

For the second query of type **3**, there are two integers in *array* = [6, 10, 10, 6] whose frequency is **2** (integers = 6 and 10). So, the answer is **1**.

Sample Input 1

```
4
3 4
2 1003
1 16
3 1
```

Sample Output 1

```
0
```

Author rishi_07

Difficulty Medium

Max Score 40

Submitted By 50524

NEED HELP?

- [View discussions](#)
- [View editorial](#)
- [View top submissions](#)

RATE THIS CHALLENGE

☆☆☆☆

MORE DETAILS

- [Download problem statement](#)
- [Download sample test cases](#)
- [Suggest Edits](#)



1

Explanation 1

For the first query of type 3, there is no integer of frequency 4. The answer is 0. For the second query of type 3, there is one integer, 16 of frequency 1 so the answer is 1.

Sample Input 2

```
10
1 3
2 3
3 2
1 4
1 5
1 5
1 4
3 2
2 4
3 2
```

Sample Output 2




```
0
1
1
```

Explanation 2

When the first output query is run, the array is empty. We insert two 4's and two 5's before the second output query, $arr = [4, 5, 5, 4]$ so there are two instances of elements occurring twice. We delete a 4 and run the same query. Now only the instances of 5 satisfy the query.


Change Theme

JavaScript (Node.js)



```
1 'use strict';
2
3 const fs = require('fs');
4
5 process.stdin.resume();
6 process.stdin.setEncoding('utf-8');
7
8 let inputString = '';
9 let currentLine = 0;
10
11 process.stdin.on('data', function(inputStdin) {
12     inputString += inputStdin;
13 });
14
15 process.stdin.on('end', function() {
16     inputString = inputString.split('\n');
17     main();
18 });
19
20 function readLine() {
21     return inputString[currentLine++];
22 }
23
24 // Complete the freqQuery function below.
25 function freqQuery(queries){
```

Line: 95 Col: 1

 Upload Code as File

☐ Test against custom input

Run Code

Submit Code