

NativeScript

Globals / "http" / HttpRequestOptions /

Interface HttpRequestOptions

Provides options for the http requests.

Hierarchy

- HttpRequestOptions

Index

Properties

`content`
`dontFollowRedirects`
`headers`
`method`
`timeout`
`url`

Properties

Article title

`content: string | FormData`Defined in [http/http.d.ts:87](#)

Gets or sets the request body.

Optional **dontFollowRedirects**`dontFollowRedirects: boolean`Defined in [http/http.d.ts:97](#)Gets or sets wether to *not* follow server's redirection responses.Optional **headers**`headers: any`Defined in [http/http.d.ts:82](#)

Gets or sets the request headers in JSON format.

method`method: string`Defined in [http/http.d.ts:77](#)

Gets or sets the request method.

Optional **timeout**`timeout: number`

Article title

url
url: <i>string</i>
Defined in http/http.d.ts:72 Gets or sets the request url.

Legend

Module
Object literal
Variable
Function
Function with type parameter
Index signature
Type alias

Enumeration
Enumeration member
Property
Method

Interface
Interface with type parameter
Constructor
Property
Method
Index signature

Class
Class with type parameter
Constructor
Property
Method
Accessor
Index signature

Article title

Inherited method
Inherited accessor

Protected accessor

Private property
Private method
Private accessor

Static property
Static method

Become a part of the NativeScript community

 [NativeScript on GitHub](#)

 [Follow us on Twitter](#)

[Get Started](#)

[Guides](#)

[API Reference](#)

NativeScript is licensed under the Apache 2.0 license.

Article title



© 2018 Progress Software Corporation. All Rights Reserved.