Fescolo Screw Air Compressor (with tank)

Model	Motor power		Free air deliver	Discharge pressure	-	Lubricant oil	Tank volume	Electricity	Weight	Size	Start	List	Reseller Net	SD
	(KW)	(HP)	(m3/min)	(MPa)	(dB)	(L)	(L)	(V/ph/Hz)	(KG)	(mm)	method			
AH-7	5.5	7.5	0.85	0.7	53-57	5.4	300	380/3/50	415	1620*660*1470	on/off directly			
			0.75	0.8								50, 039. 59	42, 533. 65	40, 031. 67
AH-10	7.5	10	1.20	0.7	63-67	5.4	300	380/3/50	420	1620*660*1470	on/off directly			
			1.10	0.8										
			0.90	1.0								53, 617. 37	45, 574. 77	42, 893. 90
AH-15	11	15	1.60	0.7	63-67	7	300	380/3/50	465	1660*710*1600	on/off directly			
			1.50	0.8										
			1.30	1.0								65, 145. 60	55, 373. 76	52, 116. 48
AH-20	15	20	2.50	0.7	63-67	8	300	380/3/50	510	1660*730*1650	on/off directly			
			2.30	0.8										
			2.10	1.0								72, 788. 30	61, 870. 05	58, 230. 64