

Hair by Sentle

A four-phase build plan

Hair by Sentle is an ecommerce platform for a hair care brand, spanning a Spring Boot backend, a customer-facing website, a JavaFX admin app, and a multi-channel notification system.

This board sequences the work into four gated phases. Each phase has its own frame with entry criteria, deliverables, dependencies, risks, an exit gate, and a retro. Move through the phases left to right, and hold the gate before advancing.

4 phases · 1 backend · 1 website · 1 desktop app · 3 notification channels

Tech Stack

What powers each layer

Spring Boot

REST APIs, auth, business logic

PostgreSQL

Users, products, orders, inventory

Customer Website

Storefront, cart, checkout

JavaFX Admin

Internal desktop tools

Notifications

Email · WhatsApp Business API · Push (FCM/APNs)

Each phase adds one layer on top of the previous.

Timeline Overview

Four phases, gated left to right



Milestones

Checkpoints between phases

M1 · APIs live

End of Phase 1

Backend deployed, auth & product endpoints callable

M2 · Store open

End of Phase 2

Customers can browse, cart, and place orders

M3 · Ops ready

End of Phase 3

Admin can manage orders and inventory from desktop

M4 · Launch

End of Phase 4

Notifications live across email, WhatsApp, push

Phase 1 • Backend Foundation

The layer everything else depends on

Entry criteria

Tech stack agreed. Repo, CI, and Postgres environment provisioned. Product data model drafted.

Dependencies

None (foundation phase)

Resources needed

Backend engineer, DB admin, cloud/hosting account, JWT/auth library.

Success criteria

All endpoints return 2xx with valid data. Auth flows work end-to-end. CRUD operations persist correctly in Postgres.

Deliverables

Spring
Boot
backend

PostgreSQL
database

User
registration

Product
CRUD

Risks



Retro



Gate 1 → Phase 2

Exit criteria: Backend deployed to a reachable environment. Auth returns valid tokens. Product CRUD verified by integration tests. API docs published for the frontend team.

Phase 2 • Customer Website

The storefront customers actually use

Entry criteria

Phase 1 complete. Backend APIs stable and documented. Design system and brand assets ready.

Dependencies

Phase 1 backend APIs (auth, products).

Resources needed

Frontend engineer, UI designer, payment sandbox account, product imagery.

Success criteria

A customer can register, browse, add to cart, and complete an order. Orders appear in the backend with correct totals and status.

Deliverables

Customer website connects to backend

Shopping cart

Orders

Risks



Retro



Gate 2 → Phase 3

Exit criteria: End-to-end purchase flow works in production. Orders persist and are queryable via API. Basic error and empty states handled. Ready for internal ops tooling to consume the orders API.

Phase 3 • JavaFX Admin

Desktop tools for the operations team

Entry criteria

Phase 2 complete. Orders flowing from the website. Admin roles defined in backend auth.

Dependencies

Phase 1 & 2 APIs (auth, products, orders, inventory).

Resources needed

JavaFX developer, packaging/installer tooling, test machines (Win/macOS).

Success criteria

Admin can log in, see live orders, adjust inventory, and change order status. Changes reflect on the customer site.

Deliverables

Login

View
orders

Update
inventory

Update
order
status

Risks



Retro



Gate 3 → Phase 4

Exit criteria: Admin app installed on ops machines. Login, order review, inventory edits, and status changes all verified against production APIs. Ops team trained on the tool.

Phase 4 • Notifications

Close the loop with customers

Entry criteria

Phase 3 complete. Orders and status changes flowing reliably. Provider accounts approved.

Dependencies

All previous phases. Order + status events must be emitted by the backend.

Resources needed

Email provider (SES/SendGrid), WhatsApp Business API access, FCM/APNs keys, template designer.

Success criteria

Order confirmations and status changes reach customers on all three channels within seconds, with delivery logs and retry handling.

Deliverables

Email
notifications

WhatsApp
notifications

Push
notifications

Risks



Retro



Exit → Project complete

Exit criteria: All three notification channels live in production with monitoring and retries. Full ecommerce loop closed: browse → order → fulfil → notify. Handover docs and runbooks published.