

1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM passengers
3 WHERE LOWER(first_name) = LOWER(last_name);
4
```

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.266

2

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT DISTINCT last_name
2 FROM passengers
3 WHERE last_name IS NOT NULL AND last_name <> '';
4
```

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.071

3

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM passengers
3 WHERE gender = 'Male'
4 AND birth_date BETWEEN DATE '1990-01-01' AND DATE '2000-12-31';
5
```

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.063

4

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17


Query Query History

```
1 SELECT DATE_TRUNC('month', created_at) AS month, SUM(price) AS total_price
2 FROM booking
3 GROUP BY 1
4 ORDER BY 1;
5
```


Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.063

5



6



7

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT airline_name
2 FROM airline
3 WHERE country ILIKE 'Kazakhstan';
4
```

Scratch Pad X

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

8

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 BEGIN;
2 UPDATE booking
3 SET price = ROUND(price * 0.90, 2)
4 WHERE created_at < DATE '2023-11-01';
5 COMMIT;
6
```

Scratch Pad X

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

9

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM baggage
3 WHERE weight_kg > 25
4 ORDER BY weight_kg DESC
5 LIMIT 3;
6
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

10

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 WITH max_bd AS (SELECT MAX(birth_date) AS max_birth FROM passengers)
2 SELECT p.first_name, p.last_name, p.birth_date
3 FROM passengers p
4 JOIN max_bd m ON p.birth_date = m.max_birth;
5
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

11

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT DISTINCT ON (platform) platform, id AS booking_id, price
2 FROM booking
3 ORDER BY platform, price ASC, id;
4
```

Scratch Pad X

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

12

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM airline
3 WHERE airline_code ~ '[0-9]';
4
```

Scratch Pad X

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

13

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM airline
3 ORDER BY created_at DESC
4 LIMIT 5;
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

14

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM baggage_check
3 WHERE booking_id BETWEEN 200 AND 300
4 AND (check_result IS DISTINCT FROM 'Checked');
5
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

15

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

```
1 SELECT *
2 FROM baggage_check
3 WHERE DATE_TRUNC('month', updated_at) = DATE_TRUNC('month', created_at)
4 AND updated_at < created_at;
5
```