

1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
- Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM passengers
3 WHERE first_name = last_name;
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

2

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
- Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT DISTINCT last_name
2 FROM passengers;
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

3

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM passengers
3 WHERE gender = 'Male'
4 AND birth_date BETWEEN '1990-01-01' AND '2000-12-31';
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

4

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT
2     DATE_TRUNC('month', sale_date) AS month,
3     SUM(price) AS total_price
4 FROM tickets
5 GROUP BY month
6 ORDER BY month;
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

5

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM flights
3 WHERE destination = 'China';
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

6

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM airlines
3 WHERE country IN ('France', 'Portugal', 'Poland')
4 AND created_at BETWEEN '2023-11-01' AND '2024-03-31';
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

7

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT name
2 FROM airlines
3 WHERE country = 'Kazakhstan';
```

Scratch Pad X

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

8

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17* X

postgres/postgres@PostgreSQL 17

Query Query History

```
1 UPDATE bookings
2 SET price = price * 0.9
3 WHERE created_at < '2023-11-01';
4
```

Scratch Pad X

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

9

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM baggage
3 WHERE weight_kg > 25
4 ORDER BY weight_kg DESC
5 LIMIT 3;
6
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

10

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT first_name, last_name
2 FROM passengers
3 ORDER BY birth_date DESC
4 LIMIT 1;
```

Scratch Pad

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CRLF

11

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT platform, MIN(price) AS cheapest_price
2 FROM bookings
3 GROUP BY platform;
```

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows: CR

12

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM airline
3 WHERE airline_code ~ '[0-9]';
4
```

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061 CR

13

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM airline
3 ORDER BY created_at DESC
4 LIMIT 5;
5
```

Scratch Pad

Data Output Messages Notifications

Total rows: 0 Query complete 00:00:00.061

14

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles

postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History

```
1 SELECT *
2 FROM bookings
3 WHERE booking_id BETWEEN 200 AND 300
4 AND check_result <> 'Checked';
5
```

Scratch Pad

Data Output Messages Notifications

No data output. Execute a query to get output.

Total rows:

15

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

```
1 SELECT *
2 FROM baggage_check
3 WHERE DATE_TRUNC('month', updated_at) = DATE_TRUNC('month', created_at)
4 AND updated_at < created_at;
5
```