

Example diagrams



Table of Contents

File tree view	1
Sequence diagram	1
Use cases diagram	2
Classes diagram	2
Activities diagram	3
Components diagram	5
States diagram	5
Objects diagram	6
User interface	6
Deployment diagram	8
Ditaa	8
Meme	8


File tree view



Sadly, this is only available in AsciiDocFX for now. So use the editor to produce the image, then import it as-is in your document.




Sequence diagram




More examples : <http://plantuml.com/sequence-diagram>

Use cases diagram




More examples : <http://plantuml.com/use-case-diagram>

Classes diagram




More examples : <http://plantuml.com/class-diagram>

Activities diagram




More examples : <http://plantuml.com/activity-diagram-beta>

Components diagram




More examples : <http://plantuml.com/component-diagram>

States diagram



More examples : <http://plantuml.com/state-diagram>

Objects diagram




More examples : <http://plantuml.com/object-diagram>

User interface


```
java.lang.IllegalArgumentException
net.sourceforge.plantuml.salt.SaltUtils.createElement(SaltUtils.java:88)
net.sourceforge.plantuml.salt.PSystemSalt.exportDiagramNow(PSystemSalt.java:75)
net.sourceforge.plantuml.AbstractPSystem.exportDiagram(AbstractPSystem.java:130)
net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:149)
net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:121)
org.asciidoctor.diagram.plantuml.PlantUML.generate(PlantUML.java:101)
org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:40)
org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:19)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.jruby.javasupport.JavaMethod.invokeDirectWithExceptionHandling(JavaMethod.java:453)
org.jruby.javasupport.JavaMethod.invokeDirect(JavaMethod.java:314)
org.jruby.java.involkers.InstanceMethodInvoker.call(InstanceMethodInvoker.java:46)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:84)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:186)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:173)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.Interpreter.INTERPRET_BLOCK(Interpreter.java:127)
org.jruby.runtime.InterpretedIRBlockBody.commonYieldPath(InterpretedIRBlockBody.java:141)
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:193)
org.jruby.runtime.BlockBody.yield(BlockBody.java:125)
org.jruby.runtime.Block.yieldArray(Block.java:177)
org.jruby.RubyBasicObject.yieldUnder(RubyBasicObject.java:1754)
org.jruby.RubyBasicObject.instance_exec19(RubyBasicObject.java:1728)
org.jruby.RubyBasicObject.$INVOKER$$_$0$3$instance_exec19.call(RubyBasicObject.$INVOKER$$_$0$3$instance_exec19.gen)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.RubyMethod.call(RubyMethod.java:127)
org.jruby.RubyMethod.$INVOKER$$_$call.call(RubyMethod.$INVOKER$$_$call.gen)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:150)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:137)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:125)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:344)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.Interpreter.INTERPRET_BLOCK(Interpreter.java:127)
org.jruby.runtime.InterpretedIRBlockBody.commonYieldPath(InterpretedIRBlockBody.java:141)
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:186)
org.jruby.runtime.BlockBody.yield(BlockBody.java:116)
org.jruby.runtime.Block.yield(Block.java:165)
org.jruby.RubyIO.ensureYieldClose(RubyIO.java:1178)
org.jruby.RubyIO.open(RubyIO.java:1171)
org.jruby.RubyIO.$INVOKER$$_$0$0$open.call(RubyIO.$INVOKER$$_$0$0$open.gen)
org.jruby.internal.runtime.methods.DynamicMethod.call(DynamicMethod.java:206)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:163)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:170)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:336)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
org.jruby.gen.InterfaceImpl66861152.gen1(InterfaceImpl66861152.gen:13)
org.asciidoctor.internal.RubyAsciidoctor.renderFile(RubyAsciidoctor.java:343)
org.asciidoctor.maven.AsciidoctorMojo.renderFile(AsciidoctorMojo.java:412)
org.asciidoctor.maven.AsciidoctorMojo.execute(AsciidoctorMojo.java:228)
org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:137)
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:210)
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:156)
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:148)
org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:117)
org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:81)
org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:56)
org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)
org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:305)
org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:192)
org.apache.maven.DefaultMaven.execute(DefaultMaven.java:105)
org.apache.maven.cli.MavenCli.execute(MavenCli.java:956)
org.apache.maven.cli.MavenCli.doMain(MavenCli.java:288)
org.apache.maven.cli.MavenCli.main(MavenCli.java:192)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
```


More examples : <http://plantuml.com/salt>

Deployment diagram



Ditaa

<http://ditaa.sourceforge.net>



Color codes

RED	BLU
GRE	PNK
BLK	YEL

Meme

Failed to generate image: Could not find the 'convert' executable in PATH; add it to the PATH or specify its location using the 'convert' document attribute



Comment configurer ?