Example diagrams

Table of Contents

File tree view . . . 1
Sequence diagram . . . 1
Use cases diagram . . . 2
Classes diagram . . . 2
Activities diagram . . . 3
Components diagram . . . 5
States diagram . . . 5
Objects diagram . . . 6
User interface . . . 6
Deployment diagram . . . 8
Ditaa . . . 8
Meme . . . 8

File tree view

Sadly, this is only available in AsciidocFX for now. So use the editor to produce the image, then import it as-is in your document.





Sequence diagram



More examples : http://plantuml.com/sequence-diagram

Use cases diagram



More examples : http://plantuml.com/use-case-diagram

Classes diagram



More examples : http://plantuml.com/class-diagram

Activities diagram



More examples : http://plantuml.com/activity-diagram-beta

Components diagram



More examples : http://plantuml.com/component-diagram

States diagram



More examples : http://plantuml.com/state-diagram

Objects diagram



More examples : http://plantuml.com/object-diagram

User interface

```
java.lang.IllegalArgumentException
  net.sourceforge.plantuml.salt.SaltUtils.createElement(SaltUtils.java:88)
  net.sourceforge.plantuml.salt.PSystemSalt.exportDiagramNow(PSystemSalt.java:75)
  net.sourceforge.plantuml.AbstractPSystem.exportDiagram(AbstractPSystem.java:130)
  net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:149)
  net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:121)
  org.asciidoctor.diagram.plantuml.PlantUML.generate(PlantUML.java:101)
  org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:40)
  org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:19)
  sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  java.lang.reflect.Method.invoke(Method.java:498)
  org.jruby.javasupport.JavaMethod.invokeDirectWithExceptionHandling(JavaMethod.java:453)
  org.jruby.javasupport.JavaMethod.invokeDirect(JavaMethod.java:314)
  org.jruby.java.invokers.InstanceMethodInvoker.call(InstanceMethodInvoker.java:46)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:84)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:186)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:173)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.Interpreter.INTERPRET_BLOCK(Interpreter.java:127)
  org.jruby.runtime.InterpretedIRBlockBody.commonYieldPath(InterpretedIRBlockBody.java:141)
  org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:193)
  org.jruby.runtime.BlockBody.yield(BlockBody.java:125)
  org.jruby.runtime.Block.yieldArray(Block.java:177)
  org.jruby.RubyBasicObject.yieldUnder(RubyBasicObject.java:1754)
  org.jruby.RubyBasicObject.instance_exec19(RubyBasicObject.java:1728)
  org.jruby.RubyBasicObject$INVOKER$i$0$3$instance_exec19.call(RubyBasicObject$INVOKER$i$0$3$instance_exec19.gen)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.RubyMethod.call(RubyMethod.java:127)
  org.jruby.RubyMethod$INVOKER$i$call.call(RubyMethod$INVOKER$i$call.gen)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:159)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:159)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:159)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:159)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:108)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)
  org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:78)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:150)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:137)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:125)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:344)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.Interpreter.INTERPRET_BLOCK(Interpreter.java:127)
  org.jruby.runtime.InterpretedIRBlockBody.commonYieldPath(InterpretedIRBlockBody.java:141)
  org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:186)
  org.jruby.runtime.BlockBody.yield(BlockBody.java:116)
  org.jruby.runtime.Block.yield(Block.java:165)
  org.jruby.RubyIO.ensureYieldClose(RubyIO.java:1178)
  org.jruby.RubyIO.open(RubyIO.java:1171)
  org.jruby.RubyIO$INVOKER$s$0$0$open.call(RubyIO$INVOKER$s$0$0$open.gen)
  org.jruby.internal.runtime.methods.DynamicMethod.call(DynamicMethod.java:206)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:163)
  org.jruby.runtime.callsite.CachingCallSite.callIter(CachingCallSite.java:170)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:336)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:222)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)
  org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)
  org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)
  org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET_METHOD(InterpretedIRMethod.java:112)
  org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)
  org.jruby.gen.InterfaceImpl466861152.convertFile(org/jruby/gen/InterfaceImpl466861152.gen:13)
  org.asciidoctor.internal.JRubyAsciidoctor.renderFile(JRubyAsciidoctor.java:343)
  org.asciidoctor.maven.AsciidoctorMojo.renderFile(AsciidoctorMojo.java:412)
  org.asciidoctor.maven.AsciidoctorMojo.execute(AsciidoctorMojo.java:228)
  org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:137)
  org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:210)
  org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:156)
  org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:148)
  org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:117)
  org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:81)
  org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:56)
  org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)
  org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:305)
  org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:192)
  org.apache.maven.DefaultMaven.execute(DefaultMaven.java:105)
  org.apache.maven.cli.MavenCli.execute(MavenCli.java:956)
  org.apache.maven.cli.MavenCli.doMain(MavenCli.java:288)
  org.apache.maven.cli.MavenCli.main(MavenCli.java:192)
  sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  java.lang.reflect.Method.invoke(Method.java:498)
  org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
  org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
  org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
  org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
```

More examples : http://plantuml.com/salt

Deployment diagram



Ditaa

http://ditaa.sourceforge.net



Meme

```
Failed to generate image: Could not find the 'convert' executable in PATH; add it to the PATH or specify its location
using the 'convert' document attribute
```