

## Example diagrams



# Table of Contents

File tree view .....	1
Sequence diagram .....	1
Use cases diagram .....	2
Classes diagram.....	2
Activities diagram.....	3
Components diagram.....	5
States diagram.....	5
Objects diagram .....	6
User interface .....	6
Deployment diagram .....	8
Ditaa .....	8
Meme .....	8


# File tree view



Sadly, this is only available in AsciiDocFX for now. So use the editor to produce the image, then import it as-is in your document.




# Sequence diagram




More examples : <http://plantuml.com/sequence-diagram>

## Use cases diagram




More examples : <http://plantuml.com/use-case-diagram>

## Classes diagram




More examples : <http://plantuml.com/class-diagram>

## Activities diagram




More examples : <http://plantuml.com/activity-diagram-beta>

# Components diagram




More examples : <http://plantuml.com/component-diagram>

# States diagram



More examples : <http://plantuml.com/state-diagram>

## Objects diagram



More examples : <http://plantuml.com/object-diagram>


## User interface



java.lang.IllegalArgumentException  
net.sourceforge.plantuml.salt.SaltUtils.createElement(SaltUtils.java:88)  
net.sourceforge.plantuml.salt.PSystemSalt.exportDiagramNow(PSystemSalt.java:75)  
net.sourceforge.plantuml.AbstractPSystem.exportDiagram(AbstractPSystem.java:130)  
net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:149)  
net.sourceforge.plantuml.SourceStringReader.outputImage(SourceStringReader.java:121)  
org.asciidoctor.diagram.plantuml.PlantUML.generate(PlantUML.java:101)  
org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:40)  
org.asciidoctor.diagram.CommandProcessor.processRequest(CommandProcessor.java:19)  
sun.reflect.NativeMethodAccessorImpl.invoke(Native Method)  
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
java.lang.reflect.Method.invoke(Method.java:498)  
org.jruby.javasupport.JavaMethod.invokeDirectWithExceptionHandling(JavaMethod.java:453)  
org.jruby.javasupport.JavaMethod.invokeDirect(JavaMethod.java:314)  
org.jruby.java.involokers.InstanceMethodInvoker.call(InstanceMethodInvoker.java:46)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:84)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:186)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:173)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:153)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:315)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:112)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.ir.interpreter.Interpreter.INTERPRET\_BLOCK(Interpreter.java:127)  
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:141)  
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:193)  
org.jruby.runtime.BlockBody.yield(BlockBody.java:125)  
org.jruby.runtime.Block.yieldArray(Block.java:177)  
org.jruby.RubyBasicObject.yieldUnder(RubyBasicObject.java:1754)  
org.jruby.RubyBasicObject.instance\_exec\_c19(RubyBasicObject.java:1728)  
org.jruby.RubyBasicObject\$INVOKER\$I\$0\$3\$instance\_exec\_c19.call(RubyBasicObject\$INVOKER\$I\$0\$3\$instance\_exec\_c19.gen)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:112)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:112)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.RubyMethod.call(RubyMethod.java:127)  
org.jruby.RubyMethod\$INVOKER\$I\$call.call(RubyMethod\$INVOKER\$I\$call.gen)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:108)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:108)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:108)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:112)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:77)  
org.jruby.ir.instructions.CallBase.interpret(CallBase.java:432)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:360)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:150)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:137)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:125)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:344)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:222)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.ir.interpreter.Interpreter.INTERPRET\_BLOCK(Interpreter.java:127)  
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:141)  
org.jruby.runtime.IRBlockBody.doYield(IRBlockBody.java:186)  
org.jruby.runtime.BlockBody.yield(BlockBody.java:116)  
org.jruby.runtime.Block.yield(Block.java:165)  
org.jruby.RubyIO.ensureYieldClose(RubyIO.java:1178)  
org.jruby.RubyIO.open(RubyIO.java:1171)  
org.jruby.RubyIO\$INVOKER\$I\$0\$0\$open.call(RubyIO\$INVOKER\$I\$0\$0\$open.gen)  
org.jruby.internal.runtime.methods.DynamicMethod.call(DynamicMethod.java:206)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:163)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:170)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:336)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.ir.interpreter.InterpreterEngine.interpret(InterpreterEngine.java:90)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:222)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:209)  
org.jruby.runtime.callsite.CachingCallSite.call(CachingCallSite.java:181)  
org.jruby.ir.interpreter.InterpreterEngine.processCall(InterpreterEngine.java:324)  
org.jruby.ir.interpreter.StartupInterpreterEngine.interpret(StartupInterpreterEngine.java:72)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.INTERPRET\_METHOD(InterpretedIRMethod.java:112)  
org.jruby.internal.runtime.methods.InterpretedIRMethod.call(InterpretedIRMethod.java:91)  
org.jruby.gen.InterfaceImpl66861152.convertFile(org.jruby.gen.InterfaceImpl66861152.gen:13)  
org.asciidoctor.internal.RubyAsciidoctor.renderFile(RubyAsciidoctor.java:343)  
org.asciidoctor.maven.AsciidoctorMojo.renderFile(AsciidoctorMojo.java:412)  
org.asciidoctor.maven.AsciidoctorMojo.execute(AsciidoctorMojo.java:228)  
org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:137)  
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:210)  
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:156)  
org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:148)  
org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:117)  
org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:81)  
org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:56)  
org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)  
org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:305)  
org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:192)  
org.apache.maven.DefaultMaven.execute(DefaultMaven.java:105)  
org.apache.maven.cli.MavenCli.execute(MavenCli.java:956)  
org.apache.maven.cli.MavenCli.doMain(MavenCli.java:288)  
org.apache.maven.cli.MavenCli.main(MavenCli.java:192)  
sun.reflect.NativeMethodAccessorImpl.invoke(Native Method)  
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
java.lang.reflect.Method.invoke(Method.java:498)  
org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)  
org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)  
org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)  
org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)


More examples : <http://plantuml.com/salt>

## Deployment diagram



## Ditaa

<http://ditaa.sourceforge.net>



## Meme

meme::images/Asciidoctor.png[Doc writers,Y U NO \ AsciiDoc]



Comment configurer ?