

# **Nexus3 Configuration Details**

Version 1.18-SNAPSHOT

2018-08-21

## **Table of Contents**

1.	Server configuration	. 1
	1.1. URL	. 1
	1.2. Set SNAPSHOT retention	. 1
	1.3. Add a proxy (=remote) repository	. 1
2.	Appendix	. 4
	2.1 Revision marks	4

Date

**Author** 

Detail Unresolved directive in subdocs/\_init.adoc - include::/builds/TheNeVraX/cg-wm/target/generated-docs/history/BP-nexus3.adoc.psv[]

### 1. Server configuration



This has to be done only for a new Production Line



The technical account has to be created in CORP and defined in LAM as an administrator

#### 1.1. URL

Repositories, release, snapshot and group, should already be created.

The public repository address can be found there:

- Click on the wheel
- Repository → Repositories → maven-public
- Get the URL

#### 1.2. Set SNAPSHOT retention



This has to be done only for a new Production Line

- Go to Administration (wheel) → System → Tasks → Create task
- Type = Remove Snapshots From Maven Repository
- Fields
  - Name = Delete old snapshots
  - Repository = (All Repositories)
  - Minimum snapshot count = 5
  - Snapshot retention (days) = 7
  - Delete immediately = [x]
  - Task frequency = Daily
  - Time to run this task = 8:00

### 1.3. Add a proxy (=remote) repository

- · Connect to Nexus
- Click on Administration (wheel) → Repositories → Repository → Create repository

- Choose maven2 (proxy)
- · Fill repository data
  - Name = Wakaleo
  - Remote Storage = http://www.wakaleo.com/maven/repos
  - Download Remote Indexes = False
- Save
- On the corresponding line in the list, click on Analyze

Now artifacts should be accessible via maven if the settings.xml is well configured to reach the Nexus:

#### Settings.xml using Nexus

```
<settings xmlns="http://maven.apache.org/SETTINGS/1.0.0"</pre>
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/SETTINGS/1.0.0 http://maven.apache.org/xsd/settings-1.0.0.xsd">
    <servers>
    <!-- tag::server[] -->
        <server>
           <id>nexus-local</id>
            <username>svc-fr-cric</username>
            <password>ESBpwd2018</password>
        </server>
    <!-- end::server[] -->
        <server>
            <id>iserver-dev</id>
            <username>devops</username>
            <password>devopswm</password>
        </server>
        <server>
           <!-- Gerrit credentials for maven-scm-plugin, which search with the hostname
               as server id -->
            <id>cric.pl.s2-eu.nvx.com</id>
            <username>svc-fr-cric</username>
            <!-- Gerrit does not use the CORP password, we use the UI generated one -->
            <password>ptTpilL5FS47RHDFV8541owV4zkbZ0tVrxyqRsmGhw</password>
        </server>
    </servers>
    <!-- tag::mirrors[] -->
    <mirrors>
        <mirror>
           <id>nexus-local</id>
            <mirrorOf>*</mirrorOf>
            <url>https://cric.pl.s2-eu.nvx.com/nexus3/repository/maven-public/</url>
        </mirror>
    </mirrors>
    <!-- end::mirrors[] -->
    <!-- tag::profiles[] -->
    ofiles>
        corofile>
            <id>nexus-local</id>
            <repositories>
                <repository>
                    <id>central</id>
                    <url><http://central</url></
                    <releases>
                        <enabled>true</enabled>
                    </releases>
                    <snapshots>
```

```
<enabled>true</enabled>
                    </snapshots>
                </repository>
            </repositories>
            <pluginRepositories>
                <pluginRepository>
                   <id>central</id>
                    <url>http://central</url>
                   <releases>
                       <enabled>true</enabled>
                   </releases>
                   <snapshots>
                        <enabled>true</enabled>
                    </snapshots>
                </pluginRepository>
            </pluginRepositories>
            cproperties>
                <snapshotUrl>https://cric.pl.s2-eu.nvx.com/nexus3/repository/maven-snapshots/</snapshotUrl>
                <releaseUrl>https://cric.pl.s2-eu.nvx.com/nexus3/repository/maven-releases//releaseUrl>
            </properties>
        </profile>
   </profiles>
   <!-- end::profiles[] -->
   <!-- tag::activeProfiles[] -->
   <activeProfiles>
        <activeProfile>nexus-local</activeProfile>
   </activeProfiles>
   <!-- end::activeProfiles[] -->
</settings>
```

#### Repositories to add

• For SchemaSpy: http://www.wakaleo.com/maven/repos

# 2. Appendix

### 2.1. Revision marks

#### Differences since last tag

Unresolved directive in subdocs/\_closure.adoc - include::/builds/TheNeVraX/cg-wm/target/generated-docs/history/BP-nexus3.adoc.diff[]