Maven Best Practices

Version 1.18-SNAPSHOT

2018-08-22

Table of Contents

Table 1. History

Date	Author	Detail
2018-08-22	NeVraX	HTML Asciidoc to Github
2018-08-17	NeVraX	HTML Asciidoc to Github
2018-08-11	NeVraX	Anonymisation

1. Config files location

Config files have to be put in the right folder in Eclipse.

- **src/main/resources/**
  - Only files that will is not likely to be modified, because it will be in the jar
- **config/**
  - Files that is likely to be modified on IS
  - Don't forget to put them manually on IS
- **src/test/resources/**
  - File used in JUnit tests only for this sub-module
- **../src/test/shared-resources**
  - Files used in JUnit tests accross multiple modules
  - requires some maven configuration

> ⚠️ | TODO give Maven details for shared-resources

2. Checkstyle : check javadoc

With Checkstyle, you can enforce continuous javadoc check

pom.xml plugin

```xml
<!-- checkstyle to fail the build on javadoc warnings -->
<!-- to skip : mvn install -Dcheckstyle.skip=true -->
<plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-checkstyle-plugin</artifactId>
    <version>2.17</version>
    <executions>
        <execution>
            <id>validate</id>
            <phase>validate</phase>
            <configuration>
                <configLocation>checkstyle-javadoc.xml</configLocation>
                <encoding>UTF-8</encoding>
                <consoleOutput>true</consoleOutput>
                <failsOnError>true</failsOnError>
                <linkXRef>false</linkXRef>
            </configuration>
            <goals>
                <goal>check</goal>
            </goals>
        </execution>
    </executions>
</plugin>
```

```xml
<?xml version="1.0"?>
<!DOCTYPE module PUBLIC
    "-//Puppy Crawl//DTD Check Configuration 1.2//EN"
    "http://www.puppycrawl.com/dtds/configuration_1_2.dtd">
<module name="Checker">
    <module name="TreeWalker">
        <module name="JavadocMethod"/>
        <module name="JavadocType"/>
        <module name="JavadocVariable"/>
        <module name="JavadocStyle"/>
    </module>
</module>
```

3. Add version and date to Asciidoc PDFs

```xml
<plugins>

    <plugin>
        <groupId>org.codehaus.mojo</groupId>
        <artifactId>buildnumber-maven-plugin</artifactId>
        <version>1.2</version>
        <executions>
            <execution>
                <phase>validate</phase>
                <goals>
                    <goal>create-timestamp</goal>
                </goals>
            </execution>
        </executions>
        <configuration>
            <timestampFormat>yyyy-MM-dd</timestampFormat>
            <timestampPropertyName>build.date</timestampPropertyName>
        </configuration>
    </plugin>

    <!-- Ant tasks plugin -->
    <!-- single usage : mvn antrun:run -->
    <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-antrun-plugin</artifactId>
        <version>1.7</version>
        <inherited>true</inherited>
        <executions>
            <execution>
                <!-- add version to generated pdf filenames -->
                <id>pdfsAddVersion</id>
                <configuration>
                    <failOnError>false</failOnError>
                    <target name="add version and date to all generated pdf filenames">
                        <move todir="${project.build.directory}/generated-docs" includeemptydirs="false">
                            <fileset dir="${project.build.directory}/generated-docs" />
                            <mapper type="glob" from="*.pdf" to="*_V${project.version}_${build.date}.pdf" />
                        </move>
                    </target>
                </configuration>
                <goals>
                    <goal>run</goal>
                </goals>
            </execution>
        </executions>
    </plugin>

</plugins>
```

4. Javadoc generation with UML diagrams

```xml
    <!-- javadoc html, fix or generate -->
    <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-javadoc-plugin</artifactId>
        <version>2.10.4</version>
        <configuration>
            <!-- usage : javadoc:javadoc or javadoc:jar -->
            <show>public</show>
            <reportOutputDirectory>${project.reporting.outputDirectory}</reportOutputDirectory>
            <destDir>javadoc</destDir>
            <!-- for UML diagram in javadoc:javadoc -->
            <!-- Locally : need http://www.graphviz.org/Download_windows.php to work -->
            <!-- and add "C:\Program Files (x86)\Graphviz\bin" to windows path -->
            <doclet>org.umlgraph.doclet.UmlGraphDoc</doclet>
            <docletArtifact>
                <groupId>org.umlgraph</groupId>
                <artifactId>umlgraph</artifactId>
                <version>5.6.6</version>
            </docletArtifact>
            <additionalparam>-views -attributes -visibility -types -enumerations -enumconstants</additionalparam>
            <useStandardDocletOptions>true</useStandardDocletOptions>
        </configuration>
    </plugin>
```

5. Install provided dependencies in local repository

```xml
<plugins>
    <!-- install WM jars in local repository -->
    <!-- part of mvn clean because maven check them early in the process -->
    <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-install-plugin</artifactId>
        <version>2.5.2</version>
        <!-- We do not want children attempting to install these jars to the repository -->
        <inherited>false</inherited>
        <executions>
            <execution>
                <id>wm-isclient95</id>
                <phase>clean</phase>
                <goals>
                    <goal>install-file</goal>
                </goals>
                <configuration>
                    <file>lib/wm9.5/wm-isclient-9.5.jar</file>
                    <groupId>webmethods</groupId>
                    <artifactId>wm-isclient</artifactId>
                    <version>9.5</version>
                    <packaging>jar</packaging>
                </configuration>
            </execution>
        </executions>
    </plugin>
</plugins>
```

6. To generate AsciiDoc PDF files

pom.xml

```xml
<plugins>
    <!-- to generate asciidoc pdf documents -->
    <!-- part of mvn install -->
    <!-- single usage : mvn asciidoctor:process-asciidoc -->
    <!-- We don't bind it to the official phase to choose the moment in Jenkins pipeline -->
    <plugin>
        <groupId>org.asciidoctor</groupId>
        <artifactId>asciidoctor-maven-plugin</artifactId>
        <version>1.5.5</version>
        <dependencies>
            <dependency>
                <groupId>org.asciidoctor</groupId>
                <artifactId>asciidoctorj-pdf</artifactId>
                <version>1.5.0-alpha.14</version>
            </dependency>
            <dependency>
                <groupId>org.asciidoctor</groupId>
                <artifactId>asciidoctorj-diagram</artifactId>
                <version>1.5.4</version>
            </dependency>
        </dependencies>
        <configuration>
            <backend>pdf</backend>
            <sourceDirectory>src/docs/asciidoc</sourceDirectory>
            <sourceHighlighter>rouge</sourceHighlighter>
            <requires>
                <require>asciidoctor-diagram</require>
            </requires>
            <!-- Attributes common to all output formats -->
            <attributes>
                <imagesdir>${project.build.directory}/generated-docs/images</imagesdir>
                <pdf-style>${user.dir}/src/docs/asciidoc/themes/cg-theme.yml</pdf-style>
                <icons>font</icons>
                <pagenums />
                <toc />
                <idprefix />
                <idseparator>-</idseparator>
                <!-- custom -->
                <source-dir>../../main/java</source-dir>
                <test-dir>../../test/java</test-dir>
                <project-version>${project.version}</project-version>
                <root-project-dir>${user.dir}</root-project-dir>
                <history-dir>${project.build.directory}/generated-docs/history</history-dir>
                <project-images-dir>${project.basedir}/src/main/resources/images</project-images-dir>
            </attributes>
        </configuration>
    </plugin>
</plugins>
```

7. SonarQube with Jacoco for coverage

🛈   https://www.sonarqube.org

SonarQube ensures code quality with static analysis and Jacoco checks code coverage.

pom.xml properties

```xml
<properties>
    <custom.ut.skip>${skipTests}</custom.ut.skip>
    <sonar.java.coveragePlugin>jacoco</sonar.java.coveragePlugin>
    <jacoco.reportPath>../target/jacoco.exec</jacoco.reportPath>
    <jacoco.itReportPath>../target/jacoco-it.exec</jacoco.itReportPath>
    <sonar.jacoco.reportPaths>${jacoco.reportPath}, ${jacoco.itReportPath}</sonar.jacoco.reportPaths>

<sonar.coverage.exclusions>**/WmCall.*,**/Broker*.*,**/UniversalMessaging*.*,**/MsgServerBroker.*,**/UmListener.*,**/PerfLogger.*,**/elastic/*DataSender.*</sonar.coverage.exclusions>
    <sonar.host.url>http://localhost:9000</sonar.host.url>
    <sonar.scm.disabled>true</sonar.scm.disabled>
    <sonar.scm.provider>git</sonar.scm.provider>
</properties>
```

pom.xml without powermock static

```xml
<dependencies>

    <!-- For unit tests coverage in Sonar -->
    <dependency>
        <groupId>org.sonarsource.java</groupId>
        <artifactId>sonar-jacoco-listeners</artifactId>
        <version>4.9.0.9858</version>
        <scope>test</scope>
    </dependency>

</dependencies>

<plugins>

    <!-- SonarQube -->
    <plugin>
        <groupId>org.codehaus.mojo</groupId>
        <artifactId>sonar-maven-plugin</artifactId>
        <version>3.2</version>
    </plugin>

    <!-- handling unit tests coverage with Jacco -->
    <plugin>
        <groupId>org.jacoco</groupId>
        <artifactId>jacoco-maven-plugin</artifactId>
        <version>0.8.0</version>
        <executions>
            <execution>
                <id>pre-unit-test</id>
                <phase>test-compile</phase>
                <goals>
                    <goal>prepare-agent</goal>
                </goals>
                <configuration>
                    <destFile>${sonar.jacoco.reportPath}</destFile>
                    <dataFile>${sonar.jacoco.reportPath}</dataFile>
                    <append>true</append>
                </configuration>
            </execution>
            <execution>
                <id>prepare-jacoco-agent-it</id>
                <phase>pre-integration-test</phase>
                <goals>
                    <goal>prepare-agent-integration</goal>
                </goals>
                <configuration>
                    <destFile>${sonar.jacoco.itReportPath}</destFile>
                    <dataFile>${sonar.jacoco.itReportPath}</dataFile>
                    <append>true</append>
                </configuration>
```

```xml
                </execution>
            </executions>
        </plugin>

        <!-- Unit Tests -->
        <plugin>
            <groupId>org.apache.maven.plugins</groupId>
            <artifactId>maven-surefire-plugin</artifactId>
            <!-- version 2.19.1 is broken on jenkins -->
            <version>2.18.1</version>
            <configuration>
                <testFailureIgnore>false</testFailureIgnore>
                <runOrder>alphabetical</runOrder>
                <skipTests>${custom.ut.skip}</skipTests>
                <properties>
                    <property>
                        <name>listener</name>
                        <value>org.sonar.java.jacoco.JUnitListener</value>
                    </property>
                </properties>
            </configuration>
        </plugin>

        <!-- Integration Tests -->
        <plugin>
            <groupId>org.apache.maven.plugins</groupId>
            <artifactId>maven-failsafe-plugin</artifactId>
            <!-- version 2.19.1 is broken on jenkins -->
            <version>2.18.1</version>
            <configuration>
                <runOrder>alphabetical</runOrder>
                <properties>
                    <property>
                        <name>listener</name>
                        <value>org.sonar.java.jacoco.JUnitListener</value>
                    </property>
                </properties>
            </configuration>
            <executions>
                <execution>
                    <id>integration-tests</id>
                    <phase>integration-test</phase>
                    <goals>
                        <goal>integration-test</goal>
                    </goals>
                </execution>
                <!-- to exit in error on test fail -->
                <execution>
                    <id>verify</id>
                    <phase>verify</phase>
                    <goals>
                        <goal>verify</goal>
                    </goals>
                </execution>
            </executions>
        </plugin>

</plugins>
```

pom.xml with powermock : instrumentation in conflict, offline jacoco instrumentation is needed

```xml
<dependencies>

    <!-- For unit tests coverage in Sonar -->
    <dependency>
        <groupId>org.jacoco</groupId>
        <artifactId>org.jacoco.agent</artifactId>
        <classifier>runtime</classifier>
        <version>0.8.0</version>
```

```xml
                <scope>test</scope>
        </dependency>

</dependencies>


<plugins>

    <!-- SonarQube -->
    <plugin>
        <groupId>org.codehaus.mojo</groupId>
        <artifactId>sonar-maven-plugin</artifactId>
        <version>3.2</version>
    </plugin>

    <!-- handling unit tests coverage with Jacco -->
    <!-- offline instrumentation is mandatory when using other instrumentation framework such as PowerMock -->
    <!-- https://github.com/powermock/powermock/wiki/Code-coverage-with-JaCoCo -->
    <!-- to separate UT and IT : -->
    <!-- (1) mvn test jacoco:restore-instrumented-classes -->
    <!-- (2) mvn install -Dcustom.ut.skip=true -Dcheckstyle.skip=true -->
    <plugin>
        <groupId>org.jacoco</groupId>
        <artifactId>jacoco-maven-plugin</artifactId>
        <version>0.8.0</version>
        <executions>
            <execution>
                <id>jacoco-instrument</id>
                <phase>test-compile</phase>
                <goals>
                    <goal>instrument</goal>
                </goals>
                <configuration>
                    <skip>${skipTests}</skip>
                </configuration>
            </execution>
            <execution>
                <id>jacoco-restore-instrumented-classes</id>
                <phase>post-integration-test</phase>
                <goals>
                    <goal>restore-instrumented-classes</goal>
                </goals>
                <configuration>
                    <skip>${skipTests}</skip>
                </configuration>
            </execution>
        </executions>
    </plugin>

    <!-- Unit Tests -->
    <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-surefire-plugin</artifactId>
        <!-- version 2.19.1 is broken on jenkins -->
        <version>2.18.1</version>
        <configuration>
            <testFailureIgnore>false</testFailureIgnore>
            <runOrder>alphabetical</runOrder>
            <skipTests>${custom.ut.skip}</skipTests>
            <systemPropertyVariables>
                <jacoco-agent.destfile>${jacoco.reportPath}</jacoco-agent.destfile>
            </systemPropertyVariables>
        </configuration>
    </plugin>

    <!-- Integration Tests -->
    <!-- usage full test : mvn integration-test -->
    <!-- usage only IT (but does not fill jacoco-it) : mvn test-compile failsafe:integration-test -->
    <plugin>
        <groupId>org.apache.maven.plugins</groupId>
```

```xml
<artifactId>maven-failsafe-plugin</artifactId>
<!-- version 2.19.1 is broken on jenkins -->
<version>2.18.1</version>
<configuration>
    <runOrder>alphabetical</runOrder>
    <systemPropertyVariables>
        <jacoco-agent.destfile>${jacoco.itReportPath}</jacoco-agent.destfile>
    </systemPropertyVariables>
</configuration>
<executions>
    <execution>
        <id>integration-tests</id>
        <phase>integration-test</phase>
        <goals>
            <goal>integration-test</goal>
        </goals>
    </execution>
    <execution>
        <id>verify</id>
        <phase>verify</phase>
        <goals>
            <goal>verify</goal>
        </goals>
    </execution>
</executions>
</plugin>
```

8. Appendix

8.1. Revision marks

Differences since last tag