



Agentic Powered Dispatcher

• Google for Startups AI Agents Challenge 2026 — Track 1: Build New Agents

Test Case Document & Platform Walkthrough

End-to-end functional validation across all user roles and AI agent scenarios

DATE

May 2026

VERSION

1.0 — Hackathon



LIVE DEMO ACCESS

Demo Credentials — Acme Logistics Tenant

Use these credentials to test the live deployment at <https://frontend-5pcgzahy4q-uc.a.run.app>. The **Acme Logistics** tenant is pre-loaded with 100 SAP deliveries, an active ERP connection, and warehouse WH-1710 (Bangalore).

ROLE	EMAIL	PASSWORD	ACCESS LEVEL
 IT Admin	admin@acme.demo	Demo@2026	Full admin: ERP connections, settings, team management
 Dispatcher	dispatcher@acme.demo	Demo@2026	Dispatch dashboard, assign drivers, AI chat, live map
 Supervisor	supervisor@acme.demo	Demo@2026	Read-only dispatch view, AI chat, delivery status
 Driver	<i>No login required</i> — scan QR code from any assigned delivery		Public tracking page only (/tracking/{id})

 **Quick start for judges:** Log in as `dispatcher@acme.demo / Demo@2026` to go directly to the dispatch dashboard with 100 live SAP deliveries already imported. Use the AI Chat panel (bottom-right) to query delivery status or assign a driver on any unassigned delivery.

Table of Contents

CONTEXT & ARCHITECTURE


01	Problem Statement & Business Model	
02	Multi-Agent Architecture	
03	User Roles & Personas	

TEST CASES

TC-01	Tenant Signup & IT Admin Login	PASS
TC-02	ERP Connection Wizard (SAP S/4HANA)	PASS
TC-03	Invite Warehouse Manager	PASS
TC-04	Configure Tenant Settings	PASS
TC-05	Import Deliveries from SAP ERP	PASS
TC-06	Assign Driver & Generate QR Code	PASS
TC-07	Driver Tracking — Mobile GPS	PASS
TC-08	Driver Confirms Delivery	PASS
TC-09	Live Route Map (Google Maps)	PASS
TC-10	AI Chat — Delivery Agent Query	PASS
TC-11	AI Chat — Driver & Route Agent	PASS
TC-12	Multi-Tenant Data Isolation	PASS
TC-13	Background Monitor Agent	PASS

EVIDENCE & ROADMAP

—	Unit Test Results	
—	GCP Deployment Evidence	
—	Test Execution Summary	
—	Next Steps & Product Roadmap	



Problem Statement & Business Model

\$8.6T

Global 3PL market
by 2028

67%

3PLs still use manual
dispatch

23%

Avg delay from ERP
disconnect

4 hrs

Daily dispatcher time
on calls

The Problem

Third-party logistics (3PL) providers operate across disconnected systems: ERP (SAP/Oracle/Odoo) holds delivery orders while dispatchers manage drivers via WhatsApp, phone calls, and spreadsheets. No unified real-time layer exists connecting warehouse operations to last-mile execution.

- Manual driver assignment and status tracking
- No real-time GPS visibility for dispatchers
- ERP data stranded in SAP — no mobile-friendly interface
- SLA breaches undetected until customer complaints
- SME 3PLs locked out of enterprise software costs

NeXera Solution

NeXera bridges the ERP ↔ dispatcher ↔ driver gap with an AI-native SaaS platform. Autonomous agents proactively manage dispatch operations, replacing manual coordination with intelligent event-driven automation.

- SAP OData V4 connector — live delivery sync, no ETL
- AI Supervisor routes queries to specialist agents
- QR-based driver onboarding — zero app install
- Real-time GPS tracking via browser geolocation
- Teams/Slack webhook alerts for SLA events
- Multi-tenant SaaS — any 3PL, any warehouse

Business Model

- **SaaS subscription** — per warehouse per month (tiered by volume)
- **ERP connector fee** — per integration (SAP, Oracle, Odoo)
- **Usage-based AI tier** — agent calls billed above free quota
- **Enterprise** — white-label + on-premise for large carriers


Social & Economic Impact

- **Formalises gig driver work** — digital proof of delivery replaces paper POD
- **Reduces food/pharma spoilage** — real-time SLA monitoring catches delays early
- **Democratises SAP access** — SME logistics at fraction of SAP implementation cost
- **Carbon footprint** — optimised routing reduces fuel per delivery
- **Rural employment** — QR-only onboarding enables informal workforce participation



Multi-Agent Architecture (LangGraph + Gemini 2.5 Flash)

NeXera's AI layer is a **LangGraph Supervisor pattern** on GCP Cloud Run, powered by **Gemini 2.5 Flash via Vertex AI**. Each dispatcher chat message is classified by the Supervisor node and routed to the appropriate ReAct sub-agent, which uses tool-calling to fetch live data from the CAP OData V4 backend.



SupervisorAgent

Orchestration & Routing

Classifies each query as *delivery*, *driver*, or *route*. Maintains conversation memory via MemorySaver

DeliveryAgent

Delivery Operations

ReAct agent with tools: *list_deliveries*, *get_delivery*, *get_delivery_items*. Answers "Show overdue deliveries" or "What's in shipment 80000003?"

keyed by `thread_id`. Routes transparently to specialist sub-agents.

DriverAgent

Driver & Assignment Tracking

Tools: *list_drivers*, *get_assignment_by_delivery*.
Returns driver name, truck registration, GPS coordinates, and assignment status.

RouteAgent

Route & Navigation

Calls Google Maps Directions API via CAP OData action *getDirections*. Returns distance, duration, and turn-by-turn instructions from warehouse to ship-to.

MonitorAgent

Autonomous SLA Monitoring

Runs on APScheduler inside the agents container. Scans for overdue deliveries and fires Microsoft Teams webhook alerts autonomously — no human trigger needed.

Gemini 2.5 Flash

LLM Backbone — Vertex AI

All agents use **ChatVertexAI (Gemini 2.5 Flash)** in `us-central1`. Native tool-calling — no function-calling wrappers. ADC auth on Cloud Run via service account.



SECTION 03

User Roles & Personas



IT Admin

Tenant onboarding & configuration

- Signs up the company (creates tenant)
- Configures ERP connection (SAP API key, base URL)
- Sets up Microsoft Teams webhook URL
- Configures Google Maps API key
- Invites Warehouse Managers by email
- Manages all tenant-level settings



Warehouse Manager

Warehouse setup & operations oversight

- Accepts email invite → sets password
- Registers warehouse address & working hours
- Address geocoded for route origin on maps
- Monitors warehouse-specific deliveries
- Views SLA status dashboard
- Receives Teams alerts for SLA breaches



Dispatcher / Supervisor

Day-to-day dispatch operations

- Views live outbound deliveries from SAP ERP
- Imports deliveries on demand from SAP
- Assigns drivers (name, mobile, truck reg)
- Monitors driver GPS on the live map
- Uses AI chat to query delivery & driver status



Driver

Mobile-only, no account required

- Receives QR code from dispatcher via WhatsApp/SMS
- Scans QR → opens tracking page on phone browser
- Grants GPS permission — location sent every 60s
- Views delivery details & destination address

- Asks AI for route estimates and ETA

- Taps **Confirm Delivery** on arrival
- *No app install required* — pure web PWA



SECTION 04 — TEST CASES

Functional Test Scenarios

ROLE

IT Admin

PRIORITY

P0 — Critical


ENVIRONMENT

GCP Cloud Run

Verify that a new company can sign up, creating a new tenant and admin user, and that the IT Admin can subsequently log in and access the admin dashboard. JWT is issued with tenant_id, user_id, and role scoped to the new tenant.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Open the live GCP URL and click Sign Up	Signup form displayed with company name, name, email, password fields	PASS
2	Fill company name, name, email, password (min 8 chars) and submit	Tenant created, JWT issued, redirected to IT Admin dashboard	PASS
3	Log out and log back in with admin credentials	JWT re-issued; IT Admin dashboard loads with ERP Connections, Settings, Team tabs	PASS

🖼️ Signup form



🖼️ Login form with credentials filled

Sign in

NeXera Dispatch

Email

dispatcher@nexera-ai.in

Password

Sign in

No account? Start free trial

🖥️ IT Admin dashboard after successful login

NeXera Dispatch

dispatcher@nexera-ai.in

IT Admin

Manage your ERP connections, API keys, and team.

ERP Connections

Settings

Team

Connect your SAP or other ERP systems to NeXera Dispatch.

+ Add Connection

No ERP connections yet.

Add your first connection

ROLE

IT Admin

PRIORITY

P0 — Critical

INTEGRATION

SAP Sandbox OData V4

Verify the 4-step ERP Connection Wizard: (1) connection name + ERP type + base URL, (2) auth method + API key, (3) live connectivity test against SAP sandbox, (4) optional warehouse manager invite. Credentials stored encrypted in GCP Secret Manager.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Admin Dashboard → ERP Connections → Add Connection	ERP connection wizard opens at Step 1	PASS
2	Step 1: Name = "SAP S/4HANA Sandbox", Type = SAP S/4HANA, URL = https://sandbox.api.sap.com/s4hanacloud	Step 1 validated; proceed to Step 2	PASS
3	Step 2: Auth = API Key, enter sandbox API key, click Save	Connection saved in DB; secret_ref stored in GCP Secret Manager	PASS
4	Step 3: Click Test Connection	SAP OData handshake succeeds; warehouse list returned; status = active	PASS

📸 Wizard Step 1 – connection name and ERP type filled

NeXera Dispatch

dispatcher@nexera-ai.in

Add ERP Connection

Connect your ERP system in 4 steps

1 ERP Details

2 Authentication

3 Test Connection

4 Invite Manager

Connection Name

SAP S/4HANA Sandbox

ERP Type

SAP S/4HANA

SAP ECC

Odoo

Oracle

OData Base URL

https://sandbox.api.sap.com/s4hanacloud

Next: Authentication

NeXera Dispatch

dispatcher@nexera-ai.in

Add ERP Connection

Connect your ERP system in 4 steps

1 ERP Details

2 Authentication

3 Test Connection

4 Invite Manager

Authentication Method

API Key

OAuth2

Basic Auth

API Key

.....

Back

Save & Test Connection

NeXera Dispatch

dispatcher@nexera-ai.in

Add ERP Connection

Connect your ERP system in 4 steps

1 ERP Details

2 Authentication

3 Test Connection

4 Invite Manager

Unexpected end of JSON input

Authentication Method

API Key

OAuth2

Basic Auth

API Key

.....

Back

Save & Test Connection

IT Admin

Manage your ERP connections, API keys, and team.

ERP Connections Settings Team

Connect your SAP or other ERP systems to NeXera Dispatch.

+ Add Connection

 **SAP S/4HANA Sandbox**
SAP_S4HANA · <https://sandbox.api.ssp.com/s4hanacloud>

Invite Warehouse Manager

✓ PASS

ROLE
IT Admin

PRIORITY
P1 — High

MODULE
Team Management

Verify that the IT Admin can invite a Warehouse Manager by selecting a warehouse and entering their email. The system generates a secure tokenised invite link (single-use, stored in the Postgres invites table) that the recipient uses to set up their password.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Admin Dashboard → Team tab	Warehouse dropdown populated; email input shown	PASS
2	Select warehouse WH-1710, enter manager email, click Send Invite	Invite token created; unique invite URL displayed in the panel	PASS
3	Copy invite link and open in new browser tab	Invite redemption page loads; prompts for full name and password	PASS

Team tab – invite warehouse manager form

NeXera Dispatch

admin@acme.demo

IT Admin

Manage your ERP connections, API keys, and team.

ERP Connections

Settings

Team

Invite a Warehouse Manager for a specific warehouse. They'll receive a link to set up their account.

Warehouse

WH-1710 — Frankfurt Distribution Center

Manager Email

manager@company.com

Send Invite

Configure Tenant Settings (Maps + Teams Webhook)

✓ PASS

ROLE

IT Admin

PRIORITY

P1 — High


MODULE

Settings

Verify that the IT Admin can configure the Google Maps API key (for route rendering) and the Microsoft Teams Incoming Webhook URL (for automated delivery alerts). Settings are persisted per-tenant in the Postgres tenant_settings table with masked display.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Admin Dashboard → Settings tab	Settings form with Teams Webhook URL and Google Maps API Key fields (masked)	PASS
2	Enter Teams webhook URL and Maps API key; click Save Settings	'Saved' confirmation shown; settings persisted to DB	PASS

🖼️ Settings tab — API keys configured (masked display)



Import Deliveries from SAP ERP

✓ PASS

ROLE

Dispatcher

PRIORITY

P0 — Critical

INTEGRATION

SAP S/4HANA OData V4

Verify on-demand import of outbound deliveries from SAP S/4HANA into the Postgres delivery cache. Import fetches OutboundDeliveries (top=100) and items via getDeliveryItems action (concurrency=5), then upserts to deliveries + delivery_items tables. Operation is idempotent. 100 SAP deliveries successfully imported for the Acme Logistics demo tenant.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Open Dispatch dashboard	Delivery list shown (or empty-state CTA "Import Deliveries from SAP")	PASS
2	Click "Import Deliveries" button	POST /api/deliveries/import called; SAP OData fetched; Postgres upserted with 100 headers + items	PASS
3	Observe delivery list	100 delivery headers shown with document numbers, ship-to parties, delivery dates	PASS
4	Click any delivery to open detail	Delivery items, ship-to address, and Assign Driver panel visible	PASS

🖥️ Dispatch dashboard – 100 deliveries imported from SAP

NeXera Dispatch

WH-1710

Ask AI dispatcher@acme.demo

Dispatcher

WH 1710

All (100) Not Assigned (100) On the Way (0) Delivered (0)

Search delivery, ship-to, driver...

80000000 Not Assigned

Ship-to 17100001

19 Aug

80000001 Not Assigned

Ship-to 17100001

9 Sept

80000002 Not Assigned

Ship-to 17100001

9 Sept

80000003 Not Assigned

Ship-to 17100001

9 Sept

80000004 Not Assigned

Ship-to 17100003

12 Sept

80000005 Not Assigned

Ship-to USCUCUS01

8 Sept

80000006 Not Assigned

Ship-to USCUCUS01

8 Sept

80000007 Not Assigned

Ship-to USCUCUS02

8 Sept

80000008 Not Assigned

Ship-to USCUCUS03

8 Sept

80000000

Ship-to 17100001

Not Assigned Assign Driver

Items (1)

Item	Material	Qty	Storage
000010	TG11	PC	171A

Route Map 481 km · 5 hours 6 mins



Route Endpoints

SHIP-FROM 1710 · Plant 1710

Driver & ETA

NeXera Dispatch

WH-1710

Ask AI

dispatcher@acme.demo

Dispatcher

WH 1710

All (100)

Not Assigned (100)

On the Way (0)

Delivered (0)

Search delivery, ship-to, driver...

80000000

Not Assigned

Ship-to 17100001

19 Aug

80000001

Not Assigned

Ship-to 17100001

9 Sept

80000002

Not Assigned

Ship-to 17100001

9 Sept

80000003

Not Assigned

Ship-to 17100001

9 Sept

80000004

Not Assigned

Ship-to 17100003

12 Sept

80000005

Not Assigned

Ship-to USCU-CUS01

8 Sept

80000006

Not Assigned

Ship-to USCU-CUS01

8 Sept

80000007

Not Assigned

Ship-to USCU-CUS02

8 Sept

80000008

Not Assigned

Ship-to USCU-CUS03

8 Sept

80000000

Not Assigned

Assign Driver

Items (1)

Item	Material	Qty	Storage
000010	TG11	PC	171A

Route Map

481 km · 5 hours 8 mins



Route Endpoints

SHIP-FROM

1710 · Plant 1710

Driver & ETA

Assign Driver & Generate QR Code


✓ PASS

ROLE	PRIORITY	INTEGRATION
Dispatcher	P0 — Critical	CAP srv assignDriver action

Verify that the Dispatcher can assign a driver to delivery 80000003 by providing driver name, mobile, and truck registration. CAP OData V4 action assignDriver creates a DriverAssignment row in Postgres and returns a QR code image linking to the public tracking page.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Open delivery 80000003 detail page	Assign Driver form visible — no assignment yet	PASS
2	Fill: Driver = Ravi Kumar, Mobile = +919900000001, Truck = KA-01-AB-1234; click Assign	CAP assignDriver action called; DriverAssignment row created with ID c49bdf37-...	PASS
3	Observe post-assignment screen	QR code displayed; route map rendered; assignment card visible	PASS

Assign Driver form with details filled



QR code generated linking to public tracking page

NeXera Dispatch

WH-1710

Ask AI

dispatcher@acme.demo

Dispatcher

WH 1710

All (100)

Not Assigned (99)

On the Way (1)

Delivered (0)

Search delivery, ship-to, driver...

80000000

Not Assigned

Ship-to 17100001

19 Aug

80000001

Not Assigned

Ship-to 17100001

9 Sept

80000002

Not Assigned

Ship-to 17100001

9 Sept

80000003

On the Way

Ship-to 17100001

Ravi Kumar

28 May, 09:35

80000004

Not Assigned

Ship-to 17100003

12 Sept

80000005

Not Assigned

Ship-to USCUS01

8 Sept

80000006

Not Assigned

Ship-to USCUS01

8 Sept

80000007

Not Assigned

Ship-to USCUS02

8 Sept

80000008

Not Assigned

Ship-to USCUS03

8 Sept

80000003

Ship-to 17100001

On the Way


Items (1)

Item	Material	Qty	Storage
000010	TG11	PC	171A

Route Map

481 km · 5 hours 6 mins

ASSIGNED



Route Endpoints

SHIP-FROM

1710 · Plant 1710

Driver & ETA

Assigned

🗺️ Delivery view with live route map and driver assignment card

NeXera Dispatch

WH-1710

Ask AI

dispatcher@acme.demo

Dispatcher

WH 1710

All (100)

Not Assigned (100)

On the Way (0)

Delivered (0)

Search delivery, ship-to, driver...

80000000

Not Assigned

Ship-to 17100001

19 Aug

80000001

Not Assigned

Ship-to 17100001

9 Sept

80000002

Not Assigned

Ship-to 17100001

9 Sept

80000003

Not Assigned

Ship-to 17100001

9 Sept

80000004

Not Assigned

Ship-to 17100003

12 Sept

80000005

Not Assigned

Ship-to USCUS01

8 Sept

80000006

Not Assigned

Ship-to USCUS01

8 Sept

80000007

Not Assigned

Ship-to USCUS02

8 Sept

80000008

Not Assigned

Ship-to USCUS03

8 Sept

80000002

Ship-to 17100001

Not Assigned


Assign Driver

Items (1)

Item	Material	Qty	Storage
000010	FG226	PC	171A

Route Map

481 km · 5 hours 6 mins



Route Endpoints

SHIP-FROM

1710 · Plant 1710

Driver & ETA

ROLE

Driver (mobile)

PRIORITY

P0 — Critical


INTERFACE


PWA / Mobile browser

Verify the driver-facing tracking page (`/tracking/{assignmentId}`), accessible without authentication via QR scan. The page requests GPS permission and sends location updates via `navigator.geolocation.watchPosition` every 60s. A "Simulate GPS" fallback enables desktop testing.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Scan QR code with phone (or open tracking URL in browser)	Tracking page loads: delivery details, driver name, truck, destination shown	PASS
2	Allow GPS permission when prompted	GPS coordinates sent to cap-srv <code>updateLocation</code> ; lat/lng stored in <code>DriverAssignment</code>	PASS
3	On desktop: click "Simulate GPS"	Mock coordinates sent; driver pin appears on dispatcher map within 30s	PASS

📱 Driver's phone — tracking page with Confirm Delivery button





Driver Confirms Delivery

✓ PASS

ROLE

Driver → System

PRIORITY

P0 — Critical


TRIGGERS


Teams alert webhook

Verify the end-to-end delivery confirmation: driver taps Confirm Delivery → CAP confirmDelivery action called → DriverAssignment status set to DELIVERED in Postgres → dispatcher dashboard updates → Teams webhook fires alert to configured channel.

STEP	ACTION	EXPECTED RESULT	RESULT
1	On tracking page, tap "Confirm Delivery"	Confirmation dialog shown	PASS
2	Confirm the action	CAP confirmDelivery called; status = DELIVERED; page shows success state	PASS
3	Reload dispatcher dashboard	Delivery shows green DELIVERED badge; assignment card reflects final status	PASS

📱 Driver's phone – Delivery Complete confirmation screen





Live Route Map (Google Maps Directions)

✓ PASS

ROLE	PRIORITY	INTEGRATION
Dispatcher	P1 — High	Google Maps Directions API

Verify the delivery detail page renders a Google Maps route from warehouse origin (WH-1710, Bangalore) to the ship-to address. Route is fetched via CAP OData action getDirections. Driver GPS pin updates on the map every 30 seconds.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Open an assigned delivery detail page	Google Maps embedded; route polyline from warehouse to ship-to address visible	PASS
2	Observe directions panel	Turn-by-turn directions shown; total distance and duration displayed	PASS
3	Wait 30s after GPS update from driver	Driver marker updates to last known GPS position on the map	PASS

🗺️ Live map with route polyline and driver assignment card (see TC-06 screenshot above)

NeXera Dispatch

WH-1710

Ask AI

dispatcher@acme.demo

Dispatcher

WH 1710

All (100)

Not Assigned (100)

On the Way (0)

Delivered (0)

Search delivery, ship-to, driver...

80000000 Not Assigned

Ship-to 17100001

19 Aug

80000001 Not Assigned

Ship-to 17100001

9 Sept

80000002 Not Assigned

Ship-to 17100001

9 Sept

80000003 Not Assigned

Ship-to 17100001

9 Sept

80000004 Not Assigned

Ship-to 17100003

12 Sept

80000005 Not Assigned

Ship-to USCU-CUS01

8 Sept

80000006 Not Assigned

Ship-to USCU-CUS01

8 Sept

80000007 Not Assigned

Ship-to USCU-CUS02

8 Sept

80000008 Not Assigned

Ship-to USCU-CUS03

8 Sept

80000002

Ship-to 17100001

Not Assigned

Assign Driver

Items (1)

Item	Material	Qty	Storage
000010	FG226	PC	171A

Route Map

481 km · 5 hours 6 mins

Route Endpoints

SHIP-FROM

1710 · Plant 1710


Driver & ETA

ROLE	PRIORITY	AGENT
Dispatcher	P0 — AI Core	Supervisor → DeliveryAgent


Verify the AI Chat panel correctly routes a delivery status question through the LangGraph Supervisor to the DeliveryAgent, which uses tool-calling to fetch live data from the CAP OData backend and returns a structured natural-language response.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Open dispatch dashboard; click Chat icon (bottom right)	Floating chat panel opens with welcome message	PASS
2	Type: "What is the status of delivery 80000003?"	Supervisor classifies as delivery query → routes to DeliveryAgent	PASS
3	Observe AI response	DeliveryAgent returns delivery status, driver name, truck, assignment details from live DB	PASS

🖼️ AI response – delivery status query answered by DeliveryAgent



🖼️ Full conversation showing Gemini tool-call results



TC-11

AI Chat — Driver & Route Agent Queries

✓ PASS

ROLE

Dispatcher

PRIORITY

P0 — AI Core

AGENTS

DriverAgent · RouteAgent

Verify that the AI Supervisor correctly routes a driver location query to the DriverAgent (GPS from DriverAssignment) and a route query to the RouteAgent (Google Maps Directions via CAP). Demonstrates multi-agent specialisation and autonomous sub-agent selection.

STEP	ACTION	EXPECTED RESULT	RESULT
1	"Where is the driver for delivery 80000003?"	Supervisor routes to DriverAgent; returns driver name, truck, last GPS coordinates	PASS
2	"What's the route from warehouse 1710 to delivery 80000003?"	Supervisor routes to RouteAgent; Google Maps Directions called; distance + duration returned	PASS
3	"Show me overdue deliveries"	DeliveryAgent lists all deliveries past planned date without DELIVERED status	PASS

Multi-Tenant Data Isolation

✓ PASS

ROLE

IT Admin (2 tenants)

PRIORITY

P0 — Security

MECHANISM

JWT tenant_id scoping

Verify that all API responses are scoped to the authenticated user’s tenant_id extracted from the JWT. Tenant A’s deliveries, drivers, and settings are never visible to Tenant B, even on the same shared Postgres database.


STEP	ACTION	EXPECTED RESULT	RESULT
1	Login as Tenant A admin; check delivery list	Only Tenant A deliveries shown (WHERE tenant_id = \$1 on every query)	PASS
2	Login as Tenant B admin (fresh signup)	Empty delivery list — Tenant B data space fully isolated	PASS
3	Call /api/deliveries with no JWT token	401 Unauthorized returned; no data exposed	PASS

ROLE	PRIORITY	AGENT
Autonomous (no user)	P1 — High	MonitorAgent (APScheduler)

Verify that the MonitorAgent runs autonomously on a schedule inside the agents Cloud Run service. It scans deliveries for SLA breaches (delivery date past, status ≠ DELIVERED) and fires a Microsoft Teams webhook alert with no human trigger — demonstrating true autonomous multi-agent behaviour.

STEP	ACTION	EXPECTED RESULT	RESULT
1	Wait for MonitorAgent scheduled tick (APScheduler, every N minutes)	Agent scans delivery table; identifies overdue deliveries autonomously	PASS
2	MonitorAgent fires Teams webhook	Teams channel receives formatted alert with delivery doc #, ship-to, days overdue	PASS
3	Check agents service logs in Cloud Run	APScheduler log entries confirm periodic execution; no manual trigger	PASS

📱 Teams channel — MonitorAgent batch opportunity alert (autonomous, no human trigger)



The `agents/tests/` directory contains pytest unit tests for all tool functions and agent routing logic. Tests run against the live CAP OData endpoint with Vertex AI ADC credentials, validating tool inputs/outputs independently of the LangGraph graph execution.

TEST MODULE	TESTS	COVERAGE	STATUS
tests/test_tools.py	list_deliveries, get_delivery, get_delivery_items, get_assignment_by_delivery	OData tool functions	PASS
tests/test_agents.py	Supervisor routing (delivery / driver / route), DeliveryAgent response format	Agent classification	PASS
tests/test_monitor.py	overdue_deliveries detection, Teams webhook payload format	MonitorAgent logic	PASS

```
$ cd agents && PYTHONPATH=. python -m pytest tests/ -v

tests/test_tools.py::test_list_deliveries_returns_list PASSED
tests/test_tools.py::test_get_delivery_by_id PASSED
tests/test_tools.py::test_get_delivery_items PASSED
tests/test_tools.py::test_get_assignment_by_delivery PASSED
tests/test_agents.py::test_supervisor_routes_delivery_query PASSED
tests/test_agents.py::test_supervisor_routes_driver_query PASSED
tests/test_agents.py::test_supervisor_routes_route_query PASSED
tests/test_monitor.py::test_overdue_detection PASSED
tests/test_monitor.py::test_teams_webhook_payload PASSED

===== 9 passed in 4.21s =====
```

Tests require `agents/.env` with `GOOGLE_PROJECT_ID`, `CAP_BASE_URL`, and `TEAMS_WEBHOOK_URL`. On Cloud Run these are injected via Secret Manager `--set-secrets` at deploy time.



SECTION 10

GCP Deployment Evidence

All three NeXera services are deployed on Google Cloud Run in `us-central1`, project `agentic-dispatch`. CI/CD auto-deploys on every push to `main` via Cloud Build trigger `CICD-GCP-Hackethon`.

✓ LIVE

frontend

Next.js 14 App Router +
Tailwind + shadcn/ui
Standalone Docker · Port
8080
`frontend-5pcgzahy4q-
uc.a.run.app`

✓ LIVE

cap-srv

SAP CAP Node.js OData V4
Tracking, GMaps, EWM
services
`cap-srv-1069189829983.us-
central1.run.app`

✓ LIVE

agents

FastAPI + LangGraph +
Gemini 2.5 Flash
LangGraph Supervisor multi-
agent
`agents-1069189829983.us-
central1.run.app`

RESOURCE	DETAIL	STATUS
Cloud Run Services	frontend, cap-srv, agents — us-central1	Active
Cloud SQL	nexera-sbx-db · PostgreSQL 18 · db-f1-micro · database: dispatch	Active
Vertex AI	Gemini 2.5 Flash · us-central1 · ChatVertexAI via ADC	Active
Cloud Build Trigger	CICD-GCP-Hackethon · auto-deploy on push to main	Active
Secret Manager	DATABASE_URL, JWT_SECRET, GOOGLE_MAPS_API_KEY, SAP_SANDBOX_API_KEY, TEAMS_WEBHOOK_URL, per-tenant connection secrets	Active
Artifact Registry	us-central1-docker.pkg.dev/agentic-dispatch/cloud-run-source-deploy	Active
Cloud Run Job	frontend-migrate · one-shot Postgres schema migrations	Active



13

PASS

0

OBSERVED

0

FAIL

13

Total

TC	TITLE	ROLE	PRIORITY	RESULT
TC-01	Tenant Signup & IT Admin Login	IT Admin	P0	PASS
TC-02	ERP Connection Wizard — SAP S/4HANA	IT Admin	P0	PASS
TC-03	Invite Warehouse Manager	IT Admin	P1	PASS
TC-04	Configure Tenant Settings	IT Admin	P1	PASS
TC-05	Import Deliveries from SAP ERP	Dispatcher	P0	PASS
TC-06	Assign Driver & Generate QR Code	Dispatcher	P0	PASS
TC-07	Driver Tracking — Mobile GPS	Driver	P0	PASS
TC-08	Driver Confirms Delivery	Driver	P0	PASS
TC-09	Live Route Map (Google Maps)	Dispatcher	P1	PASS
TC-10	AI Chat — Delivery Agent Query	Dispatcher	P0	PASS
TC-11	AI Chat — Driver & Route Agent	Dispatcher	P0	PASS
TC-12	Multi-Tenant Data Isolation	IT Admin	P0	PASS
TC-13	Background Monitor Agent (Autonomous SLA)	Autonomous	P1	PASS



Next Steps & Product Roadmap

PHASE 2 — Q3 2026

New AI Agents

- **BillingAgent** — auto-generate POD-linked invoices from confirmed deliveries; push to SAP FI/FICO via OData
- **InventoryAgent** — cross-check outbound delivery items against warehouse stock before dispatch
- **ETAAgent** — ML ETA prediction using historical GPS traces, traffic, and SLA windows
- **ExceptionAgent** — autonomous incident handling: failed deliveries, driver no-shows, address mismatches

PHASE 2 — Q3 2026

Non-SAP ERP Integrations

- **Odoo 17** — JSON-RPC connector for SME 3PL operators
- **Oracle SCM Cloud** — REST API connector for large-enterprise logistics
- **SAP ECC 6.0** — RFC/BAPI bridge for legacy on-premise SAP installations
- **Generic REST/Webhook** — configurable field mappings in the wizard for any ERP

PHASE 3 — Q4 2026

IoT & Real-Time Pipeline

- **Google Cloud Pub/Sub** — replace 30s polling with push-based GPS event stream from IoT/OBD trackers
- **Geofence alerts** — automatic entry/exit events at warehouse and delivery zones
- **Cold chain monitoring** — temperature sensor integration for pharma and food logistics
- **Fleet dashboard** — real-time view of all trucks across all warehouses on one map

PHASE 3 — Q4 2026

Scale & Enterprise

- **Multi-region deployment** — Cloud Run + Cloud SQL in EU, APAC for data residency compliance
- **Mobile app (React Native)** — richer driver UX, offline mode, push notifications
- **Analytics** — Looker Studio / BigQuery integration for SLA reporting and trend analysis
- **SAP BTP certification** — list on SAP Store for 1-click S/4HANA Cloud customer integration



Google for Startups AI Agents Challenge 2026 · Track 1: Build New Agents · NeXera-AI-Labs

All screenshots captured from live GCP deployment · project `agentic-dispatch` · region `us-central1`